



Dell S560P/S560T SNMP Protocol

Document

Control Commands List

name	function	oid	value Type	Read /Write	Criteria
RFC1213-system	sysDescr	1.3.6.1.2.1.1.1.0	STRING	R	Dell projector
RFC1213-system	sysObjectID	1.3.6.1.2.1.1.2.0	OID	R	1.3.6.1.4.1.674.10901.200.18
RFC1213-system	sysUpTime	1.3.6.1.2.1.1.3.0	Timeticks	R	operation hours * hours * minutes * seconds
RFC1213-system	sysContact	1.3.6.1.2.1.1.4.0	STRING	R/W	if meet web management (system status)
RFC1213-system	sysName	1.3.6.1.2.1.1.5.0	STRING	R/W	if meet web management (Group Name + Projector Name)
RFC1213-system	sysLocation	1.3.6.1.2.1.1.6.0	STRING	R/W	if meet web management (system status)
RFC1213-system	sysServices	1.3.6.1.2.1.1.7.0	INTEGER	R	DEFVAL { 72 }
RFC1213-interfa ces	ifNumber	1.3.6.1.2.1.2.1.0	INTEGER	R	DEFVAL { 1 }
pdmGeneral	pdmGeneralProd uctName	1.3.6.1.4.1.2699.2.4.1.2.1.0	STRING	R	Dell S560P / Dell S560T
pdmGeneral	pdmGeneralSerial Number	1.3.6.1.4.1.2699.2.4.1.2.2.0	STRING	R	Check PPID number (the latter 7 yards)
pdmGeneral	pdmGeneralAsset Tag	1.3.6.1.4.1.2699.2.4.1.2.3.0	STRING	R/W	Range (0~63 byte)
pdmGeneral	pdmGeneralHard wareVersion	1.3.6.1.4.1.2699.2.4.1.2.4.0	STRING	R	DEFVAL { "" }
pdmGeneral	pdmGeneralServic ePerson	1.3.6.1.4.1.2699.2.4.1.2.5.0	STRING	R/W	Range (0~255 byte)
pdmGeneral	pdmGeneralDevic eAge	1.3.6.1.4.1.2699.2.4.1.2.6.0	INTEGER	R	Check display hours
pdmGeneral	pdmGeneralPowe rOnCount	1.3.6.1.4.1.2699.2.4.1.2.7.0	INTEGER	R	Everytime Projector power on, check if the count value is added by one.
pdmGeneral	pdmGeneralManu factureDate	1.3.6.1.4.1.2699.2.4.1.2.8.0	STRING	R	
pdmGeneral	pdmGeneralLangu ageTagSNMP	1.3.6.1.4.1.2699.2.4.1.2.9.0	STRING	R	en-US
pdmGeneral	pdmGeneralNtpS erverAddress	1.3.6.1.4.1.2699.2.4.1.2.10.0	STRING	R	DEFVAL { "" }
PdmCtr	pdmCtrIndex	1.3.6.1.4.1.2699.2.4.1.3.1.1.1	INTEGER	not-acces sible	1
PdmCtr	pdmCtrDescripti on	1.3.6.1.4.1.2699.2.4.1.3.1.1.2	STRING	R	TI DDP4422
PdmCtr	pdmCtrHardware Version	1.3.6.1.4.1.2699.2.4.1.3.1.1.3	STRING	R	DEFVAL { "" }
PdmCtr	pdmCtrFirmware Version	1.3.6.1.4.1.2699.2.4.1.3.1.1.4	STRING	R	
PdmCtr	pdmCtrFirmware Upgradeable	1.3.6.1.4.1.2699.2.4.1.3.1.1.5	INTEGER	R	DEFVAL { 10 }
PdmCtr	pdmCtrUpgradel nstructions	1.3.6.1.4.1.2699.2.4.1.3.1.1.6	STRING	R	DEFVAL { "" }
PdmCtr	pdmCtrPostStatu s	1.3.6.1.4.1.2699.2.4.1.3.1.1.7	INTEGER	R	DEFVAL { 2 }
PdmCtr	pdmCtrPostCode	1.3.6.1.4.1.2699.2.4.1.3.1.1.8	STRING	R	DEFVAL { "" }
PdmCtr	pdmCtrPostStatu sDefinitions	1.3.6.1.4.1.2699.2.4.1.3.1.1.9	STRING	R	DEFVAL { "" }

PdmPower	pdmPowerIndex	.1.3.6.1.4.1.2699.2.4.1.4.1.1.1.1	INTEGER	not-accessible	1
PdmPower	pdmPowerIndex	.1.3.6.1.4.1.2699.2.4.1.4.1.1.1.2	INTEGER	not-accessible	2
PdmPower	pdmPowerIndex	.1.3.6.1.4.1.2699.2.4.1.4.1.1.1.3	INTEGER	not-accessible	3
PdmPower	pdmPowerIndex	.1.3.6.1.4.1.2699.2.4.1.4.1.1.1.4	INTEGER	not-accessible	4
PdmPower	pdmPowerIndex	.1.3.6.1.4.1.2699.2.4.1.4.1.1.1.5	INTEGER	not-accessible	5
PdmPower	pdmPowerIndex	.1.3.6.1.4.1.2699.2.4.1.4.1.1.1.6	INTEGER	not-accessible	6
PdmPower	pdmPowerImplementedState	.1.3.6.1.4.1.2699.2.4.1.4.1.1.2.1	INTEGER	R	11
PdmPower	pdmPowerImplementedState	.1.3.6.1.4.1.2699.2.4.1.4.1.1.2.2	INTEGER	R	7
PdmPower	pdmPowerImplementedState	.1.3.6.1.4.1.2699.2.4.1.4.1.1.2.3	INTEGER	R	9
PdmPower	pdmPowerImplementedState	.1.3.6.1.4.1.2699.2.4.1.4.1.1.2.4	INTEGER	R	8
PdmPower	pdmPowerImplementedState	.1.3.6.1.4.1.2699.2.4.1.4.1.1.2.5	INTEGER	R	8
PdmPower	pdmPowerImplementedState	.1.3.6.1.4.1.2699.2.4.1.4.1.1.2.6	INTEGER	R	10
PdmPower	pdmPowerDescription	.1.3.6.1.4.1.2699.2.4.1.4.1.1.3.1	STRING	R	Power On
PdmPower	pdmPowerDescription	.1.3.6.1.4.1.2699.2.4.1.4.1.1.3.2	STRING	R	Power Off
PdmPower	pdmPowerDescription	.1.3.6.1.4.1.2699.2.4.1.4.1.1.3.3	STRING	R	Projector is cooling down
PdmPower	pdmPowerDescription	.1.3.6.1.4.1.2699.2.4.1.4.1.1.3.4	STRING	R	Low power mode
PdmPower	pdmPowerDescription	.1.3.6.1.4.1.2699.2.4.1.4.1.1.3.5	STRING	R	Low power mode
PdmPower	pdmPowerDescription	.1.3.6.1.4.1.2699.2.4.1.4.1.1.3.6	STRING	R	Warming up.
PdmPower	pdmPowerMfrDescription	.1.3.6.1.4.1.2699.2.4.1.4.1.1.4.1	STRING	R	Full power on, all components active.
PdmPower	pdmPowerMfrDescription	.1.3.6.1.4.1.2699.2.4.1.4.1.1.4.2	STRING	R	Standby State. Only network electronics remain on.
PdmPower	pdmPowerMfrDescription	.1.3.6.1.4.1.2699.2.4.1.4.1.1.4.3	STRING	R	Going down to standby mode
PdmPower	pdmPowerMfrDescription	.1.3.6.1.4.1.2699.2.4.1.4.1.1.4.4	STRING	R	Lamp off, fan on.
PdmPower	pdmPowerMfrDescription	.1.3.6.1.4.1.2699.2.4.1.4.1.1.4.5	STRING	R	Lamp off, fan on.
PdmPower	pdmPowerMfrDescription	.1.3.6.1.4.1.2699.2.4.1.4.1.1.4.6	STRING	R	Lamp warming up; fan on.
PdmPower	pdmPowerTargetState	.1.3.6.1.4.1.2699.2.4.1.4.1.1.5.1	INTEGER	R	7
PdmPower	pdmPowerTargetState	.1.3.6.1.4.1.2699.2.4.1.4.1.1.5.2	INTEGER	R	11
PdmPower	pdmPowerTargetState	.1.3.6.1.4.1.2699.2.4.1.4.1.1.5.3	INTEGER	R	3
PdmPower	pdmPowerTargetState	.1.3.6.1.4.1.2699.2.4.1.4.1.1.5.4	INTEGER	R	7
PdmPower	pdmPowerTargetState	.1.3.6.1.4.1.2699.2.4.1.4.1.1.5.5	INTEGER	R	11
PdmPower	pdmPowerTargetState	.1.3.6.1.4.1.2699.2.4.1.4.1.1.5.6	INTEGER	R	3
PdmPower	pdmPowerTransitionTime	.1.3.6.1.4.1.2699.2.4.1.4.1.1.6.1	INTEGER	R	120

PdmPower	pdmPowerTransitionTime	1.3.6.1.4.1.2699.2.4.1.4.1.1.6.2	INTEGER	R	30
PdmPower	pdmPowerTransitionTime	1.3.6.1.4.1.2699.2.4.1.4.1.1.6.3	INTEGER	R	0
PdmPower	pdmPowerTransitionTime	1.3.6.1.4.1.2699.2.4.1.4.1.1.6.4	INTEGER	R	120
PdmPower	pdmPowerTransitionTime	1.3.6.1.4.1.2699.2.4.1.4.1.1.6.5	INTEGER	R	20
PdmPower	pdmPowerTransitionTime	1.3.6.1.4.1.2699.2.4.1.4.1.1.6.6	INTEGER	R	0
PdmPower	pdmPowerCommAvailable	1.3.6.1.4.1.2699.2.4.1.4.1.1.7.1	INTEGER	R	3
PdmPower	pdmPowerCommAvailable	1.3.6.1.4.1.2699.2.4.1.4.1.1.7.2	INTEGER	R	4
PdmPower	pdmPowerCommAvailable	1.3.6.1.4.1.2699.2.4.1.4.1.1.7.3	INTEGER	R	4
PdmPower	pdmPowerCommAvailable	1.3.6.1.4.1.2699.2.4.1.4.1.1.7.4	INTEGER	R	3
PdmPower	pdmPowerCommAvailable	1.3.6.1.4.1.2699.2.4.1.4.1.1.7.5	INTEGER	R	3
PdmPower	pdmPowerCommAvailable	1.3.6.1.4.1.2699.2.4.1.4.1.1.7.6	INTEGER	R	4
PdmPower	pdmPowerCurrentState	1.3.6.1.4.1.2699.2.4.1.4.2.0	INTEGER	R	
PdmPower	pdmPowerRequestedState	1.3.6.1.4.1.2699.2.4.1.4.3.0	INTEGER	R/W	
pdmDisplayCap	pdmDisplayCapResolutionH	1.3.6.1.4.1.2699.2.4.1.5.1.0	INTEGER	R	1600
pdmDisplayCap	pdmDisplayCapResolutionV	1.3.6.1.4.1.2699.2.4.1.5.2.0	INTEGER	R	1200
pdmDisplaySet	pdmDisplaySetIndex	1.3.6.1.4.1.2699.2.4.1.6.1.1.1.1	INTEGER	not-accessible	1
pdmDisplaySet	pdmDisplaySetAffectsAll	1.3.6.1.4.1.2699.2.4.1.6.1.1.2.1	INTEGER	R	DEFVAL { 1 }
pdmDisplaySet	pdmDisplaySetInputSource	1.3.6.1.4.1.2699.2.4.1.6.1.1.3.1	INTEGER	R/W	1. VGA_A 4. Composite Video 5. HDMI 14. HDMI2
pdmDisplaySet	pdmDisplaySetBrightness	1.3.6.1.4.1.2699.2.4.1.6.1.1.4.1	INTEGER	R/W	
pdmDisplaySet	pdmDisplaySetBrtMax	1.3.6.1.4.1.2699.2.4.1.6.1.1.5.1	INTEGER	R	100
pdmDisplaySet	pdmDisplaySetContrast	1.3.6.1.4.1.2699.2.4.1.6.1.1.6.1	INTEGER	R/W	
pdmDisplaySet	pdmDisplaySetContrastMax	1.3.6.1.4.1.2699.2.4.1.6.1.1.7.1	INTEGER	R	100
pdmDisplaySet	pdmDisplaySetRGBMax	1.3.6.1.4.1.2699.2.4.1.6.1.1.11.1	INTEGER	R	DEFVAL { 100 }
pdmDisplaySet	pdmDisplaySetSaturation	1.3.6.1.4.1.2699.2.4.1.6.1.1.12.1	INTEGER	R/W	
pdmDisplaySet	pdmDisplaySetSatMax	1.3.6.1.4.1.2699.2.4.1.6.1.1.13.1	INTEGER	R	100
pdmDisplaySet	pdmDisplaySetHue	1.3.6.1.4.1.2699.2.4.1.6.1.1.14.1	INTEGER	R/W	
pdmDisplaySet	pdmDisplaySetHueMax	1.3.6.1.4.1.2699.2.4.1.6.1.1.15.1	INTEGER	R	100
pdmDisplaySet	pdmDisplaySetSharpness	1.3.6.1.4.1.2699.2.4.1.6.1.1.16.1	INTEGER	R/W	
pdmDisplaySet	pdmDisplaySetSharpMax	1.3.6.1.4.1.2699.2.4.1.6.1.1.17.1	INTEGER	R	31
pdmDisplaySet	pdmDisplaySetColorTemp	1.3.6.1.4.1.2699.2.4.1.6.1.1.18.1	INTEGER	R/W	3. Custom 4. Low 5. Mid 6. High

pdmDisplaySet	pdmDisplaySetRe dClrTmp	1.3.6.14.1.2699.2.4.1.6.1.1.191	INTEGER	R/W	DEFVAL { 50 }
pdmDisplaySet	pdmDisplaySetGr eenClrTmp	1.3.6.14.1.2699.2.4.1.6.1.1.201	INTEGER	R/W	DEFVAL { 50 }
pdmDisplaySet	pdmDisplaySetBlu eClrTmp	1.3.6.14.1.2699.2.4.1.6.1.1.211	INTEGER	R/W	DEFVAL { 50 }
pdmDisplaySet	pdmDisplaySetClr TmpMax	1.3.6.14.1.2699.2.4.1.6.1.1.221	INTEGER	R	DEFVAL { 0 }
pdmDisplaySet	pdmDisplaySetVid eoMute	1.3.6.14.1.2699.2.4.1.6.2.0	INTEGER	R/W	Blank Screen 1. Muted 2. Not Muted
pdmDisplaySet	pdmDisplaySetDis playMode	1.3.6.14.1.2699.2.4.1.6.3.0	INTEGER	R/W	3. Original 5. Wide screen 16.9 7. 4:3
pdmLightSource	pdmLightSourceI ndex	1.3.6.14.1.2699.2.4.1.7.1.1.11	INTEGER	not-acces sible	1
pdmLightSource	pdmLightSource Description	1.3.6.14.1.2699.2.4.1.7.1.1.21	STRING	R	PHILIPS 260W E20.9 Arc0.8
pdmLightSource	pdmLightSourceS tatus	1.3.6.14.1.2699.2.4.1.7.1.1.31	INTEGER	R	3. Okay 4. Failed
pdmLightSource	pdmLightSourceE coSetting	1.3.6.14.1.2699.2.4.1.7.1.1.41	INTEGER	R/W	ECO Mode 4. Off -> Normal 5. On -> Low
pdmLightSource	pdmLightSourceA ge	1.3.6.14.1.2699.2.4.1.7.1.1.51	INTEGER	R	
pdmLightSource	pdmLightSourceE rrorCounter	1.3.6.14.1.2699.2.4.1.7.1.1.61	INTEGER	R	
pdmLightSource	pdmLightSourceR eset	1.3.6.14.1.2699.2.4.1.7.1.1.71	INTEGER	R/W	DEFVAL { 1 }
pdmTempSensor	pdmTempSensorI ndex	1.3.6.14.1.2699.2.4.1.10.1.1.11	INTEGER	not-acces sible	1
pdmTempSensor	pdmTempSensor Description	1.3.6.14.1.2699.2.4.1.10.1.1.21	STRING	R	Measure system internal temperature
pdmTempSensor	pdmTempSensorS tatus	1.3.6.14.1.2699.2.4.1.10.1.1.31	INTEGER	R	DEFVAL { 2 }
pdmTempSensor	pdmTempSensorE rrorCounter	1.3.6.14.1.2699.2.4.1.10.1.1.51	INTEGER	R	
pdmTempSensor	pdmTempSensor Reset	1.3.6.14.1.2699.2.4.1.10.1.1.61	INTEGER	R/W	DEFVAL { 1 }
pdmTempSwitch	pdmTempSwitchI ndex	1.3.6.14.1.2699.2.4.1.11.1.1.11	INTEGER	not-acces sible	1
pdmTempSwitch	pdmTempSwitch Description	1.3.6.14.1.2699.2.4.1.11.1.1.21	STRING	R	Avertronics INC.
pdmTempSwitch	pdmTempSwitchS tatus	1.3.6.14.1.2699.2.4.1.11.1.1.31	INTEGER	R	3. Okay 5. Fail
pdmTempSwitch	pdmTempSwitchE rrorCounter	1.3.6.14.1.2699.2.4.1.11.1.1.41	INTEGER	R	
pdmTempSwitch	pdmTempSwitchR eset	1.3.6.14.1.2699.2.4.1.11.1.1.51	INTEGER	R/W	DEFVAL { 1 }
pdmConnector	pdmConnectorIn dex	1.3.6.14.1.2699.2.4.1.12.1.1.11	INTEGER	not-acces sible	1
pdmConnector	pdmConnectorIn dex	1.3.6.14.1.2699.2.4.1.12.1.1.21	INTEGER	not-acces sible	2
pdmConnector	pdmConnectorIn dex	1.3.6.14.1.2699.2.4.1.12.1.1.31	INTEGER	not-acces sible	3
pdmConnector	pdmConnectorIn dex	1.3.6.14.1.2699.2.4.1.12.1.1.41	INTEGER	not-acces sible	4
pdmConnector	pdmConnectorIn dex	1.3.6.14.1.2699.2.4.1.12.1.1.51	INTEGER	not-acces sible	5
pdmConnector	pdmConnectorIn dex	1.3.6.14.1.2699.2.4.1.12.1.1.61	INTEGER	not-acces sible	6

pdmConnector	pdmConnectorIndex	.1.3.6.1.4.1.2699.2.4.1.12.1.1.1.7	INTEGER	not-accessible	7
pdmConnector	pdmConnectorIndex	.1.3.6.1.4.1.2699.2.4.1.12.1.1.1.8	INTEGER	not-accessible	8
pdmConnector	pdmConnectorIndex	.1.3.6.1.4.1.2699.2.4.1.12.1.1.1.9	INTEGER	not-accessible	9
pdmConnector	pdmConnectorIndex	.1.3.6.1.4.1.2699.2.4.1.12.1.1.1.10	INTEGER	not-accessible	10
pdmConnector	pdmConnectorIndex	.1.3.6.1.4.1.2699.2.4.1.12.1.1.1.11	INTEGER	not-accessible	11
pdmConnector	pdmConnectorIndex	.1.3.6.1.4.1.2699.2.4.1.12.1.1.1.12	INTEGER	not-accessible	12
pdmConnector	pdmConnectorIndex	.1.3.6.1.4.1.2699.2.4.1.12.1.1.1.13	INTEGER	not-accessible	13
pdmConnector	pdmConnectorIndex	.1.3.6.1.4.1.2699.2.4.1.12.1.1.1.14	INTEGER	not-accessible	14
pdmConnector	pdmConnectorDescription	.1.3.6.1.4.1.2699.2.4.1.12.1.1.2.1	STRING	R	VGA-A
pdmConnector	pdmConnectorDescription	.1.3.6.1.4.1.2699.2.4.1.12.1.1.2.4	STRING	R	Composite Video
pdmConnector	pdmConnectorDescription	.1.3.6.1.4.1.2699.2.4.1.12.1.1.2.5	STRING	R	HDMI1
pdmConnector	pdmConnectorDescription	.1.3.6.1.4.1.2699.2.4.1.12.1.1.2.14	STRING	R	HDMI2
pdmConnector	pdmConnectorType	.1.3.6.1.4.1.2699.2.4.1.12.1.1.3.1	INTEGER	R	3 (See Note 2)
pdmConnector	pdmConnectorType	.1.3.6.1.4.1.2699.2.4.1.12.1.1.3.2	INTEGER	R	3
pdmConnector	pdmConnectorType	.1.3.6.1.4.1.2699.2.4.1.12.1.1.3.3	INTEGER	R	10
pdmConnector	pdmConnectorType	.1.3.6.1.4.1.2699.2.4.1.12.1.1.3.4	INTEGER	R	13
pdmConnector	pdmConnectorType	.1.3.6.1.4.1.2699.2.4.1.12.1.1.3.5	INTEGER	R	6
pdmConnector	pdmConnectorType	.1.3.6.1.4.1.2699.2.4.1.12.1.1.3.6	INTEGER	R	12
pdmConnector	pdmConnectorType	.1.3.6.1.4.1.2699.2.4.1.12.1.1.3.7	INTEGER	R	21
pdmConnector	pdmConnectorType	.1.3.6.1.4.1.2699.2.4.1.12.1.1.3.8	INTEGER	R	20
pdmConnector	pdmConnectorType	.1.3.6.1.4.1.2699.2.4.1.12.1.1.3.9	INTEGER	R	7
pdmConnector	pdmConnectorType	.1.3.6.1.4.1.2699.2.4.1.12.1.1.3.10	INTEGER	R	4
pdmConnector	pdmConnectorType	.1.3.6.1.4.1.2699.2.4.1.12.1.1.3.11	INTEGER	R	9
pdmConnector	pdmConnectorType	.1.3.6.1.4.1.2699.2.4.1.12.1.1.3.12	INTEGER	R	22
pdmConnector	pdmConnectorType	.1.3.6.1.4.1.2699.2.4.1.12.1.1.3.13	INTEGER	R	23
pdmConnector	pdmConnectorType	.1.3.6.1.4.1.2699.2.4.1.12.1.1.3.14	INTEGER	R	6
pdmConnector	pdmConnectorEnabled	.1.3.6.1.4.1.2699.2.4.1.12.1.1.4.1	INTEGER	R	DEFVAL { 1 }
pdmConnector	pdmConnectorEnabled	.1.3.6.1.4.1.2699.2.4.1.12.1.1.4.4	INTEGER	R	DEFVAL { 1 }
pdmConnector	pdmConnectorEnabled	.1.3.6.1.4.1.2699.2.4.1.12.1.1.4.5	INTEGER	R	DEFVAL { 1 }
pdmConnector	pdmConnectorEnabled	.1.3.6.1.4.1.2699.2.4.1.12.1.1.4.6	INTEGER	R	DEFVAL { 1 }
pdmConnector	pdmConnectorVideoCurrInput	.1.3.6.1.4.1.2699.2.4.1.12.2.0	INTEGER	R/W	1. VGA_A 4. Composite Video 5. HDMI 14. HDMI2

pdmInterlockTable	pdmInterlockIndex	1.3.6.1.4.1.2699.2.4.1.13.1.1.1.1	INTEGER	not-accessible	1
pdmInterlockTable	pdmInterlockStatus	1.3.6.1.4.1.2699.2.4.1.13.1.1.3.1	INTEGER	R	DEFVAL { 3 }
pdmLocaleCharacterSet	pdmLocaleCharacterSetIndex	1.3.6.1.4.1.2699.2.4.1.14.1.1.1.1	INTEGER	not-accessible	1
pdmLocaleCharacterSet	pdmLocaleCharacterSetEnum	1.3.6.1.4.1.2699.2.4.1.14.1.1.2.1	INTEGER	R	DEFVAL { 4 }
pdmLocaleCharacterSet	pdmLocaleCharacterSetEnumEWS	1.3.6.1.4.1.2699.2.4.1.14.2.0	INTEGER	R/W	DEFVAL { 4 }
pdmLocaleLanguage	pdmLocaleLanguageIndex	1.3.6.1.4.1.2699.2.4.1.15.1.1.1.1	INTEGER	not-accessible	1
pdmLocaleLanguage	pdmLocaleLanguageTag	1.3.6.1.4.1.2699.2.4.1.15.1.1.2.1	STRING	R	DEFVAL { en-US }
pdmAudio	pdmAudioVolume	1.3.6.1.4.1.2699.2.4.1.16.2.0	INTEGER	R/W	
pdmAudio	pdmAudioMute	1.3.6.1.4.1.2699.2.4.1.16.3.0	INTEGER	R/W	1. Muted 2. Not Muted
pdmAlert	pdmAlertIndex	1.3.6.1.4.1.2699.2.4.1.18.1.1.1.1	INTEGER	not-accessible	1
pdmAlert	pdmAlertGroupType	1.3.6.1.4.1.2699.2.4.1.18.1.1.2.1	STRING	R	See Note 1
pdmAlert	pdmAlertGroupID	1.3.6.1.4.1.2699.2.4.1.18.1.1.3.1	STRING	R	See Note 1
pdmAlert	pdmAlertDescription	1.3.6.1.4.1.2699.2.4.1.18.1.1.5.1	STRING	R	Alert's condition has Lamp Fail, Lamp hours running out, Projector Overheating, and Fan Error.
pdmAlert	pdmAlertSeverityLevel	1.3.6.1.4.1.2699.2.4.1.18.1.1.6.1	INTEGER	R	Refer to Note 1
pdmAlert	pdmAlertTrainingLevel	1.3.6.1.4.1.2699.2.4.1.18.1.1.7.1	INTEGER	R	DEFVAL { 2 }
pdmAlert	pdmAlertCriticalAlertsCount	1.3.6.1.4.1.2699.2.4.1.18.2.0	INTEGER	R	
pdmAlert	pdmAlertAllAlertsCount	1.3.6.1.4.1.2699.2.4.1.18.3.0	INTEGER	R	

Note 1:

- a) If there is no any current alert, all of OID in alert table will respond default value.
pdmAlertGroupType = ""
pdmAlertGroupID = 0
pdmAlertSeverity = other (1)
The reset Object will respond default.
- b) If there is FAN alert happen, the tables is shown below.
pdmAlertGroupType = "Fan"
pdmAlertGroupID = "Fan Error"
pdmAlertSeverity = Critical (3)
The rest Object will respond default.
- c) If there is Lamp fail alert happen, the tables is shown below.
pdmAlertGroupType = "Lamp"
pdmAlertGroupID= Lamp Fail
pdmAlertSeverity = Critical (3)
The rest Object will respond default.
- d) If there is Lamp hours running out alert happen, the tables is shown below.
pdmAlertGroupType = "Lamp"
pdmAlertGroupID= Lamp hours running out
pdmAlertSeverity = warning (4)
The rest Object will respond default.
- e) If there is Projector Over-heating alert, the tables is shown below.
pdmAlertGroupType = "ThermalSensor"

pdmAlertGroupID= "Projector Overheating"
pdmAlertSeverity = warning (4)
The rest Object will respond default.

Note 2:

1. Other
2. Unknown
3. VGA
4. DVI-D
5. DVI-I
6. HDMI
7. Component Video BNC-5
8. Component Video BNC-3
9. DisplayPort
10. S-Video
11. RJ45
12. Wireless
13. RCA Plug Video-3
14. RCA Plug Audio
15. Mini jack 2 dot 5mm Audio
16. Mini jack 3 dot 5mm Audio
17. Coax Audio
18. Fibre Audio
19. Memory Card
20. USB Memory
21. USB Display
22. Intel® WiDi
23. Internal Memory

Information in this document is subject to change without notice.

© 2016 Dell Inc. All rights reserved.

Reproduction of these materials in any manner whatsoever without the written permission of Dell Inc. is strictly forbidden.

Trademarks used in this text: Dell and the DELL logo are trademarks of Dell Inc.

Other trademarks and trade names may be used in this document to refer to either the entities claiming the marks and names or their products. Dell Inc. disclaims any proprietary interest in trademarks and trade names other than its own.

June 2016 Rev. A00