ө₿ –⊖ⅅ_₽₩₩₩ ₢₡ŋ₩ Dell™ ST2220T**е₿**

<u>9₿n-ŋ-ə</u> <u>9₿n Ksn</u> <u>9₿n ₩û₽n</u> <u>-₡û,⊖ ๗-₽</u>

-ր"ə-*-*ֆր-ր ,-ֆր

.Յ‴₩Ө –₩₡₽ ә₱₦ ₢₦ ₯₡₡₮₡ Ө-‴ ₯ŋ₡₩ ₭₡₡₿₩ ₧₯₧ :₧₯₧ 💋

.--∓¢/ə¢/ΜηλΘρ---∓ə Dell Inc. ₩ ΘηλΘ--¢/əə₩₩ ¢/μ₩ηλη--8Θρs://μ

– መንፅ – «ይቀր – መንፅ Microsoft Corporation ትናፈምተተቀውቀም። ትርጉ መንስት አንድር የሆኑ በ በርና / Microsoftም ትናፈም ትርጉ በደረገ ትናት ትርጉ በ በርጉ መንስት አንድር በ በርጉ መንስት የሚመረጉ ትርጉ በ በርጉ መንስት የሚመረጉ ትርጉ በ በርጉ መንስት የመንስት የ የመንስት የመንስ

ST2220TcRsn

Rev. A00 2010 000 PT

<u>,©ixh–n **%**n</u>₩ n"‴Θ

ө₿р–ŋ–ә ө₿-ð/), ₩₩₩ ₢₡ŋ₩ Dell™ ST2220T ‴-₠ ө₿

- <u>n"Øən Dixh-</u> 🥚
- <u>₿-₩n-K-m</u> 🎱
- <u>-sƏ-Rs#s#" (2-n(1)"</u> 🍳
 - <u>⊖Bn €₽₩</u> 🎱
- (USB (Universal Serial Bus s
 - - <u>ns–"‴₦ –₡‴Kn</u> 🎱

n"¢en ₪m–

. – physics \mathbb{R}^m rest of \mathbb{R}^m rest of \mathbb{R}^n r

.-₩₡-₮₩-₿₺₽₨₡₩₡-₮₩ ₨₡-₠₡₦₷ -ә-ә-₭-₥Ѳ₩₦ г₡₮₡ ₶₡₭ ә₦ ₶₥₡₡ . ө₿₦ ₱₿₡₳₶₥₡₽₨₡₡₦₭₡₱₱₨₨₡₦₡₮₩₨₡₺₡ :₥₰п M



(ethe) J,ethef for USB – ∂ØCBØØ – ₩Ø Pa₩) USB up stream Hogn i	
(−₠₡₦\$╴,ӷ₡ӷ₩₽₦₯₱∩₢₡₩ <i>,∽°₡</i> ₠Ө-ҧ╼₯₽₡₩)ҧ₯₡⊥	
⊄-⊴0-€N ₩ 1	D¢LL

<mark>₿-₩</mark>n-К-₥

:**-₩₩-**ՠ**e฿ր-₭-**ՠ**ՠ₩///),₱_ՠB%/#₩ Rs//**₀ TFT LCD **e-₿** ST2220T**e**₿

- .(₩₩546.8) '₩6 21.5 ₪-₩₩96-9 ■
- .-₡-₥-₩₭-෦₱₽₽₩₩₢₮₩₽₥₡₩₪₥- ,X 1080 1920 րդ₱ր ■
- .e฿₦ ⊖–sր‴ə p⊅,⊝฿ր ₪sր ₦₥ –ə ₢₡–₯⊖₿әә րր"₩ ₯o₩₦₡e
 - .୮₡₫₽₽₽₩₡₡₩₩₽₽₡₽
 - .₥₿₩ӨᲝ₥₡₩Ө₡₭-₩,"₦₿₱₥₭₥"₦+₥₡■
 - .C7₩/p₩//28″/2₩//28P-ƏN-pN+smppN+(OSD)C77₩%/27b--//201 ■
- .₿-₩'n_₯₡/- (ICM) ₨₡₡₯₿₿₩₥ ≡Ө-\$,(INF) ₪₥₦₥₭₩ ≡Ө-\$₨₯∩₭₥— 'n_₯₡/-₠₡₦\$
 - .Energy Star ₪\$ ₩ə- Energy Saver ₭-₥
 - .ր‴₠Өә₦₡₯₭≡₡‴ ∎
 - .¶¶nj⊖Rsøk⊖ ₩Rsøk+ #¥2 x 2%∋– ■

-sO-R*s©s*N"@-<u>n</u>@"

ⅆ₳₼₰₢₳₳



₩ Rs/ID,- O \$ Rs/IOB₩/I/"Θ	1
-₡₽₽₩/~₡₽₽ ₡‴Ө	2
(OSD) ₢₮₩ ₠₡₱ ₡‴ө	3
[Pa@B#/	4
(₡ <i>–₡₡</i> ₭₨₯)₡ ₽₡ ₼/₽₦₯₱₽ -₱₥	5

₡"'''ә₠**Ө₩**



¢	-ə¢	-₩¢
1	ŋ−\$⊖⊖ ₡−ŋ₡₮ ₱₮₩ ₡−−	.₡₭₥₠₥₡₩₦₳₲₢-₿₦ Dell RsDps ₡₿₡₦
2	∩₭₡₅ө–₡∩ <i>₡</i> ––	. ⊓₭₡ \$₽ ₡-₡ә ә ₠₱₩
3	Rs₡₦⊕₥ ⊖-	.ϴ−ϼ Ͼŋ Rs₡₦ϴ₥ϼ ϶ ϴ₭ ₩
4	USB downstream a	.USB ዝፀ ን∩ Θ Ø/ዝ
5	ſ‴€θə₩₡₯₭ ≡₡″	.e\$ns-n∦n∺



₽-‴₠Ѳ₩



	۰	P	•		
1	2	3	4	5	6
	r⊔-‴€⊖¥	ŧ			

¢	-ə¢
1	<i>₡₡ "</i> ₩ ₦9₥₦ 9‴₩
2	DVI θ ‴₩
3	Θ‴₩ HDMI
4	VGA 6 ‴₩
5	Line-in-¢p
6	USB upstream 6 ‴₩

ө₿р **₽₩**

.ebp.HRs/16-Rs/16/140Rs/16/10/14=#Tpm/18H-p/16+HRs/16-Rs/108+-p-0.0.p/14+H0sRs/129pRs/14/10,70

sPTITMBN-INCKOOBW

ᠭ₦ᢌ₩ᠭ₩᠆ᡷ᠋ᢩ᠄*ঃ₱ᡀᡢᠯᡛᠣ᠐ᠴᡢᠯᡛ᠆ᠿᡛ*ᢂ᠄᠊ᢌ₭᠆"₭᠆₥.-₩₡Ტ᠆₭₡ᢌᢒ᠕᠆₦ᢌ₱₮ᢩᡢᡢ₡₿ᢌ₡₻᠆₠᠆ᢀ᠌᠌᠌ᢁᢟᢌ᠋ᢂᢤ᠋᠆ᡁᠰᢂᡧ᠆ᡁ᠕ᡩᡛ᠕ᡀ᠆ᡁ᠕ᡩᢂᡩᡢᡁᢪ ᠬᢖᡐᢂᡙ᠐ᡋᡆᢔᢂᢟᡆ᠖ᡏᢂᡢᡙ᠆ᡜ᠈᠆ᡩ᠆᠆ᠱᡢ᠆᠕᠆ᢨ᠆ᢤ᠓᠆ᢤᢁ᠆ᢤᢁ᠆ᢤᢁᡁᡩ᠉᠅᠄ᢞᠮᢆᢧᡕᠬ᠘᠖ᠳᡗᠮ᠌ᡷ᠄

sPTn mØB	_₽ 0 ₽ ₽	-a@-	Ørtennte	(sp-orum)(sp	VESA
Rs₩@) W 55	THE T	₩ØD₽	HØP	HØP	₩Ø₽ USB- -₩@⊕₩₩Θ<u>Γ</u>₩- Ø₽
(###=) W 28	Telet	₩ØØ₽	₩Ø₽	HØD#	ſ₩¢₽₩-₽₽
W 1	€K Ø _P	€‴-₩	N//OJPAN	₩∭C)₽₽₩	Active-off
W 0.5	¢Ban-		-	-	(Br

.-əƏŋ – "Նր–րր " ə əb–, –ə₮-₩₡Д₽ ӨВ₩Ө ө₿рә₥ ₠₡₥ ₨₡₩Ө Дө Rsə .n**ဠ₦**Ө (Normal) ₩₡ө₥–Д₽ ӨВ₩Ө ₦Д₽₡ ₢₱₩ր ₠₡₽ :**n "n** 🦉

	Dell ST2220T		MESSAGE	Dell ST2220T
			There is no signal coming from your computer.	
up.		ъ	Press any key on the keyboard or mouse to wake it up .	
or button again.			To change to another input source press the monitor button again.	
			MESSAGE	Dell ST2220T
			MESSAGE There is no signal coming from your computer.	Dell ST2220T
			MESSAGE There is no signal coming from your computer. Press any key on the keyboard or mouse to wake it up .	Dell ST2220T
			MESSAGE There is no signal coming from your computer. Press any key on the keyboard or mouse to wake it up . To change to another input source press the monitor button again.	Dell ST2220T

.<u>c₮₩n ₠₡₱</u> ₦ә ө₦ ₡n₥ ө₿n ә '₯n'– Ө‴₩n ә ₦₯₱n





." Win RS2WW "Win NOm s-#K #1# NO, s#-Om OBWO sPTinn#B2 N#Nn NEON D#K

RsØKØ₽ØŋØs₽

VGA **Θ‴₩**



⊖-″₩ŋ-əŋ₩Ən ₦₨₡₭₡₽ -15 ŋ ₿	rø₽₽₩
Rsr∌ə ∦ -	1
\$ - ₡- э ₡-	2
₩₥₋₴₡	3
€∰J	4
₡₩₩₽₽₽₽₩₽₽	5
Rsnp-r₩fp	6
s-₡-I₩₽	7
qt₩ŋ-t≬¥#	8
6‴₩ <u>∩</u> ₩ 5V	9
qt₩1-₹¥r¢⊡	10
q₩ŋ	11
ddc Ø kk	12
₡₽₽₽₩₩₩	13
Ønterrite	14
DDC ലെഗ്ഗ	15

DVI **θ‴₩**

|--|

N0m0R\$\$\$\$ -24 ∎Ø\$\$\$\$\$	(
-TMDS RX2 1	
+TMDS RX2 2	
րsən TMDS 3	
.3 8 4	
,78 5	
DDC∎⊫00 ₀ 6	
DDC Ø KK 7	
./B 8	
-TMDS RX1 9	
+TMDS RX1 10	
րsəր TMDS 11	
.降 12	
,3 8 13	
5V +ր₦∅,₱ր‴₩ 14	
Ø₩₩80,րsø¢np 9 15	
Hot Plug ∉<u>r</u>₡ 16	
-TMDS RX0 17	
+TMDS RX0 18	
րsəր TMDS 19	
.乃 20	
乃 21	
րsən TMDS 22	
+TMDS Clock 23	
-TMDS Clock 24	

Θ″₩HDMI



6	-T.M.D.S. Data 1
7	+T.M.D.S. Data 0
8	€n/# T.M.D.S. Data 0
9	-T.M.D.S. Data 0
10	+ T.M.D.S. Clock
11	Griff T.M.D.S. Clock
12	- T.M.D.S. Clock
13	CEC
14	(₪\$Ŋ⊖.N.C) –₩
15	SCL
16	SDA
17	CEC/DDC \$ an
18	5V+ ‴₩
19	Hot Plug #f #

(USB (Universal Serial Bus

<u> ₪₥–n ₰n₦ n"‴Ө</u>

"'₱₮₭

ө₿ –ϴ*ᡗ*ϼ₩₩Ν ₢₡ŋ₩ Dell™ ST2220T ‴–₠ ө₿

<u>-‴₡₠Ө -ə-n</u> ● <u>n₭₡₅n-ə.₮-₭₯₡₩- (n**9₦9**6"n ə) FCC₯n-n</u> ●

Dell RsD. s @B@ 🎱

-‴₡₠Ө -ә-ր :րր"ә∆

ØknWgHknF-ə/-₩¶KnFRseNRs@HW)g1@WFWORsØKCEWRsØQH6O-əRsØK-Øn0,-s00-₩Cn:pp"ə 🛕

Dell RsD_p s **ØB**Ø

.(WWW-DELL (800-999-3355-800 ₪–₱₦₠Ө₅–₿₡₦ ₨₡₦–₥₡₡₽ŋ–₿₽Ө-‴–\$₦

. Dell NRS/28-White Neterla - Bill - Bill - NG , p -

.support.dell.com θ-mθ \$θ .1

- .₰ҧր ₡‴Ө Choose A Country/Region ‴₱₭ր ₠₡₱ր₩ ә₿₩₭ րә ₨րӨ –"әӘ –ә ≡әӘ‴Ө .2
 - .**₰**ŋฏn ₦ ₦ә₩ ŋ₿Ө Contact Us ≡″₦ .3
 - .₢–₿₯₡₱₦ ₨₡₩₡₴₩₯₥₡₩₥*-*₡\$Ө –ә*-₡*Ө‴Ө .4
 - .Dell Rsւℬր\$ ₡₿₡₦₢₦ ր‴–₭ր ԹղՅ‴Յ .5

<u> Խտ–ր Հր₩ ന"‴Ө</u>

ອ₿ր ₭\$**ɲ** Dell™ ST2220T ө₿ – ѲЉ_?₩₩₩ ₢₡ŋ₩

.գ₭₭₡ә₦<u>լ</u>₡๏₨₯ Dell™ ₦ <u>ŋ</u>₡₡₭ –ә ₡₭‴₦– Ө″₩ ₢-Ө ₡ ₨ә

.GNAGT₩ηΤ#©±n-ΘΔ,#%:ກηΔη ຎຊηηΝη%₩əη-n-,₩Θ#(\$ -#(n #.e ə ຎ″n ,<u>http://support.dell.com</u> Θ-m)₩-№e.1

.**1920X1080**-₥ րդ₱րը ә ₯–Өѕ₦ ₡₭ ր₮₭ ,₢–Ө ₢₮₩ր ₮₡₠₥ –Ө₯ ₪ѕրր ₡₦ր₭₩ ә ₭ѕր ‴ә₦ .2

.-.₩৸p –ր₱pѲ ₢₩– ₢₮₩ ₮₡₠₥ –n–ә ₨₡₠₱ ₦Өѕ₦ ?Dell ₨₯ ѕ –₿ ,Х 1080 1920-₦ րդ₱րր ә –₭₦ ‴₦₿ր ә₦ ₨ә **։ր/չր** 💋

<u> ₪₥–n ₰n₦ n"‴Ө</u>

<u> Խտ–ր Հր₩ ന"‴Ө</u>

eBn ₭sn Dell™ ST2220Te8

Dell™**₿-₩ -₭₡ә₢₮₩ ₮₡**₠₥ -ә <u>ŋ</u>₡₡₭*Ө*″₩ ,₡₭‴₦- Ө″₩ ₢-Ө ₡ Rsә

.-**դөր (####5:11-0**0), .2

.**Rsŋ∰ ‴**Ө.3

.(p₩mp-NVIDIA, ATI, Intelp=##appn:.4

. (<u>http://www.NVIDIA.com</u>-ə <u>http://www.ATI.com</u>r#ን በአካቢ-ሪንዙ ወያስ ትኩ₭₩ դ-ր- ₢₮₩ր ₮₡₠₥ \$₱₮ ₦₠₭₠₭₡₽₽₦- № .5

.1920x1080 -₥ ₥₱₥ ә ₯–Өѕ₦ ₡₭ ₥₮₭ ,₢–Ө ₢₮₩₥ ₮₡₠₥ –Ө₯ ₪\$₥ ₡₦₥₭₩ ә ₭\$₥ ‴ә₦ .6

.1920x1080 ከበፆበፁ ₢₩– ₢₮₩ ₮₡₠₥ –₥ –ә ፁ‴₩ր ₪₿₡ ₨₯\$ –₿ ,1920x1080-₦ ከባፆበቦ ә –₭₦ ‴₦₿Ი ә₦ ₨ә :µ₯₥ 🌠

<u> ₪₥–n ₰n₦ r/"‴Ө</u>

<u> ₪₥–n *₰*n₦ ㎡‴Ө</u>

ອື່ຣິກາ¥ິ່ງ, Pn Dell™ ST2220T e₿ -ອ/), ₩₩₩ GØ₁₩

- <u>e₿n₩0,₽n</u> ●
- <u>₡₩ŋ₅ŋ ₦₭₱Ѳ ₢₮₩ŋ ₠₡₱ –₅ѲѲ –₩₡</u> �
 - <u>(OSD) ₢₮₩n ₠₡₱Ө –₩₡</u> ●
 - <u>₡⊖₡₩ nn₱n nən</u> 🍳
- <u>–⊖ ₩n₦ n₿ –⊖ ₡–₿n Rs–\$₡₩₦ ө₿n ə nən_</u> 🍳
 - <u>.D.e₩n e\$⊖-₩//</u>. ●

e₿n₦₯₽n

.eBpa s@Annt @nn 🙆 s₩n NDp ≡″N



₡₩դ₅ր **₦₭₱Ѳ ₢₮₩**ҏ ₠**₡₱** –₅**ѲѲ** –₩₡

.n₭-₩n –nen ə -₭₦ ₡nn e₿n n₿Ө Rs₡\$₩n ₦⊅, ≡‴₦



	rj ente derte	-ə¢
A	6	. <u>₢₮₩∩₠₡₱⊖−₩₡</u> Იә.≠₩₨₡₯₩₨₡₡₰₳₿₦ <u>∩</u> ₩₡₢₩~″Ѳ₦₡₰₥₳₩₨₡₡₰⊶Ө₅₽₨₡₳₿₩₽ _₽ ₩₩₰⊱═″₦
	₩Rs¢p-₩Rs¢0₿₩	
В	-@ <u>1</u> -@(к/~@пө	Contrast"(-₡ᲘᲛ) "Brightness" րቌፁր ₠₡₱ ₦ә ր₡₡ ր₡ө₦ (-₡nַ-ө₡₭-₡nָᲛ) Brightness/Contrast ቌ₩Მ ₩ n .(-₡nַ-₫₭) "
С	€€₽	(OSD) ₢₮₩Ი ₠₡₱ә ө₡₿Ი₦ ₡Ი₥ ₠₡₱₧ s₩ ₦₯ ≡‴₦.

∩₭₩₽₡₠₡₱₩–₢₮₩₽₽₠₡₱₩ә₿₦₡₽₥₳₽₽₱₡₿₡)Exit≡″₦.



¢₩ŋşŋ**ŗ₦∅,₽ŋŋ‴-₦**₡₩

.ր₭–₩ր –դеր ә –₭₦ ₡ӆ₥ ө₿ր դ₿Ө <u>₨₡₩∩₦₯≓″₦</u>



	ſ₿Ħ₩₽ ₽₿ [°] Ħ	-ə¢
A	I skýbane	₢₮₩∩₠₡₱Ѳ₨₡₠₡₱(‴──₽₦₡₽₽₩)₪ー₥₦₡₽₽₦₰₩₦₤₦.
В	I HAMA	₢₮₩₽ ₠₡₱₳ ₨₡₠₡₱ (‴—₠₽₡₠₫₦)₪–₥₦₡₥₽₦₩≅₦.
С	- €ə	ព្⁄⊄‴Θր ə ə₦ ⊄ព្វា (−⊄ə) OK ≓¶.
D	(p"‴) Back	⊄∋ր €₡₱₦ -"‴₦ ₡ŋ₥ (ր " ‴) Back ≝₦.

(OSD) ₢₮₩<u></u>'n ₠₡₱**Ѳ** –₩₡

Rs₡₠₡₱µ₥₯₩ ₦ә **№**

.Rs#ú/## @7#p %@Ppi), @##--popp o pKRso Rso -### Rs##-K#p .Rs##-K#p @&#-&-> ##o&p ,C7#p %#P# o# -@ **> %#P# 6## @## ***+ -_popp o pK Rso:pi/p

Menu				Dell ST2220T
Đ.	Brightness/Contrast	Brightness	▶ 75	
[+]	Auto Adjust	Contrast	▶ 75	
Ð	Input source			
*	Color Settings			
	Display Settings			
	Audio Settings			
華	Other Settings			
×	Personalize			
(1	Resolution: 1280x1024@	60Hz	Maximum Resolution:	1920x1080@60Hz
	.en-⊄‴⊖ K n -₱ən	Rs,Rs¢/₩₩₮₪¢/00-Ĵ)₀[19;	n.€ø#⊖–ø-₽∋n ₪ø⊖–⊖0,₦øn	

- - .₡–₿₥₠₩₱Ө–‴Ө₦₡₥₥ ඁ**๛**₋_**`** ₨₡₩₥₦₯≡″₦ .4
- .Rsŋ-sŋ ₠₡₱₦ -"""₦ -ŋөŋŋ ә ₦Өs₦ ₡ŋ₥ 📀 -ә , -₩₡₡sŋ -ŋөŋŋ ә ₦Өs₦ ₡₦Ө₩ Rsŋ-sŋ ₠₡₱₦ -"""₦ ₡ŋ₥ 🖻 " "ө .6

.₪ŋ₡₰₱₦– ₢₮₩ր ₠₡₱Ѳ –₡–₱әр ₦₥ ₦ ր₩₡ ₽₦₡₥₩ ₽әѲ₽ ₽₦₢₠₽

. NVF	₽₭₩ ₡₠₡₽– ₠₡₽	-ə¢					
0	BRIGHTNESS/CONTRAST	₡₱⊖ ₩ր	Brightness / Contrast ₠	₡₭n ә– –₡nѲn ә –₭₦ ₡ŋ	₡ŋ-e		
			Dell ST2220T				Menu
				▶ 75	Brightness	Brightness/Contrast	O
				▶ 75	Contrast	Auto Adjust	[+]
						Input source	Ð
		_				Color Settings	*
		^				Display Settings	
						Audio Settings	
						Other Settings	t
		→				Personalize	*
		×	ion: 1920x1080@60Hz	Maximum Reso	060Hz	Resolution: 1280x1024@	(1990) H
	Back	⅁₅₩⅌ⅅℯ⅌					
	Brightness	∋nə⊡–n⁄n₩),₅n–ə₦₮₭₭₡₩–₦n–ə–₡nӨ	_			
		ົລ _{\$₩⊖ ມີ} ,₀	ⅅℯ℮−−₡ҏѲրә₪₡₠ෳր₦₡℩₥	¥) n-ə¢000n₩¢nm♥s	(100 Rs₩Ø₩ ~ 0Rs₩	.(
:	Contrast	ӣ҈ӈѳ₡Ҝ҉ҏӛҏҜ₩	Հs#µnnhn Rs#-"ən ₪#0 ₮‴#n -ə-#i	יאק m¥n¢‴.pe-\$60Rs∰mpe	€⊡n₩‴əN-,-₡րΘր ə	₭₪-₭—₥ŋ₨∋-₡ŋ-ө₡₭₧₽₧₭	.₰∓⊣
		ົງ,ອ	ⅅℯ℮᠆ⅆ℩ֈー℮ⅆℋ℩℈ℕⅆℰⅎ℩℩₦₡℩ՠ	¥) n-ə₡Өөn₩ ₡ŋ₥♥ \$	(100 Rs₩Ø₩ ~ 0 Rs₩Ø	.(
	¢¥Ø¢k+n	"\$₩₩ <i>D</i> p="₩	-&-9n-n9nnə ₩₡₯₱n₩ ₡nn n"	⊍#In'II €#₽∂ 6#BIH#	₮₩₩₩₯₿₽₽₽₽₽₽₽₽₩₩₩	¥₿₯₪—₡₥₯₿ ₿ ₡₿₱₱₥-‴₢	"ଔୈ୳ୢ୲୲ ₮ ₡₭₥₦₡₦
			in Progress	Adjustmen	Auto		
		ient₩0 ₄ ¶#%2″₩ (7a) (R\$\$#₩\$\$#P	eneβpane—m,AutoAdjustme αρΘ(π∰),)(n_"a₱)Phase-–(3	a. ™⊰nKn-ə¢n¢/-n-əNRs e Settings) n K-₩p -	`–,-" וֲוּK–וֻיוֹחָ⊖–₩ֶעֲ חַ") (Imag	∁₀ө₿₽₽₽₡₡₽∁₀₽₽─₡₥₯₿ ₽ ₽₦₦₥	Clock- ₅⊖⊖-₩₡₡₥₡ ₩₡
1		արի։ հեր	<i>Í),ø</i> @Rsə <i>Í),₿</i> @CaNØ EW ⊊-q ıı№	eØjØ—əRsØ NO!₩-Ni ms	₽ <i>₨₡₦</i> ₽₥₶₥~₽₶₮₡₭₥₽੶	.R stD ″₩RsKØə	

	.0\$\$\$\$6‴\$1 ₪∰ Rsj	ØKəŋØ-—ə-‴ƏN Nim-(ſ	₩∰KAM-Ə-\$\₩)Input Sou	rce € ₡₱ ₽₩	Input Source	Ð
				1		
Menu	Auto Solact		Dell ST2220T			
[+] Auto Adiust	VGA	()				
Input source	DVI-D					
Color Settings	номі					
Display Settings				~		
⊥						
→ Other Settings				×		
🛨 Personalize				_→		
(E) Resolution: 1280x1024@	060Hz	Maximum Resolution	n: 1920x1080@60Hz	×		
			Øən €Ø₱₦ –"‴₦ Ø	ŋ₥ ⅁ ≝″₦		
	.VGA <u>n</u> ₩0%m-ə-‴0₩0/	יאַת (VGA) ¢e−₦₭ а	ρ η θ‴₩θ ₩₩ η ә Rsə VG4	∖₮₡₭₥ <i>Ө‴</i> Ө		
	.DVI ฏ¥¢km,-ə-‴⊖₦¢(mm)	♥ =″₩ .(DVI) ₡₩₠₡ø₡ŋŋ	Θ‴₩⊖ ₩₩ ɲə Rsə DVI-E	₮₡₭₥Ѳ‴Ѳ		
. HDMI o T	₩_1770%71-\$₩-"Θ₩₡ŋ₽1	≝″₦ .(HDMI) ₡₦₠₡ө₡ŋ	n Ө‴₩Ө ₩₩ nə ə ₥ HD	MI 77 0/K n/1/1/10		
	.Rs#K#₩"_n₮₡₭₥	h—ə₱‴₩o₿₩—n₩₡ŋ₥(₡₠₩	–₠–әړ∰"Ө) Auto Select	-₱әӨ‴Ө		
	.ө₿ր ₦ R <i>s₡₯</i> Ө₿ր	–njejn ə –KA Ønjrón (R<i>s</i>Ø)_iet	সিলু) Color Setting ૬	₡₱ŋ ә‴₱	COLOR SETTINGS	
						8
Menu			Dell ST2220T		<i>ⅅ</i> ℯϴ₿ –ŋөր ϴ₿₩ ր₭₩ ₠₡₽	
- Ď Brightness/Contrast	Input Color Format	▶ RGB				
[+] Auto Adjust	Mode Selection	Graphics				
Input source	Preset Modes	Standard				
Color Settings	Reset Color Settings					
Display Settings				^		
Audio Settings				×		
Other Settings						
★ Personalize				→		
				×		
() Resolution: 1280x1024@6	50Hz	Maximum Resolution	: 1920x1080@60Hz			
			.₡әр ₠₡₱₦ –"‴₦ ₡ŋ₥	⅁₅₩⅌ⅅℯ⅌	Back	
			. ⊓₩%∩∩⊖-∋₡ŋ₡ –ր	-ə⊖6\$₩ə⊅,⊖s	₽₽₡₭₥<i>₯</i>₽₿₡₭₽	
.DVI-₩HDMI	Rsa₩ –a HDMI №000-10,58₩	90 DVD 109KH 01114H 0-	‴₩ ө₿р Rsə - "- ₱әӨ ‴Ө: F	GB •		
					0.000 C	
		.Ө‴₩₦ Ө–‴₩ ө₿ր	יזפיין. Rsə –" –₱ә⊖ ‴⊖ :Graph	00000 = 000		
	‴⊖⊬n no– [‡] r	.DVD ₪eKN+0-‴1- DOB₩0-1400	₩eBpRsə – "– ₱ə⊖ ‴Ə:Vio Modes) ★₩Rom/ → ₩₽₽০%	deo ∙ DB₩n :n/Ն.n		
	. OKT 19-01	. et in ing (inteset	-₩ Rs₡₯Მ₿₡Მ₿₩₦n₩	~~~••••••••••••••••••••••••••••••••••	Preset Mode	
	:R		גייין, אייגע, אייגע, אייגע גע, אייגע, אי	phics⊕MHƏ		
-eµ ₩e.	יייעף איזן‴ייאיף ע∂ פשאי –µ". ח.	. <i>ĸsyluly</i> ⊖terp_nept+08pt+14n ¢/n /w¢2nt+ ₩¢ /₩ ¢¢#+₩¢2±₩Rs¢	Ლ₩Ო–₡₽₽₽₩₯–₠:Stand ₡₯⊖₿-ŋ₽Ო₽₡₯-₠:Multime	ard • dia •		
		.Rs₡s″₩n₡₩-₡₡ 0 N -₩₡₫	₩Rs#20,088-ŋeŋ ₪20,€:Ga	me •		
	-⊕רשβ-Rs-קם. איי״קאו.	-өкs0⊭₡кs″ฅ#₡₡₢₦₩р.₨₡₡0 ₪—ө₨0⊱₡\$₽₡₡₡₢₽₩р.₨₡	ϧϴϣϼͺ᠆·₽₽₩·ϩ϶Ϡϒ《ͶϿϴ₩:Ϻͼ ʹʹʹͶ·ϴϐͶͺ–·ϐϷϺϾ϶ϿͷʹʹϏϲͽ;Ϻͺ;Ϲ	ool•		
₩″ɓŋ (Green) s-₡ᢩŋ ,(Red) Rs-ŋəɲ ₢/),ə –₩₩	₡ŋ₥♥₋-₨₡₦₽₡),ø.R <i>s©0,</i> 0€[∩-ŋen₩©Kŋ© ₪	–¢07 ₽₩ :Custom (RG . @₩Rs ¢07 6868₩	в) • 19001•1		

	.₩e.	:Rs& դe-₩ր №դ″₩ր ØƏ Ө₿₩ – Ր," .Rs& .Չ-₱₹- .Љ€ .'100'դԴ, '0' Rs₡₥₰ր №Ø .'100'դԴ, '0' Rs₡₥₰ր №Ø	Ξ9₩R3Ф9-₩ ŋR3011/983 R≈ØŦ₽0 рФР94 ₩С₩R30 1900 рФР94 ₩С₩R30 1900 рФР94 ₩С₩R30 1900 рФР94 ₩С₩R30 1900 ₽ - Даар ФР94 - Даар ФР96 - Даар Ф	֎՜ն ֈՅԵԷ ա ՞չ,- ՅՀԿԿՆ Ո-, /Video ՅՅԹ Ա ՅԵԴ այն Հր Հ։ :Movie Ս,ՅԵԴ այն Հր Հ։ :Game ՅԵԴ այն Հր Հ։ :Sports ՅԵԴ այն Հր Հ։ :Nature ՅԵԴ այն Հր Հ։ :Nature Յ ՟՝՝՝՝՝՝՝՝՝՝՝՝՝՝՝՝՝՝՝՝՝՝՝՝՝՝՝՝՝՝՝՝՝՝՝՝	Hue Saturation	
			.n βN ⊖ (-a¶⊱)	Video⊕\$#₩₽₽₡₩′ <u>₽₡</u> ₽₡ ₭₡∶₽₯₽		
₽₩ᡗĴŒ₿₩₩	⋽⋳₿−₩ ₡₩₩₡₽₢₽₩₽₡₿₽₽ <u>г</u> ₭-₩	۹۱-M/۵- , אلاهספאיספא אע עלאאע וווווווווווווווווווווווווווווווווו	n Gittin Mittin Prick-tin . Radist Demo Mode	" (بها – ه به ۲۳ ۲۰ ۲۰ ۲۰ ۲۰ ۲۰ ۲۰ ۲۰ ۲۰ ۲۰ ۲۰ ۲۰ ۲۰ ۲۰	(r∰and® ₩) Demo Mode	
			ə#b¶# .₩ŋ‴₩p #€	– ԳԽԳ — ՅՆ), ≰ռฬ₩″ Ր₩ԹՈՐՈ Ө₿₩ : ԻՆՆ-ր ՅՒ¥ ө₿Ո ₦¥ RS₡᠘Ն/թՅ₿Ո – դөր ә ₡"‴"₩	Reset Color Settings	
					(IJ ₁ ⊖B¢n-ŋen ₮-P₡a)	
					рө–₿ – дер	
Menu				Dell ST2220T	₽9–₿ – ₽9₽ Ө₿₩ ₽₭₩ ₠₡₽	
Č	Brightness/Contrast	Wide Mode	▶ Fill			
	Auto Adjust	Horizontal Position	▶ 50			
Ð	Input source	Vertical Position	▶ 50			
*	Color Settings	Sharpness	▶ 50			
	Display Settings	Pixel Clock	▶ 50	^		
P	Audio Settings	Phase	▶ 50			
井	Other Settings	Dynamic Contrast				
*	Personalize	Response Time	Overdrive			
		Reset Display Settings		~		
	Resolution: 1280x1024∉	@60Hz	Maximum Resolution: ແລ	1920x1080@60Hz ր €₡₱₦ –"‴₦ ₡ŋ₥ ⅁ ა₩მ Дө	Back	
			. ℾ₭₩ ₫₿‴₽₪₭─₼₩₡	իրի ❹❤ Rs₡-₱നി⊖ ₩ր	(<i>θ</i>″θ₩)Wide Mode	
	.nK##*	.(100Rs₩Ø#₩ ~ 0R s₩Ø ₩ j¶Øjnæ₩ (Ø₽=sRs-Ø#¥) Horizonta) ՐК@₩@-Ր₦℈₩ՐK-₩ ₽₽″₡՞Ր al Position րդeրր , HDN	ສ⊈ກຼກ ີ ເຊິ່ R⊴∰ຟາານີ⊭ສ″າ 11 -ອ DVI - \$₩0 ‴-0 ກອກ : ກ∆_ກາ	Horizontal position	
		.(100Rs₩03¥ ~ 0Rs₩064 .[₭0≫[⊀05 Ver	#) n?₩Ν-n₩Ω₩₩n₭ ₩pe"₡) rtical Position nnenn , H	ր¥¢դդո ல் - ல் ռ⊴&ակրԻնթ≡‴Գ DMI-ə DVI – \$₩‴Ө₭ әդո : բՈչդո	Vertical Position	
			.'100'-₦'0' ₪	.n₭-₩n ₦-ŋ‴n> ₪₺ৼ₩ -> ₦₡ŋ७₩ Э-ŋ″ĭ₽₪ı%₩₥₵₵ -> ♥ ≡″₦	Sharpness	

ock	(−ŋ‴) Pixel Clock	ሞµስµਜੇRsapeebpaeu-//ተቀመ-,Rsopations),Pixel Clock(በ″aP) Phase – ወ- ሥጋ- በ 	-NNn -nenN eN Nn@//₱	,₡әր ₢₮₩ր ₠₡₱₩
ase	Phase	ծ) (Rst/հեգիիա-Ա) Pixel Clock ֎— ՀետԹպի , ը՞ՅԻր ա— Հետո՞ՅԽ ըԽԹորի–Հետ էի արեւացին։ .բՌԹ "VGA" ԾԱՆԴՅԱՏ ՀՀՀՀՀՀՀՀՀՀՀՀՀՀՀՀՀՀՀՀՀՀՀՀՀՀՀՀՀՀՀՀՀՀՀՀ	₲₯][15₽₽−₡₥₯₿₽₽₥₩€₦-(₮ 	.(n#
-ast	Dynamic Contrast	Sports,(€₮) Movie,(\$‴₩) Game Ө฿₩‴Ө₭₴₥–₡ŋ–०₡₭₧Өө₧₦ ₨–०₡₩₭₡₯–₡ე–०₡₭₧ ₡₩₭₡₯–₡₧₽₡₧₽₡₧₽₡₧₽₽ ₡₩₡₡₻₡₻₡₡₢₯₡₻₽₽₽₩₡₯₽	.(D∰) Nature(₠-₱₮) S	
		₩₩₩₩ŢŢ₩Ţ₽₩Ţ₩₩₩₩₩₩₩₩₩₩₩₩₩₩₩₩₩₩₩₩₩₩₩₩₩₩₩		
íme	Response Time	(ໝອ)ອ ນນາ ຢູ່ ມີເອີນເຊີນນາ (-‴)ອ ນນາເບິ່ງອີນນາຍ ິງນາມີເວີນ NFs (200 NFs (200 NFs (200 NFs)) ເຂ <i>າະ ເຊິ່ງ</i> ອີດອີດເອີນນີ້ອີດອີດເອີນນີ້ອີດອີດເອີນນີ້ອີດອີດເອີນນີ້ອີດອີດເອີນນີ້ອີດອີດເອີນນີ້ອີດອີດເອີນນີ້ອີດອີດເອີນ (ທີ່ເພື່ອ) Normal • .(ທີ່ຖືກ‴ຶ່ 40 Overdrive •	. 	
ngs # ¢ə)	Reset Display Settings (ɲə−฿ŋ-ŋeŋ ₮-₱₡ә)	₩େବ୍∓େମ୍ଜ୍ନା-ଗ୍ୟି-ବମ୍ ¥ାମ୍ଷତ ⊀⊖⊅ି ମ୍₩‴ମ୍ଖ.		
IGS	AUDIO SETTINGS	. Ӆ҈,₩րә–Қभі⊈/nұл Audio Setting ૬⊈/Ҏр ә‴ Ҏ		
¢P	Audio Setting n₩₩ ₠ ₡ ₱	Dell ST2220T		Menu
		Speaker Volume 🕨 100	Brightness/Contrast	- O -
		Line Out Source HDMI	Auto Adjust	
		Power Save Audio 🕨 On	Input source	Ð
		Reset Audio Settings	Color Settings	*
		^	Display Settings	
			Audio Settings	
			Other Settings	中
		→ Q60Hz Maximum Resolution: 1920x1080@60Hz	Personalize Resolution: 1280x1024@	*
}− D _P	ℕ-ℊ₩₩₿ -ⅅ _₽	₩ ৻₩ ₩₩-₽		
 -s₩#	Line Out <i>−s</i> ₩	–₡ŋ-əր ₠₦₅ -s₩ə‴⊖.		
dio	Power Save Audio	₩ֈ₩% -₩'nΘլգֈ₩ [™] ₩₩,ᡘΘ₩₿9°,"℣ñŋ-₪Θ®₯"₩₩. ፀ՞Ջ ղ₩"ր# ฏ%∘ "₩¶₩" (nO). ՠգելՁե ፀ₩₿9 ე₩೫դ.nad bounce sound bar (₩₽) — ₩ፍ¶ ՠՋԹ–Ջ# ՋⅆՋե N ՠգելՁե ፀ₩₿9 ე₩೫դ.nad bounce sound bar (₩₽) — ₩ፍ¶ դ¶ ՋⅆՋե N f		
ting	Reset Audio Setting	.₦ŋ‴₩p ₡Ѳ₦ ө₿р ₦ ₯₩р –ŋөр ә ₡"‴₩		
enu	Exit Menu	.R312-K\$20 NO3N Øŋn ♥ 3₩0 Д.e- C7₩ŋ €17₩ 0\$N Øŋn ♥ \$₩0 Д.e		
Per E	-₽₮-₭ -ŋөр			

Menu		Dell ST2220T	
- Brightness/Contrast	Language	▶ English	
[+] Auto Adjust	Menu Transparency	▶ 20	
- Input source	Menu Timer	▶ 20s	
Color Settings	Menu Lock	▶ Unlock	
Display Settings	Menu Rotation	▶ Landscape	
🗹 Audio Settings	DDC/CI	▶ Enable	
· Other Settings	LCD Conditioning	▶ Disable	
★ Personalize	Factory Reset		
Resolution: 1280x1024@	60Hz	Maximum Resolution: 1920x1080@60Hz	
		.¢əm €⊄nın ⇔r™ ¢rın ⊅swə ı),	Back
.(E-P\ ØKØI- ØKPØ ,ØK\	,₡ŋ₱₮,₡₱₿,₡₦ө₭ә)-	-₱ ₢-₩ ‴әѲ ₢₮₩Ѳ ₠₡₱ҏ ๏-฿ ә ₡ҏѳҏ₦ ₡ҏӣ ҏ₱ ₡₡₿₱-	ə Language
		.₰~ෳ₦ ₨~₠ә Ѳ₿₩₩ ₢₮₩ <u>ր</u> ₠₡₱ ₰ _₽ ₅ ә <u>р</u> ₭	Menu Transparency
		.ө₿ր ₡₰₩₩ ঀ‴℈℈ ℙⅈℷ₡ⅇ₭‴℈₦ ℮₿ー₡ ₢₮₩ঢ় ₠₡₱−ϴ ⅊₩՞₽ ₢₦℈ ⅈℷ℈	s Menu Timer
	₡₭ 60	₥⊱5-₩,‴ә₥₡₭₦₨₡₥₯₿Ө₪—‴₩₥ә"₡"₥₦₡₥₥ 🍄 ₋₋❤ ≡″	×
⋰⋑₅₩₦₽₼₯₭₡₡₨₡₩∩₦₯	h.Rs#K—#bnD#BONN+nn#-K#a	₩∯	⊢ (₠₡₽₦₡₯₭) Menu Lock
ր¥@≪տրֆա⊖ղө-₩⊖,՝₦-໓₭₢₮₩ ৩@Բրդօրր әտ	₢₮₩ҏ ₠₡₱ –ղөр₦ –₡₡ ₢	ר. אשר תפריט המסך נעול, לחיצה על פא,ת∂ש, פµעם: באשר תפריט המסך נעול, לחיצה על איזא חַחַפּר – אלגע איז מער איז אין איזא רעפא איז איז איז איז איז איז איז איז איז אי	1
ፀ‴₩Ө₭₅-¥ , ႞₩ŋ ₥₩₡₡ <i>, ሺ</i> ₽ ,₡ <u>₥</u> ₽₪-₥, րе-₿ŋ ⊣	עם (DDC/ים פֿתַשָּׂ אַ אָרָז, אין אַרָשָ עם איזייייייייייייייייייייייייייייייייייי	CI (Display Data Channel/Command Interface – ₱ቅր¥ ₡₡–-‴ ቅ₱₩– ըө-₿ր ә ፁ₠₩₩ :(₦ŋ‴₩ ₡Ө) (₱– ә₩) Enabl ೫৮-πө≎п ոΩո-րո– DDC/CI – ₱әր ә ₦₠ፁ₩ :(₦₠ፁ₩) Disabl	# DDC/CI e
MESSAGE		Dell ST2220T	
The function of adjusting	display setting using P	C application will be disabled.	
Do you wish to disable D	DC/CI function?		
	NC		
	Yes	s	
		.n."‴ຳາ(ລາ) No-ອ DDC/CI-Pen ອາາາ€Θາາແັກກ(ໜາ) Yes ‴	9
.−Ĵ₀₱₮₩ @	₩₡₽₦₽₡-₯₽₦-₯₱₽.₽ө-	₩ ₩ ₩ ₩ ₩ ₩ ₩ ₩ ₩ ₩ ₩ ₩ ₩ ₩ ₩ ₩ ₩ ₩ ₩	θ LCD Conditioning
	.n₡₯⊖pə-₱₦ ₦₥	– ә₦ LCD Conditioning րК-դ⁄ր ,րØℬ ₦₨₡ ₩‴ ₨₡₩₩ ։ բ//, . ՠր‴₩ ₡Ө₥ դө–₩ր _ ₱> ŋ - ۴: (№Ә₩) Disabl	n e
.ր"‴N+(an+)No-ə,G∰n4jm+¢/m/(no)	Yes ‴Ə.e\$-nəƏn nûn-n	ף- ,LCD Conditioning ף₭-₥Ө -₩₡ ₱ә₩ :(₱-ә₩) Enabl	e
MESSAGE		Dell ST2220T	
This feature will help red	uce minor cases of ima	ge retention. Depending on the degree	
of image retention, the p	ogram may take some	time to run.	
Do you wish to continue?)		
	NC		
	Yes	5	
		.LCD Conditioning ፀይ₩₩-აይ\ ¢/ŋታieይ O -[₦ታis₩Θ፟፟፟፟ມີe :[n/ມີ;	n
	LCD Conditioni	ng is currently in progress. Press any button	
	on the monitor	to terminate LCD Conditioning at any time.	

		.₦ŋ‴₩ŋ ₡Ө -ŋөր₦ ₢₮₩ŋ ₠₡₱ -₡-₱ә ₦	łm)ə ₮₱ə₩	Factory Reset	
Menu		Dell ST2220T		Personalize	
-)óָ- Brightness/Contrast	Shortcut Key 1	Preset Modes			
[+] Auto Adjust	Shortcut Key 2	Brightness/Contrast			
Input source					
Color Settings					
Display Settings			^		
🗹 Audio Settings					
+ Personalize			→		
Resolution: 1280x1024@	960Hz	Maximum Resolution: 1920x1080@60Hz			
.(₩R\$#D);-OsR\$#(D\$₩) Preset	Modes.2, (-¢ŋ-ө¢Ж¢рӨ)	Brightness & Contrast .1 :-⊖D _p -B₡s s₩₡₭ŋ₡	∅ _₽ −⊖\$₦₽ә₩		

(OSD) ₢₮₩ր ₠₡₱ ₦ րր"ә –ⅅ_Բդ–ր

.₪₥₭ー₮₩*᠆₭₡*₻**₿**₽₪₡₡₿₦<u></u>₽₯₡₱₽**₶₦**–₡₯₯₴₽₽₥₡₡₽₯₯₽

	MESSAGE	Dell ST2220T
	The current input timing is not supported by the monitor display,	
	Please change your input timing to 1920x1080@60Hz or any other	
	monitor listed timing as per the monitor specifications.	
	(11)	
1		<u>.</u>
	MESSAGE	Dell ST2220T
	The current input timing is not supported by the monitor display.	
	Please change your input timing to 1920x1080@60Hz or any other	
	monitor listed timing as per the monitor specifications.	
	(IIII)	
t.		
	MESSAGE	Dell ST2220T
	The current input timing is not supported by the monitor display.	
	Please change your input timing to 1920x1080@60Hz or any other	
	monitor listed timing as per the monitor specifications.	
	an Rsil⊮iumkfrtt ″Ø	₩₿₩₭₡ә ө₿րә₡ <u>'n</u> -₯₩₩₽

:-ə⊖n –⊅,n-nn ₪₡₽₩‴ə ө₿- ,₩₩″₥₡₿₽ ₪–₥₮₡‴ Ѳ₿₩₦₽–⊅, ө₿∩ә₥

MESSAGE	Dell ST2220T
Entering Power Save Mode.	

MESSAGE Entering Power Save Mode.	Dell ST2220T
MESSAGE Entering Power Save Mode.	Dell ST2220T

:‴ϴ₭ր ր₮₡₭₥Ѳ ー₦₥ ө₿ー ーᲛϴր ーⅅ₀դーրը ‴₴, เ₦₡₱₮₡€₡₥/₶₦₯₱₧ \$₩₦ ₠₱ ー₶₦₥ \$₩ ₦₯ ≡‴₦ ₨₴

	MESSAGE	Dell ST2220T
	There is no signal coming from your computer.	
	Press any key on the keyboard or mouse to wake it up .	
	To change to another input source press the monitor button again.	
	(m))	
a.		
	MESSAGE	Dell ST2220T
	There is no signal coming from your computer.	
	Press any key on the keyboard or mouse to wake it up .	
	To change to another input source press the monitor button again.	
	MESSAGE	Dell ST2220T
	There is no signal coming from your computer.	
	Press any key on the keyboard or mouse to wake it up .	
	To change to another input source press the monitor button again.	

.<u>-¢/0₀⊖ ₪-₽</u> nə,Rs¢#₱₮-₭₨\$¢#₱₦

¢⊖¢₩ րդ₱ր դөր

:0₿n -0₯₡0₡₩n nn₱nn ə ₯-0\$₦ ₡n₥

- **₽∂₽**[™] ₽∂₽[™] ₽∂[™] ₽[™] ₽∂[™] ₽[™] ₽

:-ƏӨр –₦-₯₱р‴Ə Ə ₯₿Ө ,Ө‴₩Ө –₦₥.₢₱₩р ₱₡₥₦₪๓р₦р₭₩Ә ₪₥₥₯₦ ₢-₿ р₡р₡ ₪₥₡₡ ,₯₡₱₩₱₡₽1920×1080 –₱ ₽р Rsə

- : Dell 种 դ₡₡₭ ୬ ₡₭‴₦– ፀ"₩ ৫-୦ ₡ ₨ ։ . Ⴇ₦₢₮₩₥ ₮₡₻₥–Ტ₯₡₭₥₯₥ ₱₥₭₩৶₧₧ _ ₦ ₱₡ ѕ _ ₵₵ ₡ ๏ ๏ ₪ ″ ൱ <u>support.dell.com</u> ә₦ _ ₦ ๏ ჿ :(₡₭₦–әŋ₡ൾ) Dell ฿–₩ –₭₡๏ ₢–Ә ө‴₩Ი ₨₰ . ₢₮₩₥ ₮₡₻₥ ₦ ₨₡₡₭₥₯ ₯₪ ₯₥ ₡₦₥₭₩ ୬ ₧₧ ₢₮₩₥ ₦₡₻₭₭₡₯₱₦-₦ ๏ . ₨₡₡₭₥₯ ₥₥ ₰₥ ₡₦₥₭₩ ୬ ₧₧ ₢₮₩₥ ₦₡₺₭₭₡₯₱₦-₦ ๏

–⊖ ₩**∩**₦ µ₿–⊖ ₡–₿µ Rs–s₡₩₦ ө₿µ ә ŋөµ



e฿ր₦₴⊖-″₩ә-լդո*ֆ₡e*₩դ₩₽,₩ր ։րЉր 🜌

*Д*анаровӨ–₩₡

.**Յ" ֆինդ։ — բանֆուՅՔ**դ-ՅՏԵ ₩"₩ USB-**- բանֆու — ք**

.ebo∄eww/@g/(MD),૬₱Ø'₩nMD),૬−₩NR/K—DeWM//e-K//n Dell™ ST2220T eb

·;϶ϴϳ℩ℝℙ-϶ϴϴϙϮͶ͵;℩ℝႽͶϧϯͷ;ϴϤͶϷϯϼϴϤʹϞϟͷℝႽͶϧͷ;ϴͶλϷ϶;Ͷ϶ϴϻͷͼϐ

<u> ₪₥–n *₰*n₦ ㎡‴Ө</u>

ө₿ր К∍ր

Dell™ ST2220T dB

(₡₴₩) 1920X1080 րդ₽ր դөր

.R\$\$\$\$\$\$\$ -₽әӘ‴Ә–րդ–ӘӤ₄ր ₪″₦-Ә₡₭₩₡ ր₿₡‴₦ ≡‴₦ .1

.-**դөր (#####10**0-.2

.–**₡ә≝″₦**.4

RsapeNA≱−,₩₩ pə pə e‴₩p ຫ∆,₩ ə −₡ө pə-₠p p-₺ө ə₩ ə Rs₡ə₩p ₡‴ə **‴ə .∈₽₩p ₮₢₥₦₪գmౖ₦₶₭₩∍₪₥ŋ∆₦₢-₿ր₡pɑํ๛₶₡₡ ,ŋᲐ₡₽₩₶₲** 1920Х1080 **–₽a p Rsa** :-ə-p₦

<u>. લોલો⊀¢ə№j¢øRsŰ</u>, Dell™ **₦ ŋ¢¢₭ –ә ¢₭‴₦– ө‴₩ ₢-ө ¢ Rs**ә :1

<u>.Dell™**B-₩ -₭₡ә₢₮₩₮₡**₠₥ -ә ŋ₡₡₭ Ө″₩ ,₡₭‴₦- Ө‴₩ ₢-Ө ₡ Rsә</u> :2

<u> ₪₥–n ₰n₦ n"‴Ө</u>

Dell™ ST2220T dB

<u>₩₩₦ @₡n</u>₩

<u>(Ø</u>⊖H+) 1920X1080-H+ ne−Bn n₽n Ø/–+KØ/

.₩ղջ-₩րմ)դ-րոՒՒԸ-KMԽ⊮դր"GWTW90)դ©Wր —₩-₡-ՠ"րԳՠ .Dell Inc 2010 ©

.-₮₡₽₯₡₦₥⊖р-₮₽ DellInc.₦Ө₥⊖–₡₽₽₦₦₩–‴р₦₡₯₦₥р-₿⊖р\$₯

ST2220Tc**Rsŋ** Rev. A00 2010 **GWFEPT**

<u> ₪₥–n ₰n₦ ന"‴Ө</u>

ө₿ - ӨЉ,**₩₩₩ ₢**₡ŋ₩Deil™ ST2220T

<u>e\$n-0@"</u> 🎱

<u>Rs@AOmn@F</u> 🔍

ө₿<u></u>∩-Ө₡″

.ມີ_ເອຟຊາ¢\$\$\$K-₱¢\$10,0h USB-ը ₦Өг⁄n ә Ө‴₦ ¢Հ **։ ը**0,-ը 🛛 🖉

:Ө‴₩р ₦ә ө₿р –Ө₡‴₦

₩″mn VGA Nom OC "



NOm-OC"HDMI



.րէ– – «Հրի «Հ–Հի, Յ‴ էի րծէէ . դՅիՅ (ՐՆԷԻԳ Rs«Հի Հի-«Հէէ Rs«Հի 🛱 : թՄիթր 💋

USB NOm OC

:e\$n Ksn ə Rs₡₡₮₦– Ө‴₩n ₦ə USB-n ₦Ө₥ ə Ө‴₦ ₡n₥ –əӨn –ə–n₦ RsənƏ ₦₯₱ ,DVI/VGA/HDMI ₦Ө₥ Ө‴₦ ₩₡₡₮ ‴ə₦



D,₩hNOm-OC"

:*D*,₩[n ₦Θnn-⊖¢¢‴

- ə₡\$₡₩10,₩n₩Əm)ə Ə‴audio-in ə₡\$%₡ ₦ə ө\$+Ə audio-out.Ə‴₩Ə.1
 - .ፀ‴₩ɲ ə- ອ₿ɲ ə \$₦ŋɲ .2
 - .Rs₡₦Მ₥ր ә ₪өә₦ ₡₥₥ ө₿ր ӨөӨ ₦Მ₥ր Ө–Ө ₩ր .3







<u> ₪₥–ր ₰</u>ŋ₦ ր"‴Ө

<u> ₪₥–n ₰n₦ n"‴Ө</u>

−₡₯₽ ₪-₽

- Dell™ ST2220T ቆ
 - Ø₩₿₯ns₡n⊖ 🎱
 - -<u>B-FK-((1),0</u> 🕘
- ₿─₩'n₦─₡₱₡₿₱₮─₡₯⊖
- <u>₩₩₽-₡₱₡₿₱₮-₡₯₽</u> USB (Universal Serial Bus)
 - <u>DeWneBO-WØD-ØD</u>

Ø₩₿Ĵ_PnsØŋĐ

- .**Θ‴₩**р ә– ө₿р ә рӨ₥ 1.
- n₩−D,₽‴€Θn₩ 2. .e₿n ə s₩nn 3. $.eta_{n} - a et W_{n} + et W_{n$

No DVI-D Cable	Dell ST2220T	÷	No VGA Cable	Dell ST2220T
			e	
			No HDMI Cable	Dell ST2220T

ſ₩₩₩₽

.₢₮₩₥₮₡₢₥Ѳ− Მ′₩Ѳ−ә,,**๏₿Ѳ₡₩₡₭₽**┎₡₯Მ₴₡<mark>₥е₿₥₦-₯₱</mark>₽₥₡₡₥₨₻₷**₼₽₦₦₥**--"₯₽_Г₭Ѳ-₩*₪*--″Ѳә₡**₦**₥е₿₦

:Ր₭Ө-₩{∩₪-″Өөрә₦₡₡0,₱ๅ₦₡₼₥



.shortcut key 4\$₩0₱₮-₭₨₯₽≡‴₦,₥₡₡₡₦.₪0₦₥₢₮₩₥₱₿-₡₯₥₨₡₡₡₮₥₡₥₯

.⊖‴₩ր ә– ₢₮₩ր ₮₡₠₥ ә ѕ–ղѲ .ր-₥₦₰⊱₱ө₿ր ,ր₭Ѳ–₩ր ₪–‴Өәր ₡₦₥Ѳ₩рә₥ ₢₮₩Ѳ –ө₡‴ ₡ҏ₡" ә₦ ₨ә

-₿₽₭₡₯₿

.₨₡₡₽₻₭₽–ө₿₽–‴₡₥–₡₯₽₡₽₽₦₡₩₦₥₯₫₡₩₽₦₡₥₩₽₽₽₽₽₽

Rs₡₡₽ә −₭−₽	ne−₿	Rs⊄¢rs@₩₽₩¢₽
ા – ፲ፍጥርዓብር-ዄ፝፝ቑፙ፦ ₩"ሮሺያጅፁ@መብሮឹው#₩"면. 1 "Թብያነመ ™₩ሺ ባ"₩₩ 6% ከናቢዄ ₩θηΓ-ε פכЯ η–6 ⊄ፈՆዞ Ҟιη.	[K ₩ ₩b	<u>┍₡</u> -Ө₥ г₦ ∅₽ <u></u> ₽₽₭ / г₭-₩₽₡₽
୲ ՠ֎֎֍ՠֈ֎ՠՠՠՠՠՠՠՠՠՠՠՠՠՠՠՠՠՠՠՠՠՠՠՠՠՠՠՠՠՠՠՠ	<i>ⅆ</i> ֈտ₩ <i>`</i> אַזָּה-ຝ ึงติญ	\$₦–դ <u></u> ₽₦₯₽₥ –₭ / ෦₭ ₩₯₺
ርፑዝሣቦ ቁመሥ₩ (Auto Adjust)መሥቴዊ ቀመሥጅ (Auto Adjust)መሥቴዊ ቀመረት ርፑዝሣቦ ቁመሥ (Rቋመዝመታይ) Pixel Clock(በ"ን₱) Phase -sውበ ቅ መሥ-ታስ ፣ ማርሞት በታውሰው መሥራት ፣ .የበ"ሣቦ መርቀ በቀጥ ቀመድ ፣ .(16:୨) የተለዩሰማ - የቦታ የሥራ የስት የሆኑ በርስ የሆኑ በ	-Ә €-€₩,₩₽-Ӆ,₩ <u>₩</u> -₩ ∩ ^Ң М]	ℒℯⅇ℩ℸℯ₡₩
.ሮፑ₩ր ₠₡₱₩ (Auto Adjust)₡₱₩₠መ⊶₡ኯሏቸው ። .ሮፑ₩ր ₠₡₱₩ (₨₡₦₨₡₱₻₯) Pixel Clock(๓"₱₱) Phase –ႽႴր פ ₪-–₥ . ₦ŋ‴₩ր ₡ው –ŋﻮክ₦ ๏₿ր ๏ ₮₱๏ ። .րӨ₡Ѳ₮ր ₡₷₭๏ Ⴝ–₯ ። .‴๏ ŋ‴Ⴔ –ә Ⴝ–ŋው– ๏₿ր ₨–ѕ₡₩ ә р₭ ።	Ր¥₡ኪ∿րՆ ի К ә ₡₦өт К ₩	≡ ₽ \$/nᢩપે,–ਚ¢-
ւ ութՅդ բնիր – օքիթ – օբ Բարեարութանանից բանկան։ լ KՅ-ԿերթՅ ^տ անին՝ բանկանութ	⅃ℂⅅ - ⅅ ₢₮₩Ѳーŋ- ᢌ₭	R⊴∰‴R⊴∰¥¥⊮∰
. —ə sMıŋ– əϐրə րՕտ լ LCD <i>ⅆ֍</i> Խ KոՙֈՅ <mark>Ր</mark> Խֆ ԳՉֆՅՅՅՅՅՅՅՅՅՅՅՅՅՅՅ լ KO Կ նր֎–Ծֆթան/ֆ၅	⅃ℂⅅ- ⅅ ₢₮₩Ѳ <i>᠆</i> ₡₽Ѳーŋー ₅ ₭	"R ⊴///_?-\$"R⊴/₩\$¢/P
ւ 6۹Գ Բ դՁө <u>Иրօր– ՅՋ դ₩",nH</u> . ւ ՅՁՆՆՖ–գեՅՎԿՋՆ(tzu[bA ՆԿԱՋ) ԿԿՋՋՉ դԿԴՅ. ւ ՠ–այութվեչ–-դՋՖ–լՀՆ–-ԱՅՅ դԿԴՅ.	ⅆ ֈ ₩ ֈ ⅆֈϴ-ə <u>լ₩</u> ₩0 ₂ г₭ <i>₩</i> ́1	<i>−₡</i> ₽₽ <i>−₡₺</i> ₽₽
. የብምት መሆን የውስጥ የምን በ	"୷₩₩ ₩©₢₩₫℩	Ø ≌₩ 5 Ø6−ØD;
	₢₩Ѳ℞ⅆ ℳ ℁₱₩⊸௭ⅉѢ⊸ଽ <i>Ո</i> ⅆ₽₩	R ∰M 6/R ∰P -R ⊈- s
. Խղ‴₩/ը ֎Թ - ՠ֎ֈ 	"ᡗᢧ-\$" ᠾ₭~ә₦Ѳ-ᡗᡵ₩₢₱₩ր	₽₩₩₽₩₽₽

. -№s -⊄∂₩ -№-₽ Δβ ΒΘ №∂ 1 Dell RsD_P ŋØØ₩s-₿ 1	᠆ ₿ -₿₡₭₦₴₶₯₦₨₡₡₽₦₽₨₡₦₦₡₮	-‴₡₠өө\$ -₡₯ө
։ -լուԹՈ-Ղֆ֎֊ℋ՝-ՅՂֈֈֈՅՅ֎նղֈֈ֍ՙՠℋԵ. ։ e۹۴ e դմe ՠֈօբ․ ՅՋ ղԿ՞դՠ. ։ ՅՅԼՆՅՂ֍ղՆֆեՆԵԼՆԾՆԳ-Չե-ՁՅՀՈՅԼՆՋֈդ՚՝՝՝՝՝ ՔՊՆՆլ֎ՋԹՅՅՆԵՂՆՁդՆՁԻՖ	ℾϴℷℋ-℁୳KⅆϦ	<i>−</i> ₩− -" <i>−</i> ‴ <i>−</i> ₡₯ө
ւ ՅԱ <u>ԳՄՆՅԻՆՅԻՆ</u> ՑԻՑ։ ۱- դեռԵԳԻԼ– <u>Ն</u> ԱՆԲ- ԽԻ՞-ՕԸՋԵՅՅՋուქՑԻ Թ ԾԵ. ۱- ՉԻ։ՔՋՋՋՋԻՑՉՋՆՉ-ԿԱՆՑ-ՅՋՋՅԾԾԾԾԾԵՆԹՈ_ՉՆԵ-․ ۱- ՄՔՆՆԿՔոբՅ ^ՠ –սուԽ–ՅՋ	<u></u> [K-₩0 ⊅, 0 ₿₮‴	₹‴ Δ _i Θθ
ជើវអ <u>(Color Settings) RsជីវλՅ฿ր -nen %#©</u> (RsជីវλՅ฿-nen %#©) (Sating Mode nen nen net i .Rs-ជើវថា (-ส¥) Video = (nsជើវទេ) Graphics ជាម្នាក់ នេះជីវិទាក់ (-at -nen net intervention) (-at -nen net intervention) .RECH (Color Management) Raជីវវិទាំង។ .At Color Setting %#PO YPbPr-ə PC RGB ជីវង់ (Input Color Format) %#sn វλΘ\$# (KO a net intervention) .(-\\mathcal{H}) .(-\\mathcal{H}) .(-\\mathcal{H}) .(-\\mathcal{H}) 	Rst@/-q1K-₩}(∅),68	™ /¥¥/)6]
(אשאיימאפאר, איז	₡₠₠₮∩ <u>┍₭</u> ᠆₩ <u>∩</u> ₦₦‴ ₦₿ <i>₯₡₱</i> -₩	₢₩₦ րө-₿Ө ә₭ ₡₠₠₮ ր₭-₦ ₧₩

Ŋ,**e₩**ne**B⊖ ₩∅**Ð ₡∅,⊖

Rstrandshif		Rs₡₡₽ә –₭–₽				
DjetterSilletter H@DjetterSilletterH@DjetterSilletterH@DjetterSilletterH@DjetterSilletterH@DjetterSilletterH@Dj	¥ USB- ըՒՅ ո¢ի ռո ր– ։ Ք₩Ո _ֈ Յ₩րՅϐ₡ՠ֎ը– ։ ՅՈ _۶ «Թ₽₩/₩-s₽₽₩ <- ըႽϴը ‴–₦ϴ ֎ը− ։					
			R			
	ŗΘe ₿₩Ø₱ ₥₽₽~"₩ ⊨	HID touch. GM n	D\$j			
	juration Device	ace Devices oliant device Input Configu Device	▲ ↓ Human Inte ↓ ↓ HID-co ↓ ↓ HID-co			
	ŧDell™ ST2220T. 1	-ŋep p K ₡₭₱₦I	ə ŋ‴₩ ₩₡₯₱∩₦ ŋ₮₭ ,₪∩₦	ө₿р ә– Ө‴₩р ә і		
ᡗᡁ ᠥᢂ ᢩᡅᡉ᠋₿₦ᡗᡁ᠖ᠯᡟᡗᡁᢒᠪᡇᡗᡗᡁ᠆ᢞᡃᡠ <i>ᢌ</i> ᡌ᠆ᡙᠯᢦᠥ᠐ᢌ᠆ᡗᢧᢛᠰ᠇ᡕᢂᠮ	{Dell™ ST2220T. 1 r ຼ∩N/)₩NRs//⊅// ຊກRສ 1	₩₩₡∅₯₱₽₩₽₮₭₿ }⊖₽₽₽₨₡₽₽₨₭₡₽₽	eBn ə− Ə‴₩n ə ŋ, ಖ,awh,cP₩əN¢000, MP⊔u	. <u>.0∰</u>		
┎ᡋ₡₺₡₧₿Ѳ᠁₴₦᠆ॾ₱-₅₨₩₮	ə Rs∓-‴Əŋ ₪Øəəŋ-ı RsØi ₩ RsKØəəŋ-Ni - ₩K₱ŋ Ø‴€₩ ə ŋsK ı səDell™ ST2220T ı	₩₡₠₱–әր \$₦‴րә ĵ₿Ө рө–ђр ₡₭₱₩ R ₦ .₢₮₩р ₡₦– ә– ҏ₭₡ә ҏ₡ᡗ _Ⴧ өр Rsi	Խฟր ր₭₡₱Ѳ ₭- ․ ΩℯѠր Շ . թـ"Որ \$₦″Ѳ- ℞ց . ո_" դ∍ , - ₡‴₭ր ₦ Յ‴Ѡր ә դ‴₩ ₩₡₯₱₧₦ ₮₭ ;	₡ ₢₮₩ ₡₭₡₡‴ <u>p-</u> ₦ ₨₭₡ <u>p</u> ₭-″p ₡₦ә¥ ө₿p ә- <i>Ө</i> ″¹		

DdAtrd∎NØm

e∯nST2220T**₩₡₠ŋ₭₠₮₽₩~₡₥Ѳ₩₩**₩ Windows 7:



- እርስ ሩ- ‴-ዝ ማ"₩ ሩ- **ዬውኒውቲ ሎ- " ሩ- ኪ ր ዓ በ " "**₱₩ መመጫ 1. 2. ዓርርዓይታው መንገር የውስቲ የምር እርስቢዓው የሆኑ, የሆነት የምር እርስቢዓው የሆኑ 3. . ህር የምር እርስኪዓምር የምር እርስኪዓምር የሆኑ የምር እርስኪዓምር የምር እርስኪዓምር የምር እርስኪዓምር የምር እርስኪዓምር እርስኪዓምር እርስኪዓምር እርስኪዓምር እርስ 4. በዓምር እርስኪዓምር 4. በዓምር እርስኪዓምር እርስኪ እርስኪዓምር እርስ እርስኪዓምር እርስኪዓምር

.e\$n Ө‴–₦ n–ə –e ə₦ nə ₡₥ ən––₩ nə ₢– –₡₡ n–ə Rsn ,₢₯Ө₿ə ə Rs₡₩ nə ə₥ **: ₥₯n** 🛛

- .C#-12+K=s#-1+006s-12;0##p@nap-.C#00-K-n-sK00n2p0#F**p@n@A2++@npas-n0T:p02p
 - ıĵ₩-₩₩₩₥-,№₩₩₩₩₩₩₩₩₩₩₩₩₩₩₩₩₩