



# vFoglight™ Pro 5.2.4

System Requirements and  
Platform Support Guide



## © 2008 Quest Software, Inc. ALL RIGHTS RESERVED.

This guide contains proprietary information protected by copyright. The software described in this guide is furnished under a software license or nondisclosure agreement. This software may be used or copied only in accordance with the terms of the applicable agreement. No part of this guide may be reproduced or transmitted in any form or by any means, electronic or mechanical, including photocopying and recording for any purpose other than the purchaser's personal use without the written permission of Quest Software, Inc.

If you have any questions regarding your potential use of this material, contact:

Quest Software World Headquarters

LEGAL Dept

5 Polaris Way

Aliso Viejo, CA 92656

[www.quest.com](http://www.quest.com)

email: [legal@quest.com](mailto:legal@quest.com)

Refer to our Web site for regional and international office information.

## Trademarks

Quest, Quest Software, the Quest Software logo, Aelita, Akonix, Akonix L7 Enterprise, Akonix L7 Enforcer, AppAssure, Benchmark Factory, Big Brother, DataFactory, DeployDirector, ERDisk, Foglight, Funnel Web, I/Watch, Imceda, InLook, IntelliProfile, InTrust, Invertus, IT Dad, I/Watch, JClass, Jint, JProbe, LeccoTech, LiteSpeed, LiveReorg, MessageStats, NBSpool, NetBase, Npulse, NetPro, PassGo, PerformaSure, Quest Central, SharePlex, Sitraka, SmartAlarm, Spotlight, SQL LiteSpeed, SQL Navigator, SQL Watch, SQLLab, Stat, StealthCollect, Tag and Follow, Toad, T.O.A.D., Toad World, vANALYZER, vAUTOMATOR, vCONTROL, vCONVERTER, vEssentials, vFOGLIGHT, vOPTIMIZER, vRanger Pro, vReplicator, Vintela, Virtual DBA, VizionCore, Xaffire, and XRT are trademarks and registered trademarks of Quest Software, Inc in the United States of America and other countries. Other trademarks and registered trademarks used in this guide are property of their respective owners.

## Disclaimer

The information in this document is provided in connection with Quest products. No license, express or implied, by estoppel or otherwise, to any intellectual property right is granted by this document or in connection with the sale of Quest products. EXCEPT AS SET FORTH IN QUEST'S TERMS AND CONDITIONS AS SPECIFIED IN THE LICENSE AGREEMENT FOR THIS PRODUCT, QUEST ASSUMES NO LIABILITY WHATSOEVER AND DISCLAIMS ANY EXPRESS, IMPLIED OR STATUTORY WARRANTY RELATING TO ITS PRODUCTS INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTY OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, OR NON-INFRINGEMENT. IN NO EVENT SHALL QUEST BE LIABLE FOR ANY DIRECT, INDIRECT, CONSEQUENTIAL, PUNITIVE, SPECIAL OR INCIDENTAL DAMAGES (INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOSS OF PROFITS, BUSINESS INTERRUPTION OR LOSS OF INFORMATION) ARISING OUT OF THE USE OR INABILITY TO USE THIS DOCUMENT, EVEN IF QUEST HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES. Quest makes no representations or warranties with respect to the accuracy or completeness of the contents of this document and reserves the right to make changes to specifications and product descriptions at any time without notice. Quest does not make any commitment to update the information contained in this document.

## License Credits and Third Party Information

To view license credit information, click the License Credits link on the Welcome to vFoglight online help page.

**System Requirements and Platform Support Guide - Professional Edition**  
**March 2009**  
**Version 5.2.4**

# Table of Contents

<b>Introduction to this Guide .....</b>	<b>5</b>
About vFoglight .....	6
About this Guide.....	6
vFoglight Documentation Suite .....	6
Core Documentation Set .....	7
Cartridge Documentation Sets .....	8
Feedback on the Documentation.....	8
Text Conventions .....	9
About Vizioncore Inc. ....	9
Contacting Dell .....	10
<b>Hardware Requirements and Guidelines .....</b>	<b>23</b>
About vFoglight Hardware Requirements .....	24
Installation Recommendations .....	24
Single-Tier vFoglight Hardware Requirements .....	24
32-bit Platforms .....	25
64-bit Platforms .....	25
Multi-Tier vFoglight Hardware Requirements.....	26
vFoglight Management Server (32- and 64-bit Platforms).....	26
vFoglight Database Repository (32- and 64-bit Platforms).....	27
<b>Supported Platforms.....</b>	<b>29</b>
Supported Platforms for the vFoglight Management Server .....	30
Supported External Databases .....	31
Supported Platforms for the vFoglight Agent Manager .....	32
Operating System Patch Requirements for the JRE .....	34
Supported Operating Systems for System Cartridges .....	35

Cartridge for Operating Systems .....	35
Supported Web Browsers.....	37
Supported Report Viewer .....	38
<b>Index .....</b>	<b>39</b>

# Introduction to this Guide

This chapter provides information about what is contained in the *vFoglight System Requirements and Platform Support Guide*. It also provides information about the vFoglight documentation suite and Vizioncore.

This chapter contains the following sections:

<a href="#">About vFoglight</a> .....	6
<a href="#">About this Guide</a> .....	6
<a href="#">vFoglight Documentation Suite</a> .....	6
<a href="#">Text Conventions</a> .....	9
<a href="#">About Vizioncore Inc.</a> .....	9

## About vFoglight

vFoglight helps IT organizations understand the virtual infrastructure by managing the relationships and interaction between all the components in the environment, including data centers, data stores, clusters, resource pools, hosts and virtual machines. With vFoglight, administrators can quickly determine the root-cause of an incident or problem, track virtual machine (VM) movements and understand their impact, and identify contention for resources between virtual machines.

## About this Guide

This *System Requirements and Platform Support Guide* contains information on the Windows hardware requirements for vFoglight v.5.2.4. Please review the information in this guide before installing the vFoglight Management Server.

This guide is organized as follows:


**Chapter 1, Hardware Requirements and Guidelines**—This chapter outlines the current Windows hardware requirements (CPU type, RAM and Storage) for 32- and 64-bit installations of the vFoglight Management Server and for the database repository. It also includes the requirements for the Java Runtime Engine.

**Chapter 2, Supported Platforms**—This chapter outlines the platform requirements for the vFoglight Management Server and a list of supported web browsers

## vFoglight Documentation Suite

The vFoglight documentation suite is made up of the core documentation set, plus the documentation set for each vFoglight cartridge that you deploy. Documentation is provided in a combination of online help, PDF and HTML.

- **Online Help:** You can open the online help by selecting the Help tab from vFoglight's action panel.



- **PDF:** The *Getting Started Guide*, *What's New Guide*, *System Requirements and Platform Support Guide*, *Installation and Setup Guide* set, *Administration and Configuration Guide*, *vFoglight User Guide*, *Command-Line Reference Guide*, *Web Component Guide*, and *Web Component Tutorial*, are provided as PDF files. The PDF guides are included in the zip file downloaded from Vizioncore. Adobe® Reader® is required.
- **HTML:** Release Notes are provided in HTML.

## Core Documentation Set

The core documentation set consists of the following files:

- *Release Notes* (HTML)
- *Getting Started Guide* (PDF)
- *What's New Guide* (PDF)
- *System Requirements and Platform Support Guide* (PDF)
- *Installation and Setup Guide* set (all in PDF format):
  - *Installation and Setup Guide—Installing on Windows with an Embedded MySQL Database*
  - *Installation and Setup Guide—Installing on Windows with an External MySQL Database*

- Installation and Setup Guide—*Installing on Windows with an External Oracle Database*
- *Administration and Configuration Guide* (PDF and online help)
- *vFoglight User Guide* (PDF and online help)
- *Advanced Configuration Guide* set
  - *Command-Line Reference Guide* (PDF and online help)
  - *Web Component Guide* (PDF and online help)
  - *Web Component Tutorial* (PDF and online help)
  - *Web Component Reference* (online help)

## Cartridge Documentation Sets

When you deploy a cartridge, the documentation set for the cartridge is installed. The online help for the cartridge is integrated automatically with the core vFoglight help. When you open the help, the name of the cartridge is displayed in a top level entry within the table of contents.

Some cartridges include additional PDF guides, which may be one or more of the following: a *Getting Started Guide*, an *Installation Guide*, a *User Guide*, and a *Reference Guide*.

## Feedback on the Documentation

We are interested in receiving feedback from you about our documentation. For example, did you notice any errors in the documentation? Were any features undocumented? Do you have any suggestions on how we can improve the documentation? All comments are welcome. Please submit your feedback to the following email address:

[info@vizioncore.com](mailto:info@vizioncore.com)

**Please do not submit Technical Support related issues to this email address.**



## Text Conventions

The following table summarizes how text styles are used in this guide:

Convention	Description
Code	Monospace text represents code, code objects, and command-line input. This includes: <ul style="list-style-type: none"><li>• Java language source code and examples of file contents</li><li>• Classes, objects, methods, properties, constants, and events</li><li>• HTML documents, tags, and attributes</li></ul>
<i>Variables</i>	Monospace-plus-italic text represents variable code or command-line objects that are replaced by an actual value or parameter.
<b>Interface</b>	Bold text is used for interface options that you select (such as menu items) as well as keyboard commands.
<i>Files, components, and documents</i>	Italic text is used to highlight the following items: <ul style="list-style-type: none"><li>• Pathnames, file names, and programs</li><li>• The names of other documents referenced in this guide</li></ul>

## About Vizioncore Inc.

Vizioncore was formed in July 2002 as a consulting and software-development company with the mission to create easy-to-use software solutions that performed reliable and repeatable automation of datacenter functions specifically for the Citrix platform. A main corporate goal was to enable business partners to offer solutions that targeted real-world IT issues and provided the best possible installation and automation for their clients' systems.

Vizioncore's solutions have proved successful in organizations from small to mid-sized businesses to large enterprises, in a wide variety of vertical industries, including Financial Services, Government, Healthcare, Manufacturing, and High Tech. Vizioncore, Inc. can be found in offices around the globe and at [www.vizioncore.com](http://www.vizioncore.com).

# Contacting Dell

Note: If you do not have an active Internet connection, you can find contact information on your purchase invoice, packing slip, bill, or Dell product catalog.

Dell provides several online and telephone-based support and service options. Availability varies by country and product, and some services may not be available in your area. To contact Dell for sales, technical support, or customer service issues:

- 1 Visit <http://support.dell.com>.
- 2 Verify your country or region in the Choose A Country/Region drop-down menu at the bottom of the page.
- 3 Click Contact Us on the left side of the page. Note: Toll-free numbers are for use within the country for which they are listed.
- 4 Select the appropriate service or support link based on your need.
- 5 Choose the method of contacting Dell that is convenient for you.

Country (City)	Service Type	Area Codes, Local Numbers, and Toll-Free Numbers Web and E-Mail Addresses
International Access Code Country Code City Code		
Anguilla	Web Address E-Mail Address Technical Support., Customer Service, Sales	<a href="http://www.Dell.com/ai">www.Dell.com/ai</a> <a href="mailto:la-techsupport@dell.com">la-techsupport@dell.com</a> toll-free: 800-335-0031
Antigua and Barbuda	Web Address E-Mail Address Technical Support., Customer Service, Sales	<a href="http://www.Dell.com.ag">www.Dell.com.ag</a> <a href="mailto:la-techsupport@dell.com">la-techsupport@dell.com</a> 1-800-805-5924
Aomen	Technical Support Dell™ Dimension™, Dell Inspiron™, Dell Optiplex™, Dell Latitude™, and Dell Precision™ Servers and Storage	0800-105 0800-105
Argentina (Buenos Aires) International Access Code: 00 Country Code: 54 City Code: 11	Web Address E-Mail Address for Desktop/ Portable Computers E-Mail Address for Servers and EMC® Storage Products Customer Service Technical Support Technical Support Services Sales	<a href="http://www.dell.com.ar">www.dell.com.ar</a> <a href="mailto:la-techsupport@dell.com">la-techsupport@dell.com</a> <a href="mailto:la_enterprise@dell.com">la_enterprise@dell.com</a> toll-free: 0-800-444-0730 toll-free: 0-800-444-0733 toll-free: 0-800-444-0724 0-800-444-3355
Aruba	Web Address E-Mail Address Technical Support., Customer Service, Sales	<a href="http://www.Dell.com/aw">www.Dell.com/aw</a> <a href="mailto:la-techsupport@dell.com">la-techsupport@dell.com</a> toll-free: 800-1578
Australia (Sydney) International Access Code: 0011 Country Code: 61 City Code: 2	Web Address Contact Dell Web Address Technical Support., Customer Service, Sales	<a href="http://support.ap.dell.com">support.ap.dell.com</a> <a href="http://support.ap.dell.com/contactus">support.ap.dell.com/contactus</a> 13DELL-133355

Austria (Vienna)	Web Address	Support.euro.dell.com
International Access Code: 900	E-Mail Address	<a href="mailto:Tech_support_central_europe@dell.com">Tech_support_central_europe@dell.com</a>
Country Code: 43	Home/Small Business Sales	0820 240 530 00
City Code: 1	Home/Small Business Fax	0820 240 530 49
	Home/Small Business Customer Service	0820 240 530 14
	Home/Small Business Support	0820 240 530 17
	Preferred Accounts/Corporate Customer	0820 240 530 16
	Service Preferred Accounts/Corporate Customer	0820 240 530 17
	Switchboard	0820 240 530 00
Bahamas	Web Address	<a href="http://www.dell.com/bs">www.dell.com/bs</a>
	E-Mail Address	<a href="mailto:la-techsupport@dell.com">la-techsupport@dell.com</a>
	Technical Support., Customer Service, Sales	toll-free: 1-866-874-3038
Barbados	Web Address	<a href="http://www.dell.com/bb">www.dell.com/bb</a>
	E-Mail Address	<a href="mailto:la-techsupport@dell.com">la-techsupport@dell.com</a>
	Technical Support., Customer Service, Sales	1-800-534-3142
Belgium (Brussels)	Web Address	Support.euro.dell.com
	General Support	02 481 92 88
	General Support Fax	02 481 92 95
	Customer Service	02 713 15 65
	Corporate Sales	02 481 91 00
	Fax	02 481 91 99
	Switchboard	02 481 91 00
Bolivia	Web Address	<a href="http://www.dell.com/bo">www.dell.com/bo</a>
	E-Mail Address	<a href="mailto:la_techsupport@dell.com">la_techsupport@dell.com</a>
	Technical Support., Customer Service, Sales	toll-free: 800-10-0238
Brazil	Web Address	<a href="http://www.dell.com/br">www.dell.com/br</a>
International Access Code: 00	E-Mail Address	<a href="mailto:BR_TechSupport@dell.com">BR_TechSupport@dell.com</a>
Country Code: 55	Customer Service and Tech Support	0800 970 3355
City Code: 51	Technical Support Fax	51 2104 5470
	Customer Service Fax	51 2104 5480
	Sales	0800 722 3498
British Virgin Islands	Technical Support, Customer Service, Sales	toll-free: 1-866-278-6820
Brunei	Technical Support (Penang, Malaysia)	604 633 4966
Country Code: 673	Customer Service (Penang, Malaysia)	604 633 4888
	Transaction Sales (Penang, Malaysia)	604 633 4955
Canada (North York, Ontario)	Online Order Status Web Address	<a href="http://www.dell.ca/ostatus">www.dell.ca/ostatus</a>
International Access Code: 011	AutoTech (automated Hardware and Warranty Support)	support.ca.dell.com
	Customer Service	toll-free:1-800-247-9362
	Home/Home Office	toll-free:1-800-847-4096
	Small Business	toll-free:1-800-906-3355
	Medium/Large Business, Government, Education	toll-free:1-800-387-5757
	Hardware Warranty Phone Support	
	Computers for Home/Home Office	toll-free:1-800-847-4096
	Computers for Small/Medium/Large Business	toll-free:1-800-387-5757
	Government	
	Printers, Projectors, Televisions, Handheld, Digital	1-877-335-5767
	Jukebox, and Wireless Sales	toll-free:1-800-999-3355
	Home and Home Office Sales	toll-free:1-800-387-5752
	Small Business	toll-free:1-800-387-5755
	Medium/Large Business, Government	1 866 440 3355
	Spare Parts and Extended Service	
Cayman Islands	E-Mail Address	<a href="mailto:la-techsupport@dell.com">la-techsupport@dell.com</a>
	Technical Support, Customer Service, Sales	1-877-262-5415

Chile (Santiago)	Web Address	<a href="http://www.dell.com/cl">www.dell.com/cl</a>
Country Code: 56	E-Mail Address	<a href="mailto:la-techsupport@dell.com">la-techsupport@dell.com</a>
City Code: 2	Sales and Customer Support	toll-free: 1230-020-4823
China (Xiamen)	Technical Support Web Address	support.dell.com.cn
Country Code: 86	Technical Support E-Mail Address	support.dell.com.cn/email
City Code: 592	Customer Service E-Mail Address	<a href="mailto:customer_cn@dell.com">customer_cn@dell.com</a>
	Technical Support Fax	592 818 14350
	Technical Support – Dimension and Inspiron	toll-free: 800 858 2969
	Technical Support – OptiPlex, Latitude and Dell Precision	toll-free: 800 858 0950
	Technical Support – Servers and Storage	toll-free: 800 858 0960
	Technical Support – Projectors, PDAs, Switches, Routers, etc	toll-free: 800 858 2920
	Technical Support – Printers	toll-free: 800 858 2311
	Customer Service	toll-free: 800 858 2060
	Customer Service Fax	592 818 1308
	Home and Small Business	toll-free: 800 858 2222
	Preferred Accounts Division	toll-free: 800 858 2557
	Large Corporate Accounts GCP	toll-free: 800 858 2055
	Large Corporate Accounts Key Accounts	toll-free: 800 858 2628
	Large Corporate Accounts North	toll-free: 800 858 2999
	Large Corporate Accounts North Government and Education	toll-free: 800 858 2955
	Large Corporate Accounts East	toll-free: 800 858 2020
	Large Corporate Accounts East Government and Education	toll-free: 800 858 2669
	Large Corporate Accounts Queue Team	toll-free: 800 858 2572
	Large Corporate Accounts South	toll-free: 800 858 2355
	Large Corporate Accounts West	toll-free: 800 858 2811
	Large Corporate Accounts Spare Parts	toll-free: 800 858 2621
Columbia	Web Address	<a href="http://www.dell.com/co">www.dell.com/co</a>
	E-Mail Address	<a href="mailto:la-techsupport@dell.com">la-techsupport@dell.com</a>
	Technical Support, Customer Service, Sales	01-800-915-4755
Costa Rica	Web Address	<a href="http://www.dell.com/cr">www.dell.com/cr</a>
	E-Mail Address	<a href="mailto:la-techsupport@dell.com">la-techsupport@dell.com</a>
	Technical Support, Customer Service, Sales	0800-012-0231
Czech Republic (Prague)	Web Address	support.euro.dell.com
International Access	E-Mail Address	<a href="mailto:czech_dell@dell.com">czech_dell@dell.com</a>
Code: 00	Technical Support	22537 2727
Country Code: 420	Customer Service	22537 2707
	Fax	22537 2714
	Technical Fax	22537 2728
	Switchboard	22537 2711
Denmark (Copenhagen)	Web Address	Support.euro.dell.com
International Access	Technical Support	7023 0182
Code: 00	Customer Service – Relational	7023 0184
Country Code: 45	Home/Small Business Customer Service	3287 5505
	Switchboard – Relational	3287 1200
	Switchboard Fax – Relational	3287 1201
	Switchboard – Home/Small Business	3287 5000
	Switchboard Fax – Home/Small Business	3287 5001
Dominica	Web Address	<a href="http://www.dell.com/dm">www.dell.com/dm</a>
	E-Mail Address	<a href="mailto:la-techsupport@dell.com">la-techsupport@dell.com</a>
	Technical Support, Customer Service, Sales	toll-free: 1-866-278-6821

Dominican Republic	Web Address	<a href="http://www.dell.com/do">www.dell.com/do</a>
	E-Mail Address	<a href="mailto:la-techsupport@dell.com">la-techsupport@dell.com</a>
	Technical Support, Customer Service, Sales	1-800-156-1588
Ecuador	Web Address	<a href="http://www.dell.com/ec">www.dell.com/ec</a>
	E-Mail Address	<a href="mailto:la-techsupport@dell.com">la-techsupport@dell.com</a>
	Technical Support, Customer Service, Sales (Calling from Quito)	toll-free: 999-119-877-655-3355
	Technical Support, Customer Service, Sales (Calling from Guayaquil)	toll-free: 1800-999-119-877-655-3355
El Salvador	Web Address	<a href="http://www.dell.com/sv">www.dell.com/sv</a>
	E-Mail Address	<a href="mailto:la-techsupport@dell.com">la-techsupport@dell.com</a>
	Technical Support, Customer Service, Sales	800-6132
Finland (Helsinki)	Web Address	<a href="mailto:support@euro.dell.com">support@euro.dell.com</a>
International Access Code: 990 Country Code: 358 City Code: 9	E-Mail Address	<a href="mailto:fi_support@dell.com">fi_support@dell.com</a>
	Technical Support	0207 533 555
	Customer Service	0207 533 538
	Switchboard	0207 533 533
	Sales under 500 employees	0207 533 540
	Fax	0207 533 530
	Sales over 500 employees	0207 533 533
	Fax	0207 533 530
France (Paris) (Montpellier) International Access Code: 00 Country Code: 33 City Codes: (1) (4)	Web Address	Support.euro.dell.com
	Home and Small Business	
	Technical Support	0825 387 270
	Customer Service	0825 832 833
	Switchboard	0825 004 700
	Switchboard (calls from outside of France)	04 99 75 40 00
	Sales	0825 004 700
	Fax	0825 004 701
	Fax (calls from outside of France)	04 99 75 40 01
	Corporate	
	Technical Support	0825 004 719
	Customer Service	0825 338 339
	Switchboard	55 94 71 00
	Sales	01 55 94 71 00
Germany (Frankfurt)	Web Address	support.euro.dell.com
	E-mail Address	<a href="mailto:tech_support_central_europe@dell.com">tech_support_central_europe@dell.com</a>
	Technical Support	069 9792-7200
	Home/Small Business Customer Service	0180-5-224400
	Global Segment Customer Service	069 9792-7320
	Preferred Accounts Customer Service	069 9792-7320
	Large Accounts Customer Service	069 9792-7320
	Public Accounts Customer Service	069 9792-7320
Greece	Switchboard	069 9792-7000
	Web Address	Support.euro.dell.com
	Technical Support	00800-44 14 95 18
	Gold Service Technical Support	00800-44 14 00 83
	Switchboard	2108129810
	Gold Service Switchboard	2108129811
	Sales	2108129800
	Fax	2108129812
Grenada	Web Address	<a href="http://www.dell.com/gd">www.dell.com/gd</a>
	E-Mail Address	<a href="mailto:la-techsuppo@dell.com">la-techsuppo@dell.com</a>
	Technical Support, Customer Service, Sales	toll-free: 1-866-540-3355

Guatemala	Web Address	<a href="http://www.dell.com/gt">www.dell.com/gt</a>
	E-Mail Address	<a href="mailto:la-techsupport@dell.com">la-techsupport@dell.com</a>
	Technical Support, Customer Service, Sales	1-800-999-0136
Guyana	E-Mail Address	<a href="mailto:la-techsupport@dell.com">la-techsupport@dell.com</a>
	Technical Support, Customer Service, Sales	toll-free: 1-877-270-4609
Hong Kong	Web Address	<a href="http://support.ap.dell.com">support.ap.dell.com</a>
International Access Code: 001 Country Code: 852	Technical Support E-mail Address	<a href="mailto:support.dell.com.cn/email">support.dell.com.cn/email</a>
	Technical Support - Dimension and Inspiron	00852-2969 3188
	Technical Support - OptiPlex, Latitude, and Dell Precision	00852-2969 3191
	Technical Support - Servers and Storage	00852-2969 3196
	Technical Support - Projectors, PDAs, Switches, Routers, etc .	00852-3416 0906
	Customer Service	00852-3416 0910
	Large Corporate Accounts	00852-3416 0907
	Global Customer Programs	00852-3416 0908
	Medium Business Division	00852-3416 0912
	Home and Small Business Division	00852-2969 3105
India	Dell Support Website	<a href="http://support.ap.dell.com">support.ap.dell.com</a>
<b>Portable and Desktop Support</b>		
	Desktop Support E-mail Address	<a href="mailto:india_support_desktop@dell.com">india_support_desktop@dell.com</a>
	Portable Support E-mail Address	<a href="mailto:india_support_notebook@dell.com">india_support_notebook@dell.com</a>
	Phone Numbers	080-25068032 or 080-25068034 or your city STD code + 60003355 or toll-free: 1-800-425-8045
<b>Server Support</b>		
	E-mail Address	<a href="mailto:india_support_Server@dell.com">india_support_Server@dell.com</a>
	Phone Numbers	080-25068032 or 080-25068034 or your city STD code + 60003355 or toll-free: 1-800-425-8045
<b>Gold Support Only</b>		
	E-mail Address	<a href="mailto:eec_ap@dell.com">eec_ap@dell.com</a>
	Phone Numbers	080-25068033 or your city STD code + 60003355 or toll-free: 1-800-425-9045
<b>Customer Service</b>		
	Home and Small Business	<a href="mailto:India_care_HSB@dell.com">India_care_HSB@dell.com</a> toll-free : 1800-4254051
	Large Corporate Accounts	<a href="mailto:India_care_REL@dell.com">India_care_REL@dell.com</a> toll free : 1800-4252067
<b>Sales</b>		
	Large Corporate Accounts	1600 33 8044
	Home and Small Business	1600 33 8046

Ireland (Cherrywood)	Web Address	Support.euro.dell.com
International Access Code: 00	<b>Technical Support</b>	
Country Code: 353	E-mail Address	<a href="mailto:dell_direct_support@dell.com">dell_direct_support@dell.com</a>
City Code: 1	Business computers	1850 543 543
	Home computers	1850 543 543
	At Home Support	1850 200 889
	<b>Sales</b>	
	Home	1850 333 200
	Small Business	1850 664 656
	Medium Business	1850 200 646
	Large Business	1850 200 646
	E-mail Address	<a href="mailto:Dell_IRL_Outlet@dell.com">Dell_IRL_Outlet@dell.com</a>
	<b>Customer Service</b>	
	Home and Small Business	204 4014
	Business (greater than 200 employees)	1850 200 982
	<b>General</b>	
	Fax/Sales fax	204 0103
	Switchboard	204 4444
	U.K. Customer Service (dealing with U.K. only)	0870 906 0010
	Corporate Customer Service (dial within U.K. only)	0870 907 4499
	U.K. Sales (dial within U.K. only)	0870 907 4000
Italy (Milan)	Web Address	Support.euro.dell.com
International Access Code: 00	<b>Home and Small Business</b>	
Country Code: 39	Technical Support	02 577 826 90
City Code: 02	Customer Service	02 696 821 14
	Fax	02 696 821 13
	Switchboard	02 696 821 12
	<b>Corporate</b>	
	Technical Support	02 577 826 90
	Customer Service	02 577 825 55
	Fax	02 575 035 30
	Switchboard	02 577 821
Jamaica	E-mail Address	<a href="mailto:ja-techsupport@dell.com">ja-techsupport@dell.com</a>
	Technical Support, Customer Service, Sales (dial from within Jamaica only)	1-800-440-920

Japan (Kawasaki)	Web Address	support.jp.dell.com
International Access Code: 001 Country Code: 81 City Code: 44	Technical Support - Dimension and Inspiron	toll-free: 0120-198-26
	Technical Support outside of Japan - Dimension and Inspiron	81-44-520-1435
	Technical Support - Dell Precision, OptiPlex, and Latitude	toll-free: 0120-198-433
	Technical Support outside of Japan - Dell Precision, OptiPlex, and Latitude	81-44-556-3894
	Technical Support - Dell PowerApp™, Dell PowerEdge™, Dell PowerConnect™, and Dell PowerVault™,	toll-free: 0120-198-498
	Technical Support outside of Japan - PowerApp, PowerEdge, PowerConnect, and PowerVault	81-44-556-4162
	Technical Support - Projectors, PDAs, Printers, Routers	toll-free: 0120-981-690
	Technical Support outside of Japan - Projectors, PDAs, Printers, Routers	81-44-556-3468
	Faxbox Service	044-556-3490
	24-Hour Automated Order Status Service	044-556-3801
	Customer Service	044-556-4240
	Business Sales Division - up to 400 employees	044-556-1465
	Preferred Accounts Division Sales - over 400 employees	044-556-3433
	Public Sales - government agencies, educational institutions, and medical institutions	044-556-5963
Global Segment Japan	044-556-3469	
Individual User	044-556-1657	
Individual User Online Sales	044-556-2203	
Individual User Real Site Sales	044-556-4649	
Switchboard	044-556-4300	
Korea (Seoul)	Web Address	Support.ap.dell.com
International Access Code: 001 Country Code: 82 City Code: 2	Technical Support, Customer Service	toll-free: 080-200-3800
	Technical Support - Dimension, PDA, Electronics, and Accessories	toll-free: 080-200-3801
	Sales	toll-free: 080-200-3600
	Fax	2194-6202
	Switchboard	2194-6000
Latin America	Customer Technical Support (Austin, Texas, U.S.A.)	512 728-4093
	Customer Service (Austin, Texas, U.S.A.)	512 728-3619
	Fax (Technical Support and Customer Service) (Austin, Texas, U.S.A.)	512 728-3883
	Sales (Austin, Texas, U.S.A.)	512 728-4397
	SalesFax (Austin, Texas, U.S.A.)	512 728-4600 or 512 728-3772
Luxemborg	Web Address	Support.euro.dell.com
International Access Code: 00 Country Code: 352	Support	3420808075
	Home/Small Business Sales	+32 (0)2 713 15 96
	Corporate Sales	26 25 77 81
	Customer Service	+32 (0)2 481 91 19
	Fax	26 25 77 82
Macao	Technical Support	toll-free: 0800 105
Country Code: 83	Customer Service (Xiamen, China)	34 160 910
	Transaction Sales (Xiamen, China)	29 693 115



Malaysia (Penang)	Web Address	Support.ap.dell.com
International Access Code: 00	Technical Support - Dell Precision, OptiPlex, and Latitude	toll-free: 1800 880 193
Country Code: 60	Technical Support - Dimension, Inspiron, and Electronics and Accessories	toll-free: 1800 881 306
City Code: 4	Technical Support - PowerApp, PowerEdge, PowerConnect, and PowerVault	toll-free: 1800 881 386
	Customer Service	toll-free: 1800 881 306 (option 6)
	Transaction Sales	toll-free: 1800 888 202
	Corporate Sales	toll-free: 1800 888 213
Mexico	Web Address	<a href="http://www.dell.com/mx">www.dell.com/mx</a>
International Access Code: 00	E-mail Address	<a href="mailto:la-techsupport@dell.com">la-techsupport@dell.com</a>
Country Code: 52	Customer Technical Support	001-877-384-8979 or 001-877-269-3383
	Sales	50-81-8800 or 01-800-888-3355
	Customer Service	001-877-384-8979 or 001-877-269-3383
	Main	50-81-8800 or 01-800-888-3355
Montserrat	E-mail Address	<a href="mailto:la-techsupport@dell.com">la-techsupport@dell.com</a>
	Technical Support, Customer Service, Sales	Toll-free: 1-866-278-6822
Netherlands	E-mail Address	<a href="mailto:la-techsupport@dell.com">la-techsupport@dell.com</a>
Antilles	Web Address	support.euro.dell.com
Netherlands (Amsterdam)	Technical Support	020 674 45 00
International Access Code: 00	Technical Support Fax	020 674 47 66
Country Code: 31	Home/Small Business Customer Service	020 674 42 00
City Code: 20	Relational Customer Service	020 674 43 25
	Home/Small Business Sales	020 674 55 00
	Relational Sales	020 674 50 00
	Home/Small Business Sales Fax	020 674 47 75
	Relational Sales Fax	020 674 47 50
	Switchboard	020 674 50 00
	Switchboard Fax	020 674 47 50
New Zealand	Web Address	Support.ap.dell.com
International Access Code: 00	E-mail Address	Support.ap.dell.com/contactus
Country Code: 64	Technical Support, Customer Service, Sales	0800 441 567
Nicaragua	Web Address	<a href="http://www.dell.com/ni">www.dell.com/ni</a>
	E-mail Address	<a href="mailto:la-techsupport@dell.com">la-techsupport@dell.com</a>
	Technical Support, Customer Service, Sales	001-800-220-1377
Norway (Lysaker)	Web Address	Support.euro.dell.com
International Access Code: 00	Technical Support	671 16882
Country Code: 47	Relational Customer Service	671 17575
	Home/Small Business Customer Service	231 62298
	Switchboard	671 16800
	Fax Switchboard	671 16865
Panama	Web Address	<a href="http://www.dell.com/pa">www.dell.com/pa</a>
	E-mail Address	<a href="mailto:la-techsupport@dell.com">la-techsupport@dell.com</a>
	Technical Support, Customer Service, Sales	011-800-507-1264
Peru	Web Address	<a href="http://www.dell.com/pe">www.dell.com/pe</a>
	E-mail Address	<a href="mailto:la-techsupport@dell.com">la-techsupport@dell.com</a>
	Technical Support, Customer Service, Sales	0800-50-669

Poland (Warsaw)	Web Address	support.euro.dell.com
International Access Code: 011	E-mail Address	<a href="mailto:pl_support_tech@dell.com">pl_support_tech@dell.com</a>
Country Code: 48	Customer Service Phone	57 95 700
City Code: 22	Customer Service	57 95 999
	Sales	57 95 999
	Customer Service Fax	57 95 806
	Reception Desk Fax	57 95 998
	Switchboard	57 95 999
Portugal	Web Address	Support.euro.dell.com
International Access Code: 00	Technical Support	707200149
Country Code: 351	Customer Service	800 300 413
	Sales	800-300-410 or 800-300 -411 or 800-300-412 or 21-422-07-10
	Fax	21-424-01-12
Puerto Rico	Web Address	www.dell.com/pr
	E-mail Address	<a href="mailto:la-techsupport@dell.com">la-techsupport@dell.com</a>
	Technical Support, Customer Service, Sales	1-877-537-3355
St. Kitts and Nevis	Web Address	www.dell.com/kn
	E-mail Address	<a href="mailto:la-techsupport@dell.com">la-techsupport@dell.com</a>
	Technical Support, Customer Service, Sales	toll-free: 1-866-540-3355
St. Lucia	Web Address	www.dell.com/lc
	E-mail Address	<a href="mailto:la-techsupport@dell.com">la-techsupport@dell.com</a>
	Technical Support, Customer Service, Sales	toll-free: 1-866-464-4352
St. Vincent and the Grenadines	Web Address	www.dell.com/vc
	E-mail Address	<a href="mailto:la-techsupport@dell.com">la-techsupport@dell.com</a>
	Technical Support, Customer Service, Sales	toll-free: 1-866-464-4353
Singapore	NOTE: The phone numbers in this section should be called from within Singapore or Malaysia only.	
International Access Code: 005	Web Address	support.ap.dell.com
Country Code: 65	Technical Support - Dimension, Inspiron, and Electronics and Accessories	toll-free: 1 800 394 7430
	Technical Support - OptiPlex, Latitude, and Dell Precision	toll-free: 1 800 394 7488
	Technical Support - PowerApp, PowerEdge, PowerConnect, and PowerVault	toll-free: 1 800 394 7478
	Customer Service	toll-free: 1 800 394 7430 (option 6)
	Transaction Sales	toll-free: 1 800 394 7412
	Corporate Sales	toll-free: 1 800 394 7419
Slovakia (Prague)	Web Address	<a href="http://support.euro.dell.com">support.euro.dell.com</a>
International Access Code: 00	E-mail Address	<a href="mailto:czech_dell@dell.com">czech_dell@dell.com</a>
Country Code: 421	Technical Support	02 5441 5727
	Customer Service	420 22537 2707
	Fax	02 5441 8328
	Tech Fax	02 5441 8328
	Switchboard (Sales)	02 5441 8328 02 5441 7585
South Africa (Johannesburg)	Web Address	support.euro.dell.com
International Access Code: 09/091	E-mail Address	<a href="mailto:dell_za_suppor@dell.com">dell_za_suppor@dell.com</a>
Country Code: 27	Gold Queue	011 709 7713
City Code: 11	Technical Support	011 709 7710
	Customer Service	011 709 7707
	Sales	011 709 7700

Spain (Madrid)	Web Address	Support.euro.com
International Access Code: 00	Home and Small Business	
Country Code: 34	Technical Support	902 100 130
City Code: 91	Customer Service	902 118 540
	Sales	902 118 541
	Switchboard	902 118 541
	Fax	902 118 539
	Corporate	
	Technical Support	902 100 130
	Customer Service	902 115 236
	Switchboard	91 722 92 00
	Fax	91 722 95 83
Sweden (Upplands Vasby)	Web Address	support.euro.dell.com
International Access Code: 00	Technical Support	08 590 05 199
Country Code: 46	Relational Customer Service	08 590 05 642
City Code: 8	Home/Small Business Customer Service	08 587 70 527
	Employee Purchase Program (EPP) Support	020 140 14 44
	Technical Support Fax	08 590 05 594
Switzerland (Geneva)	Web Address	Support.euro.dell.com
International Access Code: 00	E-mail Address	<a href="mailto:Tech_support_central_Europe@dell.com">Tech_support_central_Europe@dell.com</a>
Country Code: 41	Technical Support – Home and Small Business	0844 811 411
City Code: 22	Technical Support – Corporate	0844 822 844
	Customer Service – Home and Small Business	0848 802 202
	Customer Service – Corporate	0848 821 721
	Fax	022 799 01 90
	Switchboard	022 799 01 01
Taiwan	Web Address	support.ap.dell.com
International Access Code: 002	E-mail Address	support.dell.com.cn/email
Country Code: 886	Technical Support - OptiPlex, Latitude, Inspiron, Dimension, and Electronics and Accessories	toll-free: 0080 186 1011
	Technical Support - Servers and Storage	toll-free: 0080 160 1256
	Customer Service	toll-free: 0080 160 1250 (option 5)
	Transaction Sales	toll-free: 0080 165 1228
	Corporate Sales	toll-free: 0080 165 1227
Thailand	Web Address	Support.ap.dell.com
International Access Code: 001	Technical Support (OptiPlex, Latitude, and Dell Precision)	toll-free: 1800 0060 07
Country Code: 66	Technical Support (PowerApp, PowerEdge, PowerConnect, and PowerVault)	toll-free: 1800 0600 09
	Customer Service	toll-free: 1800 006 007 (option 7)
	Corporate Sales	toll-free: 1800 006 009
	Transaction Sales	toll-free: 1800 006 006
Trinidad/Tobago	Web Address	<a href="http://www.dell.com/ff">www.dell.com/ff</a>
	E-mail Address	<a href="mailto:la-techsupport@dell.com">la-techsupport@dell.com</a>
	Technical Support, Customer Service, Sales	toll-free: 1-888-799-5908
Turks and Caicos Islands	Web Address	<a href="http://www.dell.com/tc">www.dell.com/tc</a>
	E-mail Address	<a href="mailto:la-techsupport@dell.com">la-techsupport@dell.com</a>
	Technical Support, Customer Service, Sales	toll-free: 1-877-441-4735

U.K.(Bracknell)	Web Address	upport.euro.dell.com
International Access Code: 00	E-mail Address	<a href="mailto:dell_direct_support@dell.com">dell_direct_support@dell.com</a>
Country Code: 44	Customer Service Website	support.euro.dell.com/uk/en/ECare/form/home.asp
City Code: 1344	<b>Sales</b>	
	Home and Small Business Sales	0870 907 4000
	Corporate/Public Sector Sales	01344 860 456
	<b>Customer Service</b>	
	Home and Small Business	0870 906 0010
	Corporate	01344 373 185
	Preferred Accounts (500-5000 employees)	0870 906 0010
	Global Accounts	01344 373 186
	Central Government	01344 373 196
	Local Government & Education	01344 373 199
	Health	01344 373 194
	<b>Technical Support</b>	
	Corporate/Preferred Accounts/PCA (1000+ employees)	0870 908 0500
	Other Dell Products	0870 353 0800
	<b>General</b>	
	Home and Small Business Fax	0870 907 4006
Uruguay	Web Address	<a href="http://www.dell.com/uy">www.dell.com/uy</a>
	E-mail Address	<a href="mailto:la-techsupport@dell.com">la-techsupport@dell.com</a>
	Technical Support, Customer Service, Sales	toll-free: 000-413-598-2521
U.S.A. (Austin, Texas)	Automated Order-Status Service	toll-free: 1-800-433-9014
International Access Code: 011	AutoTech (portable and desktop computers)	toll-free: 1-800-247-9362
Country Code: 1	Hardware and Warranty Support (Dell TV, Printers, and Projectors ) for Relationship customers	toll-free: 1-877-459-7298
	Consumer (Home and Home Office) Support for Dell products	toll-free: 1-800-624-9896
	Customer Service	toll-free: 1-800-624-9897
	Employee Purchase Program (EPP) Customers	toll-free: 1-800-695-8133
	Financial Services Web Address	www.dellfinancialservices.com
	Financial Services (lease/loans)	toll-free: 1-877-577-3355
	Financial Services (Dell Preferred Accounts [DPA])	toll-free: 1-800-283-2210
	<b>Business</b>	
	Customer Service	toll-free: 1-800-624-9897
	Employee Purchase Program (EPP)	toll-free: 1-800-695-8133
	Customer s Support for printers, projectors, PDAs, and MP3 players	toll-free: 1-877-459-7298
	<b>Public (government, education, and healthcare)</b>	
	Customer Service and Support	toll-free: 1-800-456-3355
	Employee Purchase Program (EPP) Customers	toll-free: 1-800-695-8133
	Dell Sales	toll-free: 1-800-289-3355 or toll-free: 1-800-879-3355
	Dell Outlet Store (Dell refurbished computers)	toll-free: 1-888-798-7561
	Software and Peripherals Sales	toll-free: 1-800-671-3355
	Spare Parts Sales	toll-free: 1-800-357-3355
	Extended Service and Warranty Sales	toll-free: 1-800-247-4618
	Fax	toll-free: 1-800-727-8320
	Dell Services for the Deaf, Hard-of-Hearing, or Speech-Impaired	toll-free: 1-877-DELLTTY (1-877-335-5889)

---

U.S. Virgin Islands	Web Address	<a href="http://www.dell.com/vi">www.dell.com/vi</a>
	E-mail Address	<a href="mailto:la-techsupport@dell.com">la-techsupport@dell.com</a>
	Technical Support, Customer Service, Sales	toll-free: 1-877-702-4360
Venezuela	Web Address	<a href="http://www.dell.com/ve">www.dell.com/ve</a>
	E-mail Address	<a href="mailto:la-techsupport@dell.com">la-techsupport@dell.com</a>
	Technical Support, Customer Service, Sales	0800-100-4752

---



# Hardware Requirements and Guidelines

This chapter outlines the Windows hardware requirements (CPU, RAM and disk storage) for 32- and 64-bit installations of the vFoglight Management Server and the database repository.

This chapter contains the following sections:

<a href="#">About vFoglight Hardware Requirements</a> .....	24
<a href="#">Single-Tier vFoglight Hardware Requirements</a> .....	24
<a href="#">Multi-Tier vFoglight Hardware Requirements</a> .....	26

## About vFoglight Hardware Requirements

The hardware needed to run vFoglight can vary widely depending on a number of factors, including:

- The number and type of agents that are being used
- The persistence and data-rollup policies
- Agent configuration settings

You should not consider doing a production implementation without conducting a proper scoping and sizing exercise with a qualified Vizioncore representative. You can arrange for a sizing analysis by contacting your Vizioncore Sales Representative. At a minimum, you will be required to provide hardware matching the specifications below.

### Installation Recommendations

Running a vFoglight server requires:

- The vFoglight Management Server
- The vFoglight database repository

vFoglight runs in either a single-tier or multi-tier configuration. While these components can be installed on a single tier or on multiple tiers, it is critical to realize that the management server and database repository require separately dedicated resources to support them. To help facilitate sizing, the resources required to support each component are addressed separately.

## Single-Tier vFoglight Hardware Requirements

To install vFoglight in a single-tier configuration, you must have hardware to run the vFoglight Management Server (JVM) and vFoglight database repository together. The requirements are listed below.



## 32-bit Platforms

The hardware requirements for a single-tier 32-bit installation of vFoglight are as follows:

CPU	4-way 2.4 GHz CPUs—one of the following: <ul style="list-style-type: none"><li>• 1 quad core</li><li>• 2 dual core</li><li>• 4 single core</li></ul>
RAM	4 GB in total: <ul style="list-style-type: none"><li>• 2.4 GB for Management Server (1.6 GB for Heap, 0.8 GB for Java Virtual Machine)</li><li>• 0.8 GB for database repository</li><li>• 0.8 GB for the operating system</li></ul>
Storage	<ul style="list-style-type: none"><li>• For Management Server: 40 GB, 7500 RPM hard disk or better</li><li>• For Database Repository: 80 GB, 10000 RPM hard disk or better</li></ul>

---

**Important** Some 32-bit operating systems, such as Windows Server 2003 Standard Edition, have a 4 GB memory limit. Please adjust your memory allocation accordingly. Windows Server 2003 Enterprise Edition can support up to 32 GB of physical memory with the Physical Address Extension utility enabled. For more details, please see [http://msdn.microsoft.com/en-us/library/aa366778\(VS.85\).aspx](http://msdn.microsoft.com/en-us/library/aa366778(VS.85).aspx).

---

## 64-bit Platforms

The hardware requirements for a single-tier 64-bit installation of vFoglight are as follows:

CPU	4-way 2.4 GHz CPUs—one of the following: <ul style="list-style-type: none"><li>• 1 quad core</li><li>• 2 dual core</li><li>• 4 single core</li></ul>
-----	------------------------------------------------------------------------------------------------------------------------------------------------------

<b>RAM</b>	12 GB in total: <ul style="list-style-type: none"> <li>• 6 GB for Management Server (4 GB for Heap, 2 GB for Java Virtual Machine)</li> <li>• 4 GB for database repository</li> <li>• 2 GB for the operating system</li> </ul>
<b>Storage</b>	<ul style="list-style-type: none"> <li>• For Management Server: 40 GB, 7500 RPM hard disk or better</li> <li>• For Database Repository: 80 GB, 10000 RPM hard disk or better</li> </ul>

## Multi-Tier vFoglight Hardware Requirements

To install vFoglight in a multi-tier configuration, you must have separate hardware to run the vFoglight Management Server (JVM) and separate hardware to run the vFoglight Database Repository. The requirements are listed below.

### vFoglight Management Server (32- and 64-bit Platforms)

The hardware requirements for a vFoglight Management Server tier installation are as follows:

	32-bit	64-bit
<b>CPU</b>	2-way 2.4 GHz CPUs - one of the following: <ul style="list-style-type: none"> <li>• 1 dual core</li> <li>• 2 single core</li> </ul>	
<b>RAM</b>	4 GB in total: <ul style="list-style-type: none"> <li>• 3 GB for Management Server (2 GB for Heap, 1 GB for Java Virtual Machine)</li> <li>• 1 GB for the operating system</li> </ul>	8 GB in total: <ul style="list-style-type: none"> <li>• 6 GB for Management Server (4 GB for Heap, 2 GB for Java Virtual Machine)</li> <li>• 2 GB for the operating system</li> </ul>
<b>Storage</b>	<ul style="list-style-type: none"> <li>• 40 GB, 7500 RPM hard disk or better</li> </ul>	

## vFoglight Database Repository (32- and 64-bit Platforms)

The hardware requirements for a vFoglight Database Repository Server tier installation are as follows:

	32-bit	64-bit
<b>CPU</b>	2-way 2.4 GHz CPUs - one of the following: <ul style="list-style-type: none"> <li>• 1 dual core</li> <li>• 2 single core</li> </ul>	
<b>RAM</b>	3 GB in total: <ul style="list-style-type: none"> <li>• 2 GB for database repository</li> <li>• 1 GB for the operating system</li> </ul>	6 GB in total: <ul style="list-style-type: none"> <li>• 4 GB for the database repository</li> <li>• 2 GB for the operating system</li> </ul>
<b>Storage</b>	<ul style="list-style-type: none"> <li>• 80 GB, 10000 RPM hard disk or better</li> </ul>	



# Supported Platforms

This chapter outlines the platforms supported for the vFoglight Management Server and database repository, supported platforms for the vFoglight Agent Manager, supported operating systems for the Operating System cartridges, and requirements for other software used with vFoglight.

This chapter contains the following sections:

<a href="#">Supported Platforms for the vFoglight Management Server</a>	30
<a href="#">Supported External Databases</a>	31
<a href="#">Supported Platforms for the vFoglight Agent Manager</a>	32
<a href="#">Supported Operating Systems for System Cartridges</a>	35
<a href="#">Supported Web Browsers</a>	37
<a href="#">Supported Report Viewer</a>	38

## Supported Platforms for the vFoglight Management Server

Vizioncore supports the platforms listed in the following table. These platforms have passed quality assurance testing with vFoglight.

---

**Note** vFoglight is licensed for open systems only, in accordance with the supported platform matrix.

---

Operating System	Version	Architecture	Additional Details
Microsoft Windows®	Server 2003	x86	32-bit support
		x86_64	32-bit and 64-bit support

---

**Important** The vFoglight Management Server requires a Java Runtime Environment (JRE) to run. Please see "[Operating System Patch Requirements for the JRE](#)" on page 34 for JRE and operating system patch requirements.

---

## Supported External Databases

The vFoglight Management Server requires a database repository. You have the option of using the embedded database included with vFoglight, or using an external database.

The external database must be a supported platform and version. Customers are responsible for the procurement, installation, and management of an external database.

The following table outlines the external databases supported for vFoglight 5.2.4. These versions are supported for any platform supported for the vFoglight Management Server.

Database	Supported Versions
Oracle	• Oracle 9i R2 (9.2.x branch)
	• Oracle 10g R2 (10.2.x branch)
MySQL	• 5.0.x branch, with 5.0.27 as the minimum allowed version

While you can run your external database on any operating system platform supported by your database vendor, Vizioncore will only support database issues that can be reproduced on the following OS platforms (32- or 64-bit):

Operating System	Version
Microsoft Windows <sup>®</sup>	Server 2003
RedHat <sup>®</sup> Enterprise Linux <sup>®</sup>	AS/ES 5
IBM AIX <sup>®</sup>	5.3
HP-UX <sup>®</sup>	11i v2
Sun Solaris <sup>™</sup>	10

## Supported Platforms for the vFoglight Agent Manager

The vFoglight Agent Manager (FglAM) is supported on the following platforms:

Operating System	Version	Architecture	Additional Details
IBM AIX®	5.2	IBM PowerPC 4 and PowerPC 5	32-bit and 64-bit support
	5.3		
	6.1		
HP-UX®	11i v2	PA-RISC	32-bit and 64-bit support
		Itanium	
	11i v1	PA-RISC	
	11i v3	PA-RISC and Itanium	
Red Hat® Enterprise Linux®	AS/ES 4	x86_64	32-bit and 64-bit support
		x86	32-bit support
	AS/ES 5	x86_64	32-bit and 64-bit support
	EL 2.1	x86	32-bit support
Novell SUSE® Linux® Enterprise Server	10	x86_64	32-bit and 64-bit support
		x86	32-bit support
	9	x86_64	32-bit and 64-bit support
		x86	32-bit support
	8	x86	32-bit support



Operating System	Version	Architecture	Additional Details
Oracle Unbreakable Linux	4	x86_64	32-bit and 64-bit support
		x86	32-bit support
	5	x86_64	32-bit and 64-bit support
		x86	32-bit support
Linux CentOS	5.0	x86_64	32-bit and 64-bit support
		x86	32-bit support
Sun Solaris™	10	SPARC	32-bit and 64-bit support
		x86_64	
	9	SPARC	
	8		
Microsoft Windows®	XP	x86	32-bit support
		x86_64	32-bit and 64-bit support
	Server 2003	x86_64	32-bit and 64-bit support
		x86	32-bit support
		Itanium	32-bit and 64-bit support
	Server 2000	x86	32-bit support

## Operating System Patch Requirements for the JRE

The vFoglight Management Server and the vFoglight Agent Manager require a Java Runtime Environment (JRE). In order for vFoglight to run properly, it requires that the operating system is at a minimum patch level to support our JRE.

Please ensure that your OS is properly patched for the JRE. It is recommended that you check with your OS vendor for the latest patches for your platform.

The vFoglight Management Server must be patched to support Java 1.6.

Monitored hosts must be patched to support Java 1.5.

# Supported Operating Systems for System Cartridges

## Cartridge for Operating Systems

---

**Note** The Cartridge for Operating Systems is only available with the Professional version of vFoglight.

---

The Cartridge for Operating Systems is supported on the following operating systems:

Operating System	Version	Architecture	Additional Details
IBM AIX®	5.2	IBM PowerPC 4 and PowerPC 5	32-bit and 64-bit support
	5.3		
	6.1		
HP-UX®	11i v1	PA-RISC	32-bit and 64-bit support
	11i v2	PA-RISC	32-bit and 64-bit support
		Itanium	32-bit and 64-bit support
	11i v3	PA-RISC	32-bit and 64-bit support
		Itanium	32-bit and 64-bit support

Operating System	Version	Architecture	Additional Details
Red Hat <sup>®</sup> Enterprise Linux <sup>®</sup>	AS/ES 4	x86_64	32-bit and 64-bit support
		x86	32-bit support
	AS/ES 5	x86_64	32-bit and 64-bit support
	EL 2.1	x86	32-bit support
Novell SUSE <sup>®</sup> Linux <sup>®</sup> Enterprise Server	10	x86_64	32-bit and 64-bit support
		x86	32-bit support
	9	x86_64	32-bit and 64-bit support
		x86	32-bit support
	8	x86	32-bit support
Oracle Unbreakable Linux	4	x86_64	32-bit and 64-bit support
		x86	32-bit support
	5	x86_64	32-bit and 64-bit support
		x86	32-bit support
Linux CentOS	5.0	x86_64	32-bit and 64-bit support
		x86	32-bit support

Operating System	Version	Architecture	Additional Details
Sun Solaris™	10	x86	32-bit support
		SPARC	32-bit and 64-bit support
	9	SPARC	32-bit and 64-bit support
	8		
Microsoft Windows®	XP	x86	32-bit support
		x86_64	32-bit and 64-bit support
	Server 2003	x86_64	32-bit and 64-bit support
		x86	32-bit support
		Itanium	32-bit and 64-bit support
	Server 2000	x86	32-bit support

## Supported Web Browsers

The following table lists the Web browsers supported for use with vFoglight 5.2.4.

Note that you must use the latest patch release for the browsers.

Browser Type	Operating System
Internet Explorer 6 and 7	Windows XP
	Windows 2003
	Windows Vista (IE 7 only)

Browser Type	Operating System
Firefox 2 and 3	Windows XP
	Windows 2003
	Windows Vista
	Linux RedHat, SuSE <b>Note</b> Firefox 3 is only supported on Desktop Linux— Enterprise Linux is not supported.

## Supported Report Viewer

To view PDF reports in vFoglight, Adobe Acrobat Reader version 7.0.9 (or higher) is preferred.

# Index

## A

about vFoglight 6

## C

contacting

Vizioncore 9

## D

database platform support 31

documentation

cartridge 8

core 7

feedback 8

suite 6

## E

external databases 31

support 31

## H

hardware requirements, overview 24

## I

installation, recommendations 24

## J

JRE requirements 34

## M

multi-tier system requirements 26

## O

operating system, patch requirements for JRE 34

## R

recommendations, installing vFoglight 24

## S

single-tier system requirements 24

supported external databases 31

supported operating systems

system cartridges 35

supported platforms

vFoglight Agent Manager 32

vFoglight Management Server 30

supported web browsers 37

system cartridges

supported operating systems 35

## T

text conventions 9

## V

vFoglight

distributed system requirements 26

hardware overview 24

single system requirements 24

**vFoglight Agent Manager**

supported platforms 32

**vFoglight Database Repository**

hardware requirements 27

**vFoglight Management Server**

hardware requirements 26

supported platforms 30

## W

web browsers 37