



Specifications

Copyright © 2015 Dell Inc. All rights reserved. This product is protected by U.S. and international copyright and intellectual property laws. Dell™ and the Dell logo are trademarks of Dell Inc. in the United States and/or other jurisdictions. All other marks and names mentioned herein may be trademarks of their respective companies.

2015 - 08 Rev. A00

Regulatory model: P49G | Type: P49G003

Computer model: Inspiron 14-5457

☑ NOTE: The images in this document may differ from your computer depending on the configuration you ordered.





Front

Front



Left



Right



Base



Display



Power and battery-status light

Indicates the power and battery status of the computer.

Solid white

Power adapter is connected and the battery has more than 5% charge.

Solid yellow

Computer is running on battery and the battery has less than 5% charge.

Off

- · Power adapter is connected and the battery is fully charged.
- · Computer is running on battery and the battery has more than 5% charge.
- Computer is in sleep state, hibernation, or turned off.

Hard-drive activity light

Turns on when the computer reads from or writes to the hard drive.





Left

Front



Left





Right



Base



Security-cable slot

Connect a security cable to prevent unauthorized movement of your computer.

2 Power-adapter port

Connect a power adapter to provide power to your computer and charge the battery.

USB 2.0 port

Connect peripherals such as storage devices, printers, and so on. Provides data transfer speeds up to 480 Mbps.


Media-card reader

Reads from and writes to media cards.



Display

Right



Headset port

Connect a headphone, a microphone, or a headset (headphone and microphone combo).

USB 3.0 ports (2)

Connect peripherals such as storage devices, printers, and so on. Provides data transfer speeds up to 5 Gbps.

HDMI port

Connect a TV or another HDMI-in enabled device. Provides video and audio output.

Network port

Connect an Ethernet (RJ45) cable from a router or a broadband modem for network or internet access.





Base

Display



Left-click area

Press to left-click.

2 Touch pad

Base

Move your finger on the touch pad to move the mouse pointer. Tap to left-click.

Right-click area

Press to right-click.

Power button

Press to turn on the computer if it is turned off or in sleep state.

Press to put the computer in sleep state if it is turned on. Press and hold for 4 seconds to force shut-down the computer.

NOTE: You can customize the power-button behavior in Power Options. For more information, see Me and My Dell at www.dell.com/support/ manuals.



Front



Left



Right



Base



Display



Left microphone 1

Provides digital sound input for audio recording, voice calls, and so on.

2 Camera-status light

Turns on when the camera is in use.

Camera

Allows you to video chat, capture photos, and record videos.

Right microphone

Provides digital sound input for audio recording, voice calls, and so on.



Dimensions and weight

Height	21.60 mm (0.85 in)
Width	342 mm (13.46 in)
Depth	246 mm (9.69 in)
Weight (maximum)	1.93 kg (4.25 lb)
	NOTE : The weight of your laptop varies depending on the configuration ordered and manufacturing variability

















Communications





















System information

Computer model	Inspiron 14-5457
Processor	6 th Generation Intel Core i3 ULV
	6 th Generation Intel Core i5 ULV
	6 th Generation Intel Core i7 ULV
	Intel Pentium Dual Core
Chipset	Integrated in processor



















Audio



reader















Power adapter



Memory

Slots Two SODIMM slots

Type Dual-channel DDR3L

Speed 1600 MHz

Configurations supported 4 GB, 6 GB, 8 GB, 12 GB, and 16 GB







System information



Memory



Ports and connectors



Communications



Video



Audio



Storage



Media-card reader



Display



Camera



Touch pad



Power adapter





Ports and connectors

External:	

One RJ45 port Network

USB • One USB 2.0 port

• Two USB 3.0 ports

Audio/video • One HDMI port

• One headset port

Internal:

M.2 One M.2 slot for Wi-Fi, Intel WiDi (optional), and Bluetooth combo card



Dimensions and weight



information



Memory



Ports and connectors



Communications



Video



Audio



Storage



Media-card reader



Keyboard











Power adapter





Communications

10/100 Mbps Ethernet controller integrated on system board **Ethernet** Wireless • Wi-Fi 802.11ac

- Wi-Fi 802.11b/g/n
- Bluetooth 4.0
- Intel WiDi (optional)









Ports and Communications connectors















Display













environment

Power adapter



Video

Controller:

Integrated

Intel HD Graphics 520 NVIDIA GeForce 930M

Memory:

Integrated

Discrete

Shared system memory

Discrete

• 2 GB DDR3









information



Memory



Ports and connectors



Communications



Video



Audio



Storage







Display



Keyboard Camera













Audio

Controller Realtek Al C3234CG with Waves MaxxAudio Pro

Speakers Two

Speaker output:

Average 2 W Peak 2.5 W

Microphone Digital array-microphones

Volume controls Media-control shortcut keys



Dimensions and weight



information



Memory



Ports and connectors



Communications



Video



Audio



Storage



Media-card reader



Display

Keyboard



Camera









Power adapter



environment



Storage

Interface SATA 6 Gbps

Hard drive One 2.5-inch drive (supports Intel Smart Response Technology)



























Media-card reader











Media-card reader

One 5-in-1 slot Type Cards supported • SD • SD Extended Capacity (SDXC) with Ultra High Speed (UHS) • SD High-Capacity (SDHC) Memory Stick • Memory Stick PRO









connectors









Audio





















Display

14-inch HD Type

Resolution (maximum) 1366 x 768

0.2265 mm Pixel pitch

Dimensions:

Height 173.95 mm (6.85 in)

Width 309.40 mm (12.18 in)

Diagonal 355.60 mm (14 in)

60 Hz Refresh rate

Operating angle 0 degree (closed) to 135 degrees

Controls Brightness can be controlled using shortcut keys



Dimensions and weight



information



Memory



Ports and connectors



Communications



Video



Audio



Storage



Media-card reader



Display

Keyboard

















Keyboard

Type

Standard keyboard

• Backlit keyboard (optional)

Shortcut keys

Some keys on your keyboard have two symbols on them. These keys can be used to type alternate characters or to perform secondary functions. To type the alternate character, press Shift and the desired key. To perform secondary functions, press Fn and the desired key.

NOTE: You can change the behavior of the shortcut keys by pressing Fn+Esc or by changing **Function Key Behavior** in system setup program.

List of shortcut keys.

















System Memory

Ports and connectors









Media-card reader










Shortcut keys

F1 ■ x	Mute audio
F2 ◀₁	Decrease volume
F3 ◄ ᠉	Increase volume
F4	Play previous track/chapter
F5 ▶II	Play/Pause
F6 ►►	Play next track/chapter
F8	Switch to external display
F9 p	Search
F10	Toggle keyboard backlight (optional)
(F11 .⇔	Decrease brightness
F12	Increase brightness





Camera

Resolution:

Still image 0.92 megapixel

1280 x 720 (HD) at 30 fps (maximum) Video

Diagonal viewing angle 74 degrees



















Audio





















Touch pad

Resolution:

Horizontal 1260 dpi Vertical 1207 dpi

Dimensions:

Width 105 mm (4.13 in)

Height 80 mm (3.15 in)













Memory



Ports and connectors



Communications



Video



Audio



Storage



Media-card reader



Display











Battery







environment



Battery

Туре	 3-cell smart lithium ion (43.50 WHr) 4-cell smart lithium ion (58 WHr)	
	3 cell	4 cell
Dimensions:		
Width	208.25 mm (8.20 in)	208.25 mm (8.20 in)
Depth	124.70 mm (4.91 in)	124.70 mm (4.91 in)
Height	7.80 mm (0.31 in)	7.80 mm (0.31 in)
Weight (maximum)	0.28 kg (0.62 lb)	0.35 kg (0.77 lb)
Voltage	11.10 VDC	7.40 VDC
Charging time when the computer is off (approximate)	4 hours	
Operating time	Varies depending on operating conditions and can significantly reduce under certain power-intensive conditions	
Life span (approximate)	300 discharge/charge cycles	
Temperature range:		



Operating

Storage
Coin-cell battery







connectors

CR-2032

0°C to 35°C (32°F to 95°F)

-40°C to 65°C (-40°F to 149°F)











Media-card Display



Camera











Power adapter

65 W Type

Input voltage 100 VAC-240 VAC

50 Hz-60 Hz Input frequency

1.50 A Input current

Output current 3.34 A

19.50 VDC Rated output voltage

Temperature range:

Operating 0°C to 40°C (32°F to 104°F)

-40°C to 70°C (-40°F to 158°F) Storage



Dimensions and weight



information



Memory



Ports and connectors



Communications



Video



Audio



Storage



Media-card reader



Display



Keyboard



Camera



Touch pad



Battery



Power adapter



environment



Computer environment

Airborne contaminant level	G1 as defined by ISA-S71.04-1985	
	Operating	Storage
Temperature range	0°C to 35°C (32°F to 95°F)	-40°C to 65°C (-40°F to 149°F)
Relative humidity (maximum)	10% to 90% (non-condensing)	0% to 95% (non-condensing)
Vibration (maximum)*	0.66 GRMS	1.30 GRMS
Shock (maximum)	110 G [†]	160 G [‡]
Altitude (maximum)	-15.2 m to 3048 m (-50 ft to 10,000 ft)	-15.2 m to 10,668 m (-50 ft to 35,000 ft)

^{*} Measured using a random vibration spectrum that simulates user environment.









connectors



























[†] Measured using a 2 ms half-sine pulse when the hard drive is in use.

[‡] Measured using a 2 ms half-sine pulse when the hard-drive head is in parked position.