Dell Latitude Ultrabook, E-Family & Mobile Precision Reimage "How-To" Guide



Dell

Business Client

Re-Image "How-To" Guide

Latitude Ultrabook, E-Family, Latitude 2 in 1 &

Mobile Precision Notebook

Revision 1.0.4

A04

Mar. 12th, 2017

Contents

1	C	Dverview	3
2	u	'How-To"	4
	2.1	Auto Installation Application	4
	2.2	Manual Installation Order	4
Ap	per	ndix A How to create and use the Dell Windows recovery image	7
Ap	per	ndix B Intel Rapid Storage Technology	9
Ap	per	ndix C DELL Command Suite	.11
Ap	per	ndix D Dell Dock (WD15) & Dell Thunderbolt Dock (TB16) information and specifications	.12

1 Overview

This document is a quick guidance for re-image OS on Dell Latitude, Latitude 2 in 1, & Mobile Precision notebooks. Failure to install drivers and applications in this document may result in undesirable performance. These drivers are required to enable new technologies and features.

Reinstalled images should be built from <u>Windows clean installation</u> then following steps in this guide. Dell does not recommend starting from an image built on previous generations of products or other computer systems.

	Windows 10 64bit	Windows 8.1 64bit*	Windows 7 64bit*	Windows 7 32bit*
Latitude E5280/5288	Yes	No	No	No
Latitude E5480/5488	Yes	No	No	No
Latitude E5580	Yes	No	No	No
Latitude E7280	Yes	No	No	No
Latitude E7480	Yes	No	No	No
Mobile Precision 3520	Yes	No	No	No
Mobile Precision 5520	Yes	No	No	No
Latitude 3180/3189	Yes	No	No	No
Latitude 5285 2-in-1	Yes	No	No	No
Latitude 5289	Yes	No	No	No

This "How-To" guide applies to following Systems, and support Windows OS list in below

*NOTE: Before attempting to install Windows 7 or 8.1, <u>check your processor type</u>. Systems with 7th Generation Intel[®] Core[™] Processors are **NOT** eligible for Windows 7/8.1 downgrades.

NOTE: Dell *highly recommends* you turn on Windows Update after Windows OS clean installation. The best way to keep your computer current is to turn on automatic updates. With automatic updates via internet, you don't have to search for updates online or possibly miss critical fixes or device drivers for your Windows PC. Windows Update automatically installs important updates and latest drivers as they become available. Read <u>here</u> for more detail

NOTE: To enable internet access, please install Ethernet controller driver first.

Search for your system model name under Select a Product selection, or enter the service tag of your system to locate Drivers & Downloads page on the Dell <u>Support Website</u>. Change the Operating System to view all available updates for your system. Select *Intel I2xx/825xx Gigabit Ethernet Network Controller Drivers* under "Network" category.

2 "How-To"

2.1 Auto Installation Application

Dell *highly recommends* **Dell Command | Update application (DCU)** to automate the installation of BIOS, firmware, driver and critical updates specific to your system. The application is available to download on <u>Dell Support Website Driver & Downloads page</u>. Pick your system type from the list or enter the service tag of your system to get the right version for your computer.

The DCU is supported on Precision, XPS and Latitude notebooks. The Dell Command | Update tool allows you to keep your system up to date without you having to know every driver or update needed. It will automatically interrogate your system and compare it to the available updates on dell.com/support for your specific system.

Read <u>here</u> for more detail about How to use Dell Command | Update to update all drivers BIOS and firmware for your system

NOTE: Older BIOS versions and drivers could result in your computer or not functioning optimally.

2.2 Manual Installation Order

Alternatively, Dell recommends installing the following BIOS, firmware and drivers step-by-step in the prescribed order to ensure optimal performance.

Search for your system model name under Select a Product selection, or enter the service tag of your system to locate Drivers & Downloads page on the Dell Support Website. Change the Operating System to view all available updates for your system.

NOTE: Dell *highly recommends* that you install BIOS, firmware, driver and critical updates via **Microsoft Windows Update** (in session 1) or **Dell Command I Update application** (in session 2.1, <u>available since Feb.2017</u>). Manual installation is only recommended when auto installation applications are not available.

NOTE: Following above, Dell also recommends you install firmware, driver of **Dock WD15** and **Thunderbolt Dock TB16** via **Dell Command I Update** application. More information of **WD15**, please refer to *Dell WD15 docking Station Installation Guide* <u>here</u> or *Video tutorials* <u>here</u>. More information of **TB16**, please refer Dell Thunderbolt Dock TB16 Driver Installation Guide or *Video tutorials* <u>here</u>

NOTE: Dell recommends restarting your system between each driver, firmware installation.

The Description Description <thdescription< th=""> <thdes< th=""><th></th><th></th><th colspan="3">Support Products</th><th></th></thdes<></thdescription<>			Support Products					
Data Series 10/20 Bit Conf. Dec. All soning required Dirich E Allerandor - Control	Title	Category	Latitude E5280/5480/5580 E5288/5488/5289 E7280/7480	Mobile Precision 3520	Mobile Precision 5520	Latitude 3189/3180	Latitude 2-in-1 5285	Note
Description Description Direct File Process Dire	DELL System BLOS	BIOS			BIUS			All config required
Int Clogen Event Adhere inter Output Output </td <td></td> <td>5105</td> <td>•</td> <td>Driver & Firm</td> <td>ware - onboard Devices</td> <td></td> <td>•</td> <td>All completed</td>		5105	•	Driver & Firm	ware - onboard Devices		•	All completed
Initial Data and	Intel Chipset Device Software Driver	Chipset	•					All config. required
Cancel or Inter The Part of Dec Image of the Inter Max on fig. App 5 to be part of an inter Max on fig. Image of the Inter Max on fig. Image of the Inter Max on fig. App 5 to be part of an inter Max on fig. Image of the Inter Max on fig. Image of the Inter Max on fig. App 5 to be part of an inter Max on fig. Image of the Inter Max on fig. Image of the Inter Max on fig. App 5 to be part of an inter Max on fig. Image of the Inter Max on fig. Image of the Inter Max on fig. App 5 to be part of an inter Max on fig. Image of the Inter Max on fig. Image of the Inter Max on fig. App 5 to be part of an inter Max on fig. Image of the Inter Max on fig. Image of the Inter Max on fig. App 5 to be part of an inter Max on fig. Image of the Inter Max on fig. Image of the Inter Max on fig. App 5 to be part of the Inter Max on fig. Image of the Inter Max on fig. Image of the Inter Max on fig. Image of the Inter Max on fig. Image of the Inter Max on fig. Image of the Inter Max on fig. Image of the Inter Max on fig. Image of the Inter Max on fig. Image of the Inter Max on fig. Image of the Inter Max on fig. Image of the Inter Max on fig. Image of the Inter Max on fig. Image of the Int	Intel I2xx/825xx Gigabit Ethernet Network	Network	0					
International procession International procession International procession International procession International procession International procession International procession International procession International procession International procession International procession International procession Anternational procession Anternational procession International procession Internat	Controller Driver	network	<u> </u>		•			Required for Intel LAN config.
International Topics Index I	Intel Device Manager Diagnostics Utility	Network	0					Required for Intel LAN config.
Inite Ind Spaces Over Provide and Provide Control Cartel A guid Stages Area Provide Provide Control Provide Area Cartel A guid Stages Area Provide Provide Control Provide Area Cartel A ACCES Area Provide Provide Control Provide Area Cartel A ACCES Area Provide Provide Control Provide Provide Control Cartel A ACCES Area Provide Provide Control Provide Provide Control Cartel A ACCES Area Provide Provide Control Provide Provide Control Cartel A ACCES Area Provide Provide Control Provide Provide Control Cartel Area Provide Provide Control Provide Provide Control Provide Provide Control Cartel Area Provide Provide Control Provide Provide Control Provide Provide Control Cartel Area Provide Provide Control Provide Provide Control Provide Provide Control Cartel Area Provide Provide Control Provide Provide Control Provide Provide Control Cartel Area Provide Provide Control Provide Provide Contro Provide Provide Contro <tr< td=""><td>Alos Touchoad Driver</td><td>Input</td><td></td><td></td><td></td><td></td><td></td><td>All config. Required except 5285/3189/3180</td></tr<>	Alos Touchoad Driver	Input						All config. Required except 5285/3189/3180
Intel Ragenet Converting Converter Converte	Intel HD Graphics - Driver	Video				•	•	All config. required
Data Data Audio Audio Other All config regularies Data Data Audio So Card All config regularies Data Data Audio So Card All config regularies Data Data Audio So Card All config regularies Dispatit One All config regularies Begulare for ThunderBold Fig Control Varial Order and Firmware Update Oppetit Oppetit Begulare for Undate Config Control Varial Order and Firmware Update Oppetit Oppetit Begulare for Undate Config Control Varial Order and Firmware Update Oppetit Oppetit Begulare for Undate Config Control Varial Order and Firmware Update Oppetit Oppetit Description Control Varial Order Englase Oppetit Oppetit Description Control Varial Order Englase Oppetit Oppetit Description Control Varial Order Englase Connutration Date Oppetit	Intel Rapid Storage Technology Driver and Management Console	Serial ATA	•	•	•	-	Ō	All config. Required, except 5285 NVMe config
Desile Desile<	Realtek ALC3246 Audio Driver	Audio	•	•		•	•	All config. required
Intel III Dynamic Patron and Terminal Chipset	Realtek RTS5242/5330 Card Reader Driver	SD Card	ě	ě	Ŏ		Ŏ	All config. required
Intell Maragement Explice Components Original Or	Intel(R) Dynamic Platform and Thermal Framework	Chipset	٠	•	•	•	•	All config. required
Still Monestaminis Accelerameter Object Open Still Required for spindle NDD config. Still Monestaminis Accelerameter Object Opiest Opiest Opiest Opiest Executive Executiv	Intel(R) Management Engine Components	Chipset	•					All config. required
Institle Trunderboli (TW) Constrainer Origination Provements Open Provements Open Provements Required for Trunderboli config. Call Control Value 2 Driver and Timware Open Provements Open Provements Open Provements	ST Microelectronics Accelerometer	Chipset	0	0	0			Required for spindle HDD config.
Intel Tunderdol 3 firmware update Oligiet Oligiet Required for Tunderdol config. Underdol 400 regulated for Tunderdol config. Male Video - One Required for Tunderdol config. Underdol 400 regulated for Tunderdol config. Male Video - One Required for Tunderdol config. Underdol 400 regulated for Tunderdol config. Male Video - One Required for Tunderdol config. Underdol 400 regulated for Tunderdol config. Oliget I Intel Video - One Required for Tunderdol config. Underdol 50 regulated for Tunderdol config. Oliget I Intel Video - One Required for Tunderdol config. Underdol 50 regulated for Tunderdol config. Oliget I Oliget I Intel Video - One Required for Tunderdol config. Underdol 50 regulated for Tunderdol config. Oliget I Oliget I Oliget I Intel Video - One Required for Tunderdol config. Underdol 50 regulated for Tunderdol config. Oliget I Ol	Intel(R) Thunderbolt(TM) Controller Driver	Chipset	Q	0	Q			Required for Thunderbolt config.
Chill Control Addition 2 and Part and Part of the Control of the Contre Control of the Control of the Control of the Control	Intel Thunderbolt 3 Firmware Update	Chipset	<u> </u>	0	<u> </u>			Required for Thunderbolt config.
Name Displet O O End of the Camera Config. Intel Tracted Sections fights Company Object Image Sections fights Company Name Intel Sections Solution Driver Object Image Sections Fights Company Name Intel Sections Solution Driver Object O Image Sections Fights Company Name Intel Sections Driver Object O Image Sections Fights Company Name	Dell ControlVault2 Driver and Firmware	Security	<u> </u>	<u> </u>	⊢ X –		•	Required for USH config.
Intel Trusted Execution Engine Components Chipset All config. Required for 3189/3189/3280 Intel Intel Stratig Torver Chipset All config. Required for 389/3189/3280 Intel Integrated Seaser Solution Driver Chipset O Required for 1189/3189/3189/3280 Intel Integrated Seaser Solution Driver Chipset O Required for 1189/3189/3189/3280 Intel Statusging Driver Input O Required for 1188/3289/3189/3280 Intel 328/3289/7286/S289/3265/7280/3550 Wintel Statusging Driver Input O Required for 1188/328/3189/3280 Intel 385/389/37260/3550 Wintel Statusging Driver Input O Patientical Statusging Driver Intel 385/389/37260/3550 Wintel Statusging Driver Input O Patientical Statusging Driver Intel 385/389/37260/3550 Nickwork O O Patientical Statusging Driver Patientical Statusging Driver Intel 385/389/37260/3550 Nickwork O O Patientical Statusging Driver Patientical Statusging Driver Intel 385/389/37260/356 O O O Required for Dittl Statusging Driver Patientical Statusging Driver Intel 855/3826/37260/356 O O <t< td=""><td>Realtek IR Camera Driver</td><td>Input</td><td><u> </u></td><td>- N</td><td>- X</td><td></td><td></td><td>Required for IR Camara config.</td></t<>	Realtek IR Camera Driver	Input	<u> </u>	- N	- X			Required for IR Camara config.
Intel Sensi Job Driver Dipet Object O	Intel Trusted Execution Engine Components	Chipset	v	U		•	•	Required for 3189/3180
Intel Integrate 3 Sensor Solution Driver Chipset Chings and Sensor Solution Driver Chipset Ching and Sensor Solution Driver Chipset Ch	Intel Serial IO Driver	Chipset				Ó	•	All config. Required for 3189/3180/5285
Intel Virtual Buttons Onley: Chipset C	Intel Integrated Sensor Solution Driver	Chipset	0			0	•	Required 360 2 in 1 config.
Intel 1265/1256/1265/256/256/256/256/256/256/256/256/256/	Intel Virtual Buttons Driver	Chipset	0			<u> </u>		Required 360 2 in 1 config.
Intel 13265/7265/7265(50)/3165 WiFi Driver Network O O O O O O O O O O O O O O O O O O O	Intel 2D Imaging Driver	Input		Drivor & Firmua	ro Communication Davi			Required Intel 2D camera config
Intel 385/3260/7265/7260/7265/7260/3065/ Network Implication Required for Intel 3256/3260 Wireless and Tubio 1266/3260 Wireless and Tubio 1266/	Intel 18265/8265/7265(SD)/3165 WiFi Driver	Network	0	O	O	•	0	Required for Intel 8265/18265 Wireless card *Latitude 3180/3189 Intel 7265 Wireless card only
Intel 1826/1826/1826/17265 Widg Application Network O O O O O Required for Intel 18265 Wireless card Pell Wireless Tail 178 Ministry FutureDoth Network O O O O O Required for DELL 1820 Wireless card Pell Wireless Tail 178 Ministry FutureDoth Communication O O O O O O Required for DELL 1821 Wireless card PWS814E LTE Mobile Broadband Driver Communication O O O O O O Required for DELL 1831 LTE card PWS814E LTE Mobile Broadband Driver Communication O O O O O O O O O O O O O O O O O O O	Intel 8265/8260/7265/7260/3165/ 18265/18260/17265 Bluetooth Driver	Network	0	0	0		0	Required for Intel 8265/18265 Wireless card *Latitude 3180/3189 Intel 7265 Wireless card only
UPEN WIREEST SBUTIESU WARKING IN Action Network O O O Required for DELL 320 Wireless card Dell Wireless SB1E LTE Mobile Broadband and GFS Driver Communication O O Network O Required for DELL 320 Wireless card DWS8L6E LTE Mobile Broadband Driver Communication O O O Required for DELL 5811 LTE card DUM SIGE STREET Communication O O O Required for WDIS dock DUM SIGE STREET Docks/Stands O O O Required for WDIS dock Stand(FS D000) Firmware Update Utility Docks/Stands O O Required for BLG dock Required for BLG dock Assteria USB State State State State Docks/Stands O O Required for TBLG dock Required for TBLG dock Real Fix USB GGE Ethemet Controller Driver Docks/Stands O O Required for TBLG dock Required for TBLG dock Real Fix USB GGE Ethemet Controller Driver Docks/Stands O O Required for DDC dock Required for DDC dock Monitor Stand and Del Dock Docks/Stands O O Required for DDC dock Required for DDC dock Required for DDC	Intel 18265/18260/17265 WiGig Application	Network	ŏ	ŏ	ŏ		Ŏ	Required for Intel 18265 Wireless card
Delux Delux <th< td=""><td>Dell Wireless 1810/1820 WiFi/Bluetooth</td><td>Network</td><td>-</td><td>0</td><td>0</td><td></td><td>•</td><td>Required for DELL 1820 Wireless card</td></th<>	Dell Wireless 1810/1820 WiFi/Bluetooth	Network	-	0	0		•	Required for DELL 1820 Wireless card
and GRS Driver DWS84E LTE Mobile Broadband Driver Communication Durver & Firmware - Dock Stands Driver & Firmware - Dock Stands DelL Wired Dock(WD15)/Docking Monitor Stand(FS1000) Firmware Update Utility ASMedia USB 30 Extended Host Controller Driver RealTek USB GBE Ethemet Controller Driver Docks/Stands Docks/Stand	Dell Wireless 5811e LTE Mobile Broadband	Communication	0	0	0		0	Required for DELL 5811 LTE card
Difference of a second and a second a second and a second a sec	and GPS Driver	Communication		Õ	•		8	Pequired for DELL 5814 LTE card
DELL Wired Dock(WD15)/Docking Monitor Stand(F51000) Firmware Update Utility Docks/Stands O O (1) Required for WD15 dock (2) connect AC adapter to dock then attach the Type-C cable to system ASMedia USB 3.0 Extended Host Controller Driver Docks/Stands O O Required for TB16 dock RealTek USB GBE Ethernet Controller Driver Realtek USB Adio Driver for Dell Wireless Dock, Dell Thunderbolt Dock, Dell Docking Docks/Stands O O Required for TB16 and WD15 dock Monitor Stand and Dell Dock ASIX USB to Serial / Parallel Port Driver Docks/Stands O O Required for TB16 and WD15 dock Dell Command Power Manager (DCPM) System Utilities O O Required for TD17 dock Dell Command Londig (DCC) System Management O O Required Dell Command Intel VPro (DCU) System Management O O O Dell Command Intel VPro (DCU) System Management O O O Option for IT management Dell Command Monitor (DCM) System Management O O O Option for IT management Dell Command Intel VPro (DCU) System Management O O O Option for IT management O O Option		communication		Driver & Fi	rmware - Dock Stands	ł		
ASMedia USB 3.0 Extended Host Controller Driver RealTek USB GBE Ethernet Controller Driver RealTek USB GBE Ethernet Controller Driver Docks/Stands	DELL Wired Dock(WD15)/Docking Monitor Stand(FS1000) Firmware Update Utility	Docks/Stands	0	0	0			 (1) Required for WD15 dock (2) connect AC adapter to dock then attach the Type-C cable to system
RealTek USB GBE Ethemet Controller Driver Docks/Stands O O Required for TB16 and WD15 dock Realtek USB Audio Driver for Dell Wireless Docks/Stands O O Required for TB16 and WD15 dock Monitor Stand and Dell Dock Docks/Stands O O Required for TB16 and WD15 dock Monitor Stand and Dell Dock Docks/Stands O O Required for TB16 and WD15 dock ASIX USB to Serial / Parallel Port Driver Docks/Stands O O Required for LD17 dock Dell Command Dork System Utilities Image: Common of the co	ASMedia USB 3.0 Extended Host Controller Driver	Docks/Stands	0	0	0			Required for TB16 dock
Realize USB Audio Driver for Dell Wirfeless Dock, Dell Thunderbolt Dock, Dell Docking Docks/Stands Dell Command Power Manager (DCPM) System Wanagement Dell Command Update (DCU) System Management Dell Command Integration Suite (DCIS) System Management Dell Command Integration Suite (DCM) System Management Dell Command Nonitor (DCM) System Management Dell Command Powershell Provider (DCPP) System Management Dell Command Powershell Provider (DCPP) System Management Dell Command Nonitor (DCM) System Management Dell Command Powershell Provider (DCPP) System Management Dell Command Powershell Provider (DCPP) System Management Dell Ded	RealTek USB GBE Ethernet Controller Driver	Docks/Stands	0	0	0		•	Required for TB16 and WD15 dock
Monitor Stand and Dell Dock Required for LD17 dock ASIX USB to Serial / Parallel Port Driver Docks/Stands O O Required for LD17 dock Dell Command Opwer Manager (DCPM) System Utilities Image: Comman display in the system Management Image: Comman display in the system Manageme	Realtek USB Audio Driver for Dell Wireless Dock, Dell Thunderbolt Dock, Dell Docking	Docks/Stands	ο	0	0		•	Required for TB16 and WD15 dock
Applications Dell Command Power Manager (DCPM) System Utilities All config. required Dell Command Update (DCU) System Management All config. required Dell Command Configure (DCC) System Management All config. required Dell Command Integration Suite (DCS) System Management O O Dell Command Integration Suite (DCS) System Management O O Option for IT management Dell Command Integration Suite (DCS) System Management O O Option for IT management Dell Command Integration Suite (DCM) System Management O O Option for IT management Dell Command Monitor (DCM) System Management O O O Option for IT management Dell Command Powershell Provider (DCPP) System Management O O O Option for IT management Dell Command Powershell Provider (DCPP) System Management O O O Option for IT management Dell Data Protection Encrytion DELL Data O O O Required fors torage encrytion and PBA features Dell Houndation Services - Application Application	Monitor Stand and Dell Dock ASIX USB to Serial / Parallel Port Driver	Docks/Stands	0	0	0		•	Required for LD17 dock
Dell Command Update (DCU) System Management Image (DC) All config. required Dell Command Logate (DCU) System Management Image (DC) All config. required Dell Command Logate (DCU) System Management Image (DC) Option for IT management Dell Command Integration Suite (DCS) System Management Image (DC) Option for IT management Dell Command Integration Suite (DCS) System Management Image (DC) Option for IT management Dell Command Monitor (DCM) System Management Image (DC) Option for IT management Dell Command Monitor (DCM) System Management Image (DC) Option for IT management Dell Command Nonitor (DCM) System Management Image (DC) Option for IT management Dell Command Powershell Provider (DCPP) System Management Image (DC) Image (DC) Dell Command Powershell Provider (DCPP) System Management Image (DC) Image (DC) Dell Command Powershell Provider (DCPP) System Management Image (DC) Image (DC) Dell Det (DC) Dell Data Image (DC) Image (DC) Image (DC) Dell Indition Services - Application Image (DC) <t< td=""><td>Doll Command Rower Manager /DCRM</td><td>System Utilities</td><td></td><td>,</td><td>Applications</td><td></td><td></td><td>All config required</td></t<>	Doll Command Rower Manager /DCRM	System Utilities		,	Applications			All config required
Dell Command Configure (DCC) System Management O O Option for IT management Dell Command Integration Suite (DCIS) System Management O O Option for IT management Dell Command Intel vPro (DCIV) (Aurora) System Management O O Option for IT management Dell Command Intel vPro (DCIV) (Aurora) System Management O O Option for IT management Dell Command Monitor (DCM) System Management O O Option for IT management Dell Command Monitor (DCM) System Management O O Option for IT management Dell Command Monitor (DCM) System Management O O Option for IT management Dell Command Powershell Provider (DCPP) System Management O O Option for IT management Dell Data O O O O O Option for IT management Dell Loata Protection Encrytion Protection Protection Protection Protection Protection Protection Protection Protection Application O O Option for IT management Dell Update Application O O O O Option for IT management	Dell Command Update (DCII)	System Management						All config. required
Dell Command Integration Suite (DCIS) System Management O O Option for IT management Dell Command Intel VPro (DCIV) (Aurora) System Management O O Option for IT management Dell Command Monitor (DCM) System Management O O Option for IT management Dell Command Powershell Provider (DCPP) System Management O O Option for IT management Dell Command Powershell Provider (DCPP) System Management O O O Option for IT management Dell Command Powershell Provider (DCPP) System Management O O O Option for IT management Dell Command System Vershell Provider (DCPP) System Management O O O Option for IT management Dell Data Protection Encrytion DELL Data Protection Encrytion Dell of T management O O Option for IT management Dell I protection Services - Application Application O O O Option for IT management Dell Update Application O O O O Option for IT management Dell Precision Renuired O O O O <td>Dell Command Configure (DCC)</td> <td>System Management</td> <td>ŏ</td> <td>ŏ</td> <td>ŏ</td> <td>ŏ</td> <td>ĕ</td> <td>Option for IT management</td>	Dell Command Configure (DCC)	System Management	ŏ	ŏ	ŏ	ŏ	ĕ	Option for IT management
Dell Command Intel vPro (DCIV) (Aurora) System Management O O Option for IT management Dell Command Monitor (DCM) System Management O O Option for IT management Dell Command Powershell Provider (DCPP) System Management O O Option for IT management Dell Command Powershell Provider (DCPP) System Management O O O Option for IT management DELL Data Protection Encrytion DELL Data O O O O Required for storage encrytion and PBA features Dell Foundation Services - Application Application O O O Option for IT management Dell Update Application O O O Option for IT management Dell Digital Delivery Application Application O O Option for IT management Dell Precision Optimizer (DPO) Application O O O Option for IT management Dell Precision Optimizer (DPO) Application O O O Option for IT management Dell Precision Optimizer (DPO) Application O O O Option for IT management	Dell Command Integration Suite (DCIS)	System Management	Ŏ	Ó	Ŏ	Ó	Ŏ	Option for IT management
Dell Command Monitor (DCM) System Management O O O O Option for IT management Dell Command Powershell Provider (DCPP) System Management O O O Option for IT management DELL Data Protection Encrytion DELL Data Protection O O O Required for storage encrytion and PBA features Dell Foundation Services - Application Application O O O Option for IT management Dell Update Application O O O O Option for IT management Dell Digital Delivery Application Application O O O Option for IT management Dell Precision Optimizer (DPO) Application O O O Option for IT management Dell Precision Optimizer (DPO) Application O O O Option for IT management	Dell Command Intel vPro (DCIV) (Aurora)	System Management	0	0	0			Option for IT management
Uptil command powersnell provider (UCPP) System Management V V V O O Option for IT management DELL Data Protection Encrytion DELL Data O O O Required for storage encrytion and PBA features Dell Foundation Services - Application Application O O O Option for IT management Dell Update Application O O O Option for IT management Dell Digital Delivery Application Application O O Option for IT management Dell Precision Optimizer (DPO) Application O O Option for IT management	Dell Command Monitor (DCM)	System Management	<u> </u>	0	<u> </u>	2		Option for IT management
DELL Data Protection Decision Decision O O Required for storage encrytion Dell Foundation Services - Application Application O O O and PBA features Dell Foundation Services - Application Application O O O Option for IT management Dell Digital Delivery Application Application O O Option for IT management Dell Precision Optimizer (DPO) Application O O Option figer encounter	Dell Command Powershell Provider (DCPP)	System Management	0	0	0	0		Option for IT management
Dell Foundation Services - Application Application O O Option for IT management Dell Update Application O O Option for IT management Dell Digital Delivery Application Application O O Option for IT management Dell Digital Delivery Application Application O O Option for IT management Dell Precision Optimizer (DPO) Application O O Mobile Precision Renuired	DELL Data Protection Encrytion	Protection	0	0	0	0	•	and PBA features
Dell Update Application O O O Option for 1 management Dell Digital Delivery Application Application Application Application Application Dell Precision Optimizer (DPO) Application Mobile Precision Renuired	Dell Foundation Services - Application	Application	0	<u> </u>	<u> </u>	<u> </u>		Option for IT management
Dell Precision Optimizer (DPO) Application Mobile Precision Mobile Precision Required	Dell Update	Application	<u> </u>	0				Option for IT management
	Dell Precision Optimizer (DPO)	Application	•	Ĭ	l i		•	Mobile Precision Required

Dell Latitude Ultrabook, E-Family & Mobile Precision Reimage "How-To" Guide

Appendix

Appendix A

How to create and use the Dell Windows recovery image

After you download the Windows recovery image <u>file</u>, follow these instructions to create a bootable USB drive or DVD, copy the recovery image onto your bootable media, and then use the media to reinstall Windows on your Dell device.

Warning: These advanced steps are intended primarily for system administrators and those familiar with command line and/or comfortable following technical tutorials.

Note: To print this document, expand the required section before you click the printer icon at the top of this document.

How to create Windows 10 installation media

Create USB installation media

Step 1: Format your USB drive as a bootable drive

Make sure that you use 8 GB or larger USB drive (32 GB Maximum) and backup any important data on it. When the drive is formatted, all existing data will be deleted.

- 1. Connect the USB drive to the PC where you'll be creating the installation media.
- 2. Open the Command Prompt window by right-clicking the **Start** button and then select **Command Prompt (Admin)** to run in administrator mode.
- 3. At the command prompt, type **diskpart** and press **Enter**.
- 4. Next, type **list volume** and press **Enter**.
- 5. From the list, determine which volume number is the connected USB drive. The volume type should be marked as Removable.
- 6. Type **select volume X**, where X is the number obtained in the previous step. For example, **select volume 9**.
- 7. Type **clean** and press **Enter**.
- 8. Type create partition primary and press Enter.
- 9. Type format fs=fat32 label='OS install' quick and press Enter.
- 10. Type active and press Enter.
- 11. To close the Command Prompt window, type exit and press Enter.

Step 2: Copy the recovery image to your bootable USB drive

- 1. Go to the location where you saved the recovery image.
- 2. Right-click the recovery image file (.iso) and on the options menu, select Mount.
- 3. Windows will open the contents of the image in File Explorer.
- 4. Copy the contents of the image to your bootable device.

Create DVD installation media

- 1. Insert the DVD into the disc drive of the PC where you'll be copying the recovery image to DVD. Make sure that the disc drive has burning capabilities.
- 2. Navigate to the folder where you saved the recovery image and double-click the iso file.
- 3. Either the Windows ISO media creation tool or installed third-party disc burning software will open.
- 4. Follow the on-screen instruction to burn the ISO to the DVD. When the process completes, you will have created bootable installation media.

Using the USB or DVD installation media to reinstall Windows 10

- 1. Connect the installation media you created to the Dell system where you want to install Windows.
- 2. Restart the system and when the Dell logo screen appears, tap the **F12** key until you see **Preparing one time boot menu** in the top-right corner of the screen.
- 3. On the boot menu, under UEFI boot, select your media type (USB or DVD) and enter your language.
- 4. On the Choose an option screen, select **Troubleshoot**, and then select **Recover from a drive**.
- 5. Follow the on-screen instructions to finish installing Windows. The installation process will take some time and your computer will restart.

Appendix B

Intel[®] Rapid Storage Technology

Intel® Rapid Storage Technology offers greater levels of performance, responsiveness, and expandability than ever before. Whether you are using one or multiple serial ATA (SATA) or PCIe drives, you can take advantage of enhanced performance and lower power consumption from the latest storage technologies. Additionally, you can rest easy knowing you have added protection against data loss in the event of a hard drive failure.

• Unleash the Performance of Your Solid-State Drive

Intel Rapid Storage Technology has added support for next generation PCIe storage devices with transfer speeds up to 1 GB/s that maximizes storage performance and improves response time for everyday usages like photo editing, video loading, and office productivity. Dynamic storage accelerator accelerates the performance of your SSD by dynamically adjusting system power management policies to deliver up to 15 percent faster performance1 during heavy multitasking compared to default power management.

• Fast Access to the Files and Applications You Use Most

Intel® Smart Response Technology is a feature of Intel Rapid Storage Technology that recognizes and automatically stores your most frequently used applications and data into a high performance SSD while giving you full access to the large storage capacity of a hard disk drive (HDD). This enables a lower-cost, small-capacity SSD to be used in conjunction with a high-capacity HDD. Intel Smart Response Technology enables your system to perform faster than a system with just a HDD.

Intel Smart Response Technology also supports solid-state hybrid drives (SSHDs). Intel Smart Response Technology boosts SSHD performance by informing the drive which data you use the most so it can store it into the built-in SSD, so your most frequently used data and applications are instantly accessible.

• Performance with Protection: RAID Technology

Most of us don't plan backup storage well in advance. Hard drive failure can be devastating, because it results in irretrievable content. Intel Rapid Storage Technology offers features that improve performance and data reliability for disk-intensive retrieval applications such as editing home video. For the fastest performance, Intel Rapid Storage Technology can combine from two to six drives in a configuration known as RAID 0, so data can be accessed on each drive simultaneously, speeding up response time. For the best reliability, Intel Rapid Storage Technology RAID support includes the following levels of performance and reliability:

RAID level 0 (Striping) RAID level 1 (Mirroring) RAID level 5 (Striping with parity) RAID level 10 (Striping and mirroring)

Multiple drives in a PC can also provide added protection from disastrous hard drive failures by mirroring all data among two or more drives. This configuration is known as RAID 1. RAID 5 and 10 provide additional reliability by mirroring all data among three and four drives respectively.

• Rapid Data Recovery

Intel® Rapid Recover Technology (Intel® RRT) provides a recovery point that can be used to quickly recover a system in the event of hard drive failure or data corruption. The clone can also be mounted as a read-only volume to allow a user to recover individual files.

Intel Smart Response Technology also supports SSHDs. An SSHD is a new type of HDD with a built-in highperformance SSD. Intel Smart Response Technology boosts SSHD performance by informing the drive which data you use the most, so it can store it into the built-in SSD.

You can create, work, and play faster than ever before without paying more for a larger SSD to store your entire digital library.

Appendix C

Dell Client Command Suite

The Dell Client Command Suite is the new name of our industry leading Client Systems Management tools. These tools make Dell commercial client systems the world's most manageable client devices. Click on a link below for more details

> Dell Command | Monitor Dell Command | Configure Dell Command | Deploy Dell Command | Integration Suite for System Center 2012 Dell Command | Update Catalog Dell Command | Update Dell Command | Power Manager Dell Command | Intel vPro Out of Band Dell Command | PowerShell Provider

Appendix D

Dell Dock (WD15) & Dell Thunderbolt Dock (TB16) information

Dell Dock WD15				
Display Ports	VGA, mDP, HDMI			
Number Displays Supported	2 ¹			
Max Resolution	3840 x 2160 @ 30 Hz, 2560 x 1600 @ 60Hz			
USB Ports	USB 2.0 - (2), USB 3.0 - (3)			
Thunderbolt 3 Port	None			
Audio/Headphone	3.5 mm Combo - (1), 3.5 mm Speaker Out (1)			
Network	RJ-45 Gigabit Ethernet			
	Power Adapter LED			
LED Indicators	Docking Cable Connector LED			
	RJ-45 LEDs			
Dock Connector	Proprietary Docking Connector to USB Type-C			
AC Adapter	130W/180W			
Dimensions	155 x 110 x 21 mm			
Dimensions	6.1 x 4.3 x 0.83 inches			
)A(cicht	0.93 lbs			
vveight	420 g			
System Requirements	PC equipped with DisplayPort over USB-Type-C or Thunderbolt 3			
Operating Systems	Windows 7/8/8.1/10			
Systems Management ²	Wireless vPro Supported by the Notebook, Tablet or Workstation			
Docking Cable Type	DisplayPort over USB Type-C (0.8m)			
MAC Address ³	Pass Thru MAC Address (Dell Systems ONLY)			
	If purchased as a tied laptop accessory the dock shares the system warranty			
Warranty	If purchased APOS, 1 yr warranty. Advanced Exchange (DAO/APJ), Next business day exchange EMFA			
¹ A 3rd display can be co	producted with the VGA port. The image will be in clone mode vs. Extended Deskton			
² Dell Dock WD15 does not support wired vPro. If vPro is needed, then the system host Ethernet port may be used or WiFI vPro within the system.				
Dell Thunderbolt Dock TB16				
Display Ports	VGA, mDP, HDMI, DP, Thunderbolt			
Number Displays Supported	3 @ 60Hz ⁴			

Dell Latitude Ultrabook, E-Family & Mobile Precision Reimage "How-To" Guide

Max Resolution	5120 x 2880 @ 60Hz				
USB Ports	USB 2.0 - (2), USB 3.0 - (3)				
Thunderbolt 3 Port	USB Type-C				
Audio/Headphone	3.5 mm Combo - (1), 3.5 mm Speaker Out (1)				
Network	RJ-45 Gigabit Ethernet				
	Power Adapter LED				
LED Indicators	Docking Cable Connector LED				
	RJ-45 LEDs				
Dock Connector	Proprietary Docking Connector to USB Type-C				
AC Adapter	180W/240W				
Dimensions	145 x 145 x 52 mm				
	5.7 x 5.7 x 2.05 inches				
Weight	1.63 lbs				
	740 g				
System Requirements	PC equipped with DisplayPort over USB-C or Thunderbolt				
Operating Systems	Windows 7/8/8.1/10				
Systems Management ²	Wireless vPro supported by the notebook, tablet, or workstation				
Docking Cable Type	USB Type-C Thunderbolt (0.5m)				
MAC Address ³	Pass Thru MAC Address (Dell Systems ONLY)				
	If purchased as a tied laptop accessory the dock shares the system warranty				
Warranty	If purchased APOS, 1 yr warranty. Advanced Exchange (DAO/APJ), Next business day exchange EMEA				
¹ USB-Type C Non-Thunderbolt	[™] or USB Type-C Universal cable required. The host device must support Thunderbolt [™] 3 for				
Thunderbolt speeds to be supported on the Dell Thunderbolt [™] Dock. ² Dell Dock and Dell TBT Dock do not support wired vPro. If vPro is needed, the bost Ethernet port can be used, or WiEi vPro within					
the host.					
³ The dock will pass through the NB/Tablet MAC address					
⁴ With Intel HD Integrated graphics. Some systems with Discrete Graphics (NVidia/AMD) may be able to display additional displays,					

but due to bandwidth limitations of the Thunderbolt bus, the refresh rate may have to be reduced to 30 Hz. See the TB16 user guide pg 22

The Dell Thunderbolt Dock TB16 is a device that links all your electronic devices to your laptop computer using Thunderbolt[™] 3 (Type-C) cable interface. When you connect the laptop to the docking station, you can gain access to all your peripherals such as the mouse, keyboard, stereo speakers, external hard drive, and large-screen displays without having to plug each one into the laptop.

Key Features:

- Supports up to three FHD displays or two 4K displays @ 60Hz
- Supports faster data transfer of up to 40 Gbps, ideal for large files.
- Common docking experience across platforms with USB-C port(s) having data, video, and power capabilities.
- Single cable for power and data (up to 130w on supported computers only).

For more information about USB Type-C, refer to the knowledgebase article <u>USB Type-C - Frequently Asked</u> <u>Questions</u>.