

Dell Storage with Microsoft Storage Spaces Configurations and Solution IDs

Use these configurations and solution IDs when you purchase your Dell Storage with Microsoft Storage Spaces (DSMS) solution.

Dell Engineering May 2016

Revisions

Date	Description	
May 2016	Updated with new configurations.	
October 2015	Initial release	

THIS WHITE PAPER IS FOR INFORMATIONAL PURPOSES ONLY, AND MAY CONTAIN TYPOGRAPHICAL ERRORS AND TECHNICAL INACCURACIES. THE CONTENT IS PROVIDED AS IS, WITHOUT EXPRESS OR IMPLIED WARRANTIES OF ANY KIND.

Copyright © 2016 Dell Inc. All rights reserved. Dell and the Dell logo are trademarks of Dell Inc. in the United States and/or other jurisdictions. All other marks and names mentioned herein may be trademarks of their respective companies.



Table of contents

Re	<i>r</i> isions	. 2
Int	roduction	.4
1	Converged configurations and solution IDs	. 5
2	Scale-Out File Server configurations and solution IDs	. 8



Introduction

This document is intended to support Dell Storage with Microsoft Storage Spaces (DSMS) configurations, which have unique solution SKUs called *solution IDs*. These DSMS solution IDs are required when ordering a DSMS configuration, which is the only way to get access to the benefits such as performance and sizing, optimized server and storage components, single-payload updates, and solution-level technical support. If you are in a geographical area outside of the US, the solution IDs are not available at this time; however, you may reference the configuration name instead. Use this document for the most complete list of solution IDs.

This document is divided into two sections:

- Converged configurations and solution IDs
- Scale-Out Filer Server Solution IDs




Figure 1 The correct solution ID or configuration connects you to all the solution has to offer, including Dell Services and Support.

Note: This document may not be representative of all the available configurations. Dell sales may need to custom build the configuration as some configurations are supported but no Solution ID is available as noted in this document.

Converged configurations and solution IDs

Use the following information to order the proper systems for your converged DSMS solution. If you are US, use the solution ID, if you are in another geographical area, use the configuration.

Note: Configurations mentioned without a Solution ID are supported but no Solution ID is available. In this case, use the configuration as your reference when you purchase the DSMS solution.

Configuration	Storage nodes	Storage enclosures	Solution IDs
DSMS 2x1 630 with 1400	2x DSMS 630	1x DSMS 1400	Use the configuration as your ID.
DSMS 2x1 630 with 1420	2x DSMS 630	1x DSMS 1420	Use the configuration as your ID.
DSMS 2x1 630 with 3060e	2x DSMS 630	1x DSMS 3060e	Use the configuration as your ID.
DSMS 2x1 730 with 1400	2x DSMS 730	1x DSMS 1400	6168871
DSMS 2x1 730 with 1420 (All Flash)	2x DSMS 730	1x DSMS 1420	Use the configuration as your ID.
DSMS 2x1 730 with 1420	2x DSMS 730	1x DSMS 1420	6168910
DSMS 2x1 730 with 3060e	2x DSMS 730	1x DSMS 3060e	Use the configuration as your ID.
DSMS 2x2 630 with 1400	2x DSMS 630	2x DSMS 1400	Use the configuration as your ID.
DSMS 2x2 630 with 1420	2x DSMS 630	2x DSMS 1420	Use the configuration as your ID.
DSMS 2x2 630 with 3060e	2x DSMS 630	2x DSMS 3060e	Use the configuration as your ID.
DSMS 2x2 730 with 1400	2x DSMS 730	2x DSMS 1400	6168914
DSMS 2x2 730 with 1420 (All Flash)	2x DSMS 730	2x DSMS 1420	Use the configuration as your ID.
DSMS 2x2 730 with 1420	2x DSMS 730	2x DSMS 1420	6168970
DSMS 2x2 730 with 3060e	2x DSMS 730	2x DSMS 3060e	Use the configuration as your ID.
DSMS 2x3 630 with 1400	2x DSMS 630	3x DSMS 1400	Use the configuration as your ID.
DSMS 2x3 630 with 1420	2x DSMS 630	3x DSMS 1420	Use the configuration as your ID.
DSMS 2x3 630 with 3060e	2x DSMS 630	3x DSMS 3060e	Use the configuration as your ID.
DSMS 2x3 730 with 1400	2x DSMS 730	3x DSMS 1400	6168989
DSMS 2x3 730 with 1420	2x DSMS 730	3x DSMS 1420	6169009
DSMS 2x3 730 with 3060e	2x DSMS 730	3x DSMS 3060e	Use the configuration as your ID.

Table 1	Converged	configurations	and solution IDs

1



Configuration	Storage nodes	Storage enclosures	Solution IDs
DSMS 2x4 630 with 1400	2x DSMS 630	4x DSMS 1400	Use the configuration as your ID.
DSMS 2x4 630 with 1420	2x DSMS 630	4x DSMS 1420	Use the configuration as your ID.
DSMS 2x4 630 with 3060e	2x DSMS 630	4x DSMS 3060e	Use the configuration as your ID.
DSMS 2x4 730 with 1400	2x DSMS 730	4x DSMS 1400	Use the configuration as your ID.
DSMS 2x4 730 with 1420	2x DSMS 730	4x DSMS 1420	Use the configuration as your ID.
DSMS 2x4 730 with 3060e	2x DSMS 730	4x DSMS 3060e	Use the configuration as your ID.
DSMS 3x3 630 with 1400	3x DSMS 630	3x DSMS 1400	Use the configuration as your ID.
DSMS 3x3 630 with 1420	3x DSMS 630	3x DSMS 1420	Use the configuration as your ID.
DSMS 3x3 630 with 3060e	3x DSMS 630	3x DSMS 3060e	Use the configuration as your ID.
DSMS 3x3 730 with 1400	3x DSMS 730	3x DSMS 1400	6169026
DSMS 3x3 730 with 1420	3x DSMS 730	3x DSMS 1420	6169042
DSMS 3x3 730 with 3060e	3x DSMS 730	3x DSMS 3060e	Use the configuration as your ID.
DSMS 3x4 630 with 1400	3x DSMS 630	4x DSMS 1400	Use the configuration as your ID.
DSMS 3x4 630 with 1420	3x DSMS 630	4x DSMS 1420	Use the configuration as your ID.
DSMS 3x4 630 with 3060e	3x DSMS 630	4x DSMS 3060e	Use the configuration as your ID.
DSMS 3x4 730 with 1400	3x DSMS 730	4x DSMS 1400	Use the configuration as your ID.
DSMS 3x4 730 with 1420	3x DSMS 730	4x DSMS 1420	Use the configuration as your ID.
DSMS 3x4 730 with 3060e	3x DSMS 730	4x DSMS 3060e	Use the configuration as your ID.
DSMS 4x3 730 with 1400	4x DSMS 730	3x DSMS 1400	6169065
DSMS 4x3 730 with 1420	4x DSMS 730	3x DSMS 1420	Use the configuration as your ID.



DSMS 4x4 630 with 1400	4x DSMS 630	4x DSMS 1400	Use the configuration as your ID.
DSMS 4x4 630 with 1420	4x DSMS 630	4x DSMS 1420	Use the configuration as your ID.
DSMS 4x4 630 with 3060e	4x DSMS 630	4x DSMS 3060e	Use the configuration as your ID.
DSMS 4x4 730 with 1400	4x DSMS 730	4x DSMS 1400	Use the configuration as your ID.
DSMS 4x4 730 with 1420	4x DSMS 730	4x DSMS 1420	Use the configuration as your ID.
DSMS 4x4 730 with 3060e	4x DSMS 730	4x DSMS 3060e	Use the configuration as your ID.

*Check back for updates on these configuration solution IDs. Where solution IDs are not available, use the configuration as your reference when you purchase the DSMS solution.



Scale-Out File Server configurations and solution IDs

Use the following information to order the proper systems for your SOFS DSMS solution. If you are US, use the Solution ID, if you are in another geographical area, use the configuration.

Note: Configurations mentioned without a Solution ID are supported but no Solution ID is available. In this case, use the configuration as your reference when you purchase the DSMS solution.

Solution	Storage nodes	Storage enclosures	Solution IDs
DSMS 2x1 630 with 1400	2x DSMS 630	1x DSMS 1400	Use the configuration as your ID.
DSMS 2x1 630 with 1420	2x DSMS 630	1x DSMS 1420	Use the configuration as your ID.
DSMS 2x1 630 with 3060e	2x DSMS 630	1x DSMS 3060e	Use the configuration as your ID.
DSMS 2x1 730 with 1400	2x DSMS 730	1x DSMS 1400	Use the configuration as your ID.
DSMS 2x1 730 with 1420 (All Flash)	2x DSMS 730	1x DSMS 1420	Use the configuration as your ID.
DSMS 2x1 730 with 1420	2x DSMS 730	1x DSMS 1420	Use the configuration as your ID.
DSMS 2x1 730 with 3060e	2x DSMS 730	1x DSMS 3060e	Use the configuration as your ID.
DSMS 2x2 630 with 1400	2x DSMS 630	2x DSMS 1400	Use the configuration as your ID.
DSMS 2x2 630 with 1420	2x DSMS 630	2x DSMS 1420	Use the configuration as your ID.
DSMS 2x2 630 with 3060e	2x DSMS 630	2x DSMS 3060e	6169089
DSMS 2x2 730 with 1400	2x DSMS 730	2x DSMS 1400	6169097
DSMS 2x2 730 with 1420 (All Flash)	2x DSMS 730	2x DSMS 1420	6169114
DSMS 2x2 730 with 1420	2x DSMS 730	2x DSMS 1420	Use the configuration as your ID.
DSMS 2x2 730 with 3060e	2x DSMS 730	2x DSMS 3060e	6169135
DSMS 2x3 630 with 1400	2x DSMS 630	3x DSMS 1400	Use the configuration as your ID.
DSMS 2x3 630 with 1420	2x DSMS 630	3x DSMS 1420	Use the configuration as your ID.
DSMS 2x3 630 with 3060e	2x DSMS 630	3x DSMS 3060e	6169148
DSMS 2x3 730 with 1400	2x DSMS 730	3x DSMS 1400	6169160
DSMS 2x3 730 with 1420	2x DSMS 730	3x DSMS 1420	6169169
DSMS 2x3 730 with 3060e	2x DSMS 730	3x DSMS 3060e	6169199

Table 2 Scale-Out Filer Server Solution IDs

2



Solution	Storage nodes	Storage enclosures	Solution IDs
DSMS 2x4 630 with 1400	2x DSMS 630	4x DSMS 1400	Use the configuration as your ID.
DSMS 2x4 630 with 1420	2x DSMS 630	4x DSMS 1420	Use the configuration as your ID.
DSMS 2x4 630 with 3060e	2x DSMS 630	4x DSMS 3060e	6169211
DSMS 2x4 730 with 1400	2x DSMS 730	4x DSMS 1400	6169219
DSMS 2x4 730 with 1420	2x DSMS 730	4x DSMS 1420	6169235
DSMS 2x4 730 with 3060e	2x DSMS 730	4x DSMS 3060e	6169247
DSMS 3x3 630 with 1400	3x DSMS 630	3x DSMS 1400	Use the configuration as your ID.
DSMS 3x3 630 with 1420	3x DSMS 630	3x DSMS 1420	Use the configuration as your ID.
DSMS 3x3 630 with 3060e	3x DSMS 630	3x DSMS 3060e	6169262
DSMS 3x3 730 with 1400	3x DSMS 730	3x DSMS 1400	6169272
DSMS 3x3 730 with 1420	3x DSMS 730	3x DSMS 1420	6169284
DSMS 3x3 730 with 3060e	3x DSMS 730	3x DSMS 3060e	6169304
DSMS 3x4 630 with 1400	3x DSMS 630	4x DSMS 1400	Use the configuration as your ID.
DSMS 3x4 630 with 1420	3x DSMS 630	4x DSMS 1420	Use the configuration as your ID.
DSMS 3x4 630 with 3060e	3x DSMS 630	4x DSMS 3060e	Use the configuration as your ID.
DSMS 3x4 730 with 1400	3x DSMS 730	4x DSMS 1400	Use the configuration as your ID.
DSMS 3x4 730 with 1420	3x DSMS 730	4x DSMS 1420	Use the configuration as your ID.
DSMS 3x4 730 with 3060e	3x DSMS 730	4x DSMS 3060e	Use the configuration as your ID.
DSMS 4x3 730 with 1400	4x DSMS 730	3x DSMS 1400	Use the configuration as your ID.
DSMS 4x3 730 with 1420	4x DSMS 730	3x DSMS 1420	Use the configuration as your ID.
DSMS 4x4 630 with 1400	4x DSMS 630	4x DSMS 1400	Use the configuration as your ID.
DSMS 4x4 630 with 1420	4x DSMS 630	4x DSMS 1420	Use the configuration as your ID.
DSMS 4x4 630 with 3060e	4x DSMS 630	4x DSMS 3060e	6169320
DSMS 4x4 730 with 1400	4x DSMS 730	4x DSMS 1400	Use the configuration as your ID.
DSMS 4x4 730 with 1420	4x DSMS 730	4x DSMS 1420	Use the configuration as your ID.
DSMS 4x4 730 with 3060e	4x DSMS 730	4x DSMS 3060e	Use the configuration as your ID.

Deli